

A checklist of lice of Hungary (Insecta: Phthiraptera)

Z. VAS^{1*}, J. RÉKÁSI² & L. RÓZSA³

¹ Hungarian Natural History Museum, H-1088 Budapest, Baross u. 13, Hungary;
Department of Biomathematics and Informatics, Faculty of Veterinary Science,
Szent István University, H-1078 Budapest, István u. 2, Hungary.
E-mail: vas.zoltan@gmail.com

² Pannonhalma Benedictiner School, H-9090 Pannonhalma, Vár 2, Hungary.
E-mail: rekasi@osb.hu

³ MTA-ELTE-MTM Ecology Research Group,
H-1117 Budapest, Pázmány P. sétány 1/C, Hungary.
E-mail: lajos.rozsa@gmail.com

Abstract – A checklist of louse species and subspecies collected from wild or domestic (exotic pets excluded) birds and mammals including humans in Hungary since 1945 is provided. The list is based on formerly published data and includes 279 louse species and subspecies. Their hosts represent 156 bird and 30 mammal species. Additionally, further 550 louse species (and subspecies) are also listed, whose occurrence is likely as judged from geographic and host distribution but have not been detected yet. This paper presents the most complete review of the Hungarian louse fauna.

Key words – Louse, host association, birds, mammals, ectoparasites.

INTRODUCTION

Hungary's sucking louse (Phthiraptera: Anoplura) fauna was summarized by PIOTROWSKI (1970). The chewing louse (Phthiraptera: Amblycera, Ischnocera) fauna was evaluated in two checklists (RÉKÁSI 1993a, 1994) summarizing data for avian and mammalian hosts separately. Subsequently, more recent world checklists for sucking lice (DURDEN & MUSSER 1994) and for chewing lice (PRICE *et al.* 2003) critically reviewed the nomenclature, taxonomy and host-parasite relationships of this insect order as a whole.

* Corresponding author

Furthermore, genus-level world checklists such as those of MEY (2001) and BUSH *et al.* (2009) were published. These global revisions made it necessary to critically reconsider data at national level again. In the present paper, a critical synthesis of the currently available data on all lice collected after 1945 in the area of present-day Hungary is provided.

This list follows the traditions set out by early Hungarian authors namely CSÍKI (1904), PONGRÁCZ (1914) and DUDICH (1924). However, the forms and methodologies established by modern louse checklists of other countries or areas, such as KIM *et al.* (1986), MEY (1988), MÁCA (1991), SMITHERS *et al.* (1996), PAJOT (2000), TENQUIST & CHARLESTON (2001), FORD *et al.* (2004), ILIEVA (2009) and ADAM & SÁNDOR (2004, 2005) are also followed.

MATERIALS AND METHODS

We critically reviewed all published literature sources of the Hungarian louse fauna. Our list follows the nomenclature and host-parasite associations of the world checklists of chewing lice (PRICE *et al.* 2003) and sucking lice (DURDEN & MUSSER 1994) with a few complements based on BÁDR *et al.* (2005), SYCHRA & LITERÁK (2008), and SYCHRA *et al.* (2008a, b). We included all bird and mammal species listed in the most recent bird (MME NOMECLATOR BIZOTTSÁG 2008) and mammal (BIHARI *et al.* 2007) checklists of Hungary, except for a few taxa of mammals – *e.g.* European Mole (*Talpa europaea* LINNAEUS, 1758), bats (Chiroptera), mole rats (*Nannospalax* PALMER, 1903) – that are known to be free of lice.

Several louse records were rejected due to uncertainties of identification. Similarly, we rejected all records before 1945 because these data refer to a geographic area different from present-day Hungary. For the same reason, we have not adopted many data of the previous checklists of RÉKÁSI (1993a, 1994). We ignored atypical louse-host associations named ‘stragglers’ or ‘desertoers’ in the literature – *i.e.* lice collected from atypical host species. Atypical associations may either arise from natural or artificial processes; anyway, they are unlikely to represent self-sustainable louse populations. In the present list, typical associations are those accepted by PRICE *et al.* (2003) or DURDEN & MUSSER (1994) as such.

The first part of the text provides data listed by parasites (in an alphabetical sequence, subdivided into avian lice and mammal lice), while the second part repeats the same information listed by hosts. Host lists follow a taxonomical sequence of orders and families, however, genera and species are listed in an alphabetical sequence within families. Bird and mammal taxonomy follows DICKINSON (2003) and BIHARI *et al.* (2007) respectively.

For each species, the data published from post-1945 Hungary (marked with “HU:”) are provided first. (If a host-parasite species pair is mentioned in several Hungarian records, only the earliest publication is mentioned.) This is followed by host or parasite records that have no published data for Hungary; however, their occurrence seems to be

likely as judged from the geographic distribution of the host and the parasite. Asterisk (*) marks the type host-parasite relationship. If the original source of data used a louse synonymy that is now considered invalid, synonym names are also given.

Human and domesticated host species are separated from wild ones. Domesticated animals that are also represented by wild populations in Hungary are treated as formally distinct species (e.g. *Anas domesticus*, *Canis familiaris*, *Sus domesticus*) to avoid confusion. Some lice of globally widespread domestic hosts (horse, cattle, and dog) are not included in the present list since they have never been found in the Western Palearctic. Finally, a list of potential host species that are not yet known to harbour lice is also provided.

RESULTS

Our list includes 279 louse species and subspecies which have been recorded in Hungary since 1945. Their hosts represent 156 bird and 30 mammal species. Additionally, we also list further 550 louse species whose occurrence may seem to be likely (as judged from geographic and host distribution), but have not been detected yet. Future research will probably yield several new louse species and host records for Hungary.

CHECKLIST ORDERED BY LICE

Avian lice

Order: PHTHIRAPTERA

Suborder: AMBLYCERA

Family: Laemobothriidae

Laemobothrion atrum (NITZSCH, 1818)

Fulica atra LINNAEUS, 1758* HU: BALÁT (1957)

Laemobothrion biswasi (LAKSHMINARAYANA, 1967)

Porphyrio porphyrio (LINNAEUS, 1758)*

Laemobothrion blagoveshtchenski TENDEIRO, 1963

Porphyrio porphyrio (LINNAEUS, 1758)*

Laemobothrion chloropodis (SCHRANK, 1803)

Gallinula chloropus (LINNAEUS, 1758)*

Laemobothrion maximum (SCOPOLI, 1763)

Buteo buteo (LINNAEUS, 1758)* HU: SCHÄFER (1964, as *L. circi*)

Circus aeruginosus (LINNAEUS, 1758) HU: RÉKÁSI (1990)

Circus cyaneus (LINNAEUS, 1766) HU: RÉKÁSI (1984, as *L. circi*)
Milvus migrans (BODDAERT, 1783) HU: SCHÄFER (1963, as *L. circi*)
Accipiter brevipes (SEVERTZOV, 1850), *Accipiter gentilis* (LINNAEUS, 1758), *Aquila chrysaetos* (LINNAEUS, 1758), *Buteo lagopus* (PONTOPPIDAN, 1763), *Buteo rufinus* (CRETZSCHMAR, 1829), *Circaetus gallicus* (GMELIN, 1788), *Circus pygargus* (LINNAEUS, 1758), *Hieraaetus fasciatus* (VIEILLOT, 1822), *Hieraaetus penatus* (GMELIN, 1788), *Milvus milvus* (LINNAEUS, 1758), *Pandion haliaetus* (LINNAEUS, 1758), *Pernis api-vorus* (LINNAEUS, 1758)

Laemobothrion nocturnum GIEBEL, 1874

Strix aluco LINNAEUS, 1758*

Laemobothrion simile KELLOGG, 1896

Podiceps nigricollis BREHM, 1831*

Laemobothrion tinnunculi (LINNAEUS, 1758)

Falco tinnunculus LINNAEUS, 1758* HU: BALÁT (1957)

Falco columbarius LINNAEUS, 1758, *Falco eleonora* GENE, 1839, *Falco peregrinus* TUNSTALL, 1771, *Falco subbuteo* LINNAEUS, 1758

Laemobothrion vulturis (FABRICIUS, 1775)

Aegypius monachus (LINNAEUS, 1766), *Aquila chrysaetos* (LINNAEUS, 1758), *Aquila clanga* PALLAS, 1811, *Aquila heliaca* SAVIGNY, 1809, *Aquila pomarina* BREHM, 1831, *Gyps fulvus* (HABLIZL, 1783), *Haliaeetus albicilla* (LINNAEUS, 1758), *Neophron percnopterus* (LINNAEUS, 1758)

Family: Menoponidae

Actornithophilus bicolor (PIAGET, 1880)

Arenaria interpres (LINNAEUS, 1758)*

Actornithophilus canuti PRICE et LEIBOVITZ, 1969

Calidris canutus (LINNAEUS, 1758)*

Actornithophilus flumineus CLAY, 1962

Actitis hypoleucos (LINNAEUS, 1758)*

Actornithophilus gracilis (PIAGET, 1880)

Vanellus vanellus (LINNAEUS, 1758) HU: BALÁT (1957, as *A. svobodai*)

Actornithophilus grandiceps (PIAGET, 1880)

Haematopus ostralegus LINNAEUS, 1758*

Actornithophilus himantopi BLAGOVESHCHENSKY, 1951

Himantopus himantopus (LINNAEUS, 1758)*

Actornithophilus hoplopteri (MJÖBERG, 1910)

Charadrius vociferus LINNAEUS, 1758, *Vanellus leucurus* (LICHTENSTEIN, 1823), *Vanellus spinosus* (LINNAEUS, 1758)*

Actornithophilus limosae (KELLOGG, 1908)

- Limosa lapponica* (LINNAEUS, 1758)*
Actornithophilus lyallpurensis ANSARI, 1955
Tringa ochropus LINNAEUS, 1758*
Actornithophilus multisetosus BLAGOVESHCHENSKY, 1940
Lymnocyrtus minimus (BRÜNNICH, 1764)* HU: RÉKÁSI (1984)
Actornithophilus nodularis MARTINHO GUIMARÃES, 1988
Charadrius alexandrinus LINNAEUS, 1758*
Actornithophilus ocellatus (RUDOW, 1869)
Numenius phaeopus (LINNAEUS, 1758)*
Actornithophilus ochraceus (NITZSCH, 1818)
Pluvialis apricaria (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
Pluvialis squatarola (LINNAEUS, 1758) HU: RÉKÁSI (1984, as *A. flavipes*)
Vanellus gregarius (PALLAS, 1771) HU: SCHÄFER (1963)
Charadrius dubius SCOPOLI, 1786, *Charadrius hiaticula* LINNAEUS, 1758, *Charadrius leschenaultii* LESSON, 1826, *Charadrius morinellus* LINNAEUS, 1758, *Pluvialis dominica* (MÜLLER, 1776), *Pluvialis fulva* (GMELIN, 1789)
Actornithophilus paludosus CLAY, 1962
Tringa nebularia (GUNNERUS, 1767)*
Actornithophilus patellatus (PIAGET, 1890)
Numenius arquata (LINNAEUS, 1758)*
Actornithophilus pediculoides (MJÖBERG, 1910)
Arenaria interpres (LINNAEUS, 1758)*
Actornithophilus piceus lari (PACKARD, 1870)
Larus argentatus PONTOPPIDAN, 1763, *Larus canus* (LINNAEUS, 1758), *Larus delawarensis* ORD, 1815, *Larus fuscus* LINNAEUS, 1758, *Larus genei* BRÉME, 1839, *Larus glaucoides* (MEYER, 1822), *Larus hyperboreus* GUNNERUS, 1767, *Larus marinus* LINNAEUS, 1758*, *Larus minutus* PALLAS, 1776, *Larus pipixcan* WAGLER, 1831, *Larus ridibundus* LINNAEUS, 1766, *Rissa tridactyla* (LINNAEUS, 1758), *Xema sabini* SABINE, 1819
Actornithophilus piceus piceus (DENNY, 1842)
Chlidonias hybrida (PALLAS, 1811), *Chlidonias leucoptera* (TEMMINCK, 1815), *Chlidonias nigra* (LINNAEUS, 1758), *Gelochelidon nilotica* (GMELIN, 1789), *Sterna albifrons* (PALLAS, 1764), *Sterna caspia* PALLAS, 1770, *Sterna hirundo* LINNAEUS, 1758, *Sterna paradisaea* PONTOPPIDAN, 1763, *Sterna sandwicensis* LATHAM, 1787*
Actornithophilus pustulosus (PIAGET, 1880)
Philomachus pugnax (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
Actornithophilus sedes EICHLER, 1944
Glareola pratincola (LINNAEUS, 1766)
Actornithophilus spinulosus (PIAGET, 1880)
Limosa limosa (LINNAEUS, 1758)*

- Actornithophilus stictus* (KELLOGG et PAINE, 1911)
Gallinago gallinago (LINNAEUS, 1758)*
- Actornithophilus tetralicis* CLAY, 1962
Burhinus oedicephalus (LINNAEUS, 1758)*
- Actornithophilus totani* (SCHRANK, 1803)
Tringa erythropus (PALLAS, 1764) HU: BALÁZS (1957, as *A. affinis*)
Tringa glareola LINNAEUS, 1758 HU: RÉKÁSI (1979, as *A. affinis*)
Tringa totanus (LINNAEUS, 1758)* HU: RÉKÁSI (1979)
Tringa flavipes (GMELIN, 1789), *Tringa stagnatilis* (BECHSTEIN, 1803)
- Actornithophilus umbrinus* (BURMEISTER, 1838)
Calidris canutus (LINNAEUS, 1758) HU: RÉKÁSI (2006)
Calidris ferruginea (PONTOPPIDAN, 1763)* HU: RÉKÁSI (2002)
Calidris alba (PALLAS, 1764), *Calidris alpina* (LINNAEUS, 1758), *Calidris fuscicollis* (VIEILLOT, 1819), *Calidris maritima* (BRÜNNICH, 1764), *Calidris melanotos* (VIEILLOT, 1819), *Calidris minuta* (LEISLER, 1812), *Calidris pusilla* (LINNAEUS, 1766), *Calidris temminckii* (LEISLER, 1812), *Phalaropus fulicarius* (LINNAEUS, 1758), *Phalaropus lobatus* (LINNAEUS, 1758), *Phalaropus tricolor* (VIEILLOT, 1819), *Tryngites subruficollis* (VIEILLOT, 1819)
- Actornithophilus uniseriatus* (PIAGET, 1880)
Recurvirostra avosetta LINNAEUS, 1758*
- Amyrsidea desousai* (KÉLER, 1952)
Numida meleagris (LINNAEUS, 1758)*
- Amyrsidea fulvomaculata* (DENNY, 1842)
Coturnix coturnix (LINNAEUS, 1758)*
- Amyrsidea lagopi* (GRUBE, 1851)
Lyrurus tetrix (LINNAEUS, 1758), *Tetrao urogallus* LINNAEUS, 1758
- Amyrsidea perdix* (DENNY, 1842)
Phasianus colchicus LINNAEUS, 1758 HU: RÉKÁSI (1984, as *A. megalosoma*)
Perdix perdix (LINNAEUS, 1758)*
- Ardeiphilus trochioxus* (BURMEISTER, 1838)
Botaurus stellaris (LINNAEUS, 1758)*
- Ardeiphilus vittatus* (RUDOW, 1866)
Ardeola ralloides (SCOPOLI, 1769)* HU: SCHÄFER (1963, in *Colpocephalum*)
- Austromenopon aegialitidis* (DURANT, 1906)
Charadrius alexandrinus LINNAEUS, 1758, *Charadrius dubius* SCOPOLI, 1786, *Charadrius hiaticula* LINNAEUS, 1758, *Charadrius leschenaultii* LESSON, 1826, *Charadrius vociferus* LINNAEUS, 1758*, *Vanellus vanellus* (LINNAEUS, 1758)
- Austromenopon alpinum* TIMMERMAN, 1954
Calidris alpina (LINNAEUS, 1758)* HU: RÉKÁSI (1984)

- Austromenopon atrofulvum* (PIAGET, 1880)
Chlidonias hybrida (PALLAS, 1811), *Chlidonias leucoptera* (TEMMINCK, 1815), *Chlidonias nigra* (LINNAEUS, 1758), *Gelochelidon nilotica* (GMELIN, 1789), *Sterna albifrons* (PALLAS, 1764), *Sterna caspia* PALLAS, 1770, *Sterna hirundo* LINNAEUS, 1758, *Sterna paradisaea* PONTOPPIDAN, 1763, *Sterna sandvicensis* LATHAM, 1787
- Austromenopon confine* (BLAGOVESHTCHENSKY, 1948)
Numenius tenuirostris VIEILLOT, 1817*
- Austromenopon corporosum* (KELLOGG et KUWANA, 1901)
Phalaropus fulicarius (LINNAEUS, 1758)*
- Austromenopon crocatum* (NITZSCH, 1866)
Numenius arquata (LINNAEUS, 1758)* HU: SCHÄFER (1963)
- Austromenopon decorosum* ZLOTORZYCKA, 1968
Tringa erythropus (PALLAS, 1764), *Tringa totanus* (LINNAEUS, 1758)*
- Austromenopon durisetosum* (BLAGOVESHTCHENSKY, 1948)
Gallinago gallinago (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
Gallinago media (LATHAM, 1787)
- Austromenopon erilis* ZLOTORZYCKA, 1968
Calidris maritima (BRÜNNICH, 1764)*
- Austromenopon fuscifasciatum* (PIAGET, 1880)
Stercorarius parasiticus (LINNAEUS, 1758) HU: SCHÄFER (1964, as *A. circinatum*)
Stercorarius longicaudus VIEILLOT, 1819, *Stercorarius pomarinus* (TEMMINCK, 1815)*
- Austromenopon gregariae* TIMMERMAN, 1954
Vanellus gregarius (PALLAS, 1771)*
- Austromenopon haematopi* TIMMERMAN, 1954
Haematopus ostralegus LINNAEUS, 1758*
- Austromenopon himantopi* TIMMERMAN, 1954
Himantopus himantopus (LINNAEUS, 1758)*
- Austromenopon hystriculum* ZLOTORZYCKA, 1968
Actitis hypoleucos (LINNAEUS, 1758)*
- Austromenopon icterum* (BURMEISTER, 1838)
Scolopax rusticola LINNAEUS, 1758* HU: RÉKÁSI (1984)
- Austromenopon leucurae* TIMMERMAN, 1954
Vanellus leucurus (LICHTENSTEIN, 1823)*
- Austromenopon limosae* TIMMERMAN, 1954
Limosa limosa (LINNAEUS, 1758)*
- Austromenopon lutescens* (BURMEISTER, 1838)
Calidris canutus (LINNAEUS, 1758) HU: RÉKÁSI (2002)
Philomachus pugnax (LINNAEUS, 1758)* HU: RÉKÁSI (1978b)
Arenaria interpres (LINNAEUS, 1758)

- Austromenopon meyeri* (GIEBEL, 1874)
Limosa lapponica (LINNAEUS, 1758)*
- Austromenopon micrandrum* (NITZSCH, 1866)
Recurvirostra avosetta LINNAEUS 1758* HU: RÉKÁSI (1986b)
- Austromenopon nigropleurum* (DENNY, 1842)
Alca torda LINNAEUS, 1758*, *Fratercula arctica* (LINNAEUS, 1758)
- Austromenopon phaeopodis* (SCHRANK, 1802)
Numenius phaeopus (LINNAEUS, 1758)*
- Austromenopon sohni* ANSARI, 1955
Tringa ochropus LINNAEUS, 1758*
- Austromenopon spenceri* TIMMERMAN, 1956
Phalaropus lobatus (LINNAEUS, 1758)* HU: RÉKÁSI (2002)
- Austromenopon squatarolae* TIMMERMAN, 1954
Pluvialis squatarola (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Austromenopon transversum* (DENNY, 1842)
Larus ridibundus LINNAEUS, 1766 HU: RÉKÁSI (1984, as *A. ridibundus*)
Larus argentatus PONTOPPIDAN, 1763, *Larus canus* LINNAEUS, 1758, *Larus delawarensis* ORD, 1815, *Larus fuscus* LINNAEUS, 1758, *Larus glaucoides* (MEYER, 1822), *Larus hyperboreus* GUNNERUS, 1767, *Larus marinus* LINNAEUS, 1758, *Larus minutus* PALLAS, 1776, *Larus pipixcan* WAGLER, 1831, *Rissa tridactyla* (LINNAEUS, 1758)*, *Xema sabini* SABINE, 1819
- Bonomiella columbae*** EMERSON, 1957
Columba livia GMELIN, 1789* HU: RÓZSA (1990)
- Bonomiella concii*** EICHLER, 1947
Streptopelia decaocto (FRIVALDSZKY, 1838)*
- Ciconiphilus cygni*** PRICE et BEER, 1965
Bucephala clangula (LINNAEUS, 1758), *Cygnus columbianus* (ORD), *Cygnus cygnus* (LINNAEUS, 1758)*, *Cygnus olor* (GMELIN, 1789)
- Ciconiphilus decimfasciatus*** (BOISDUVAL et LACORDAIRE, 1835)
Ardeola ralloides (SCOPOLI, 1769) HU: SCHÄFER (1964, in *Colpocephalum*)
Nycticorax nycticorax (LINNAEUS, 1758) HU: RÉKÁSI (1973)
Ardea alba (LINNAEUS, 1758), *Ardea cinerea* LINNAEUS, 1758*, *Ardea purpurea* LINNAEUS, 1766, *Bubulcus ibis* (LINNAEUS, 1758), *Egretta garzetta* (LINNAEUS, 1766)
- Ciconiphilus pectiniventris*** (HARRISON, 1916)
Anser albifrons (SCOPOLI, 1769), *Anser anser* (LINNAEUS, 1758)*, *Anser brachyrhynchus* BAILLON, 1834, *Anser caerulescens* (LINNAEUS, 1758), *Anser domesticus* (LINNAEUS, 1758), *Anser fabalis* (LATHAM, 1787), *Anser indicus* (LATHAM, 1790)
- Ciconiphilus quadripustulatus*** (BURMEISTER, 1838)
Ciconia ciconia (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
Ciconia nigra (LINNAEUS, 1758) HU: SCHÄFER (1963, in *Colpocephalum*)

- Clayia theresae* HOPKINS, 1941
Numida meleagris (LINNAEUS, 1758)*
- Colpocephalum apivorus* TENDEIRO, 1958
Pernis apivorus (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Colpocephalum brachysomum* KELLOGG et CHAPMAN, 1902
Asio flammeus (PONTOPPIDAN, 1763)*
- Colpocephalum ecaudati* PRICE et BEER, 1963
Milvus migrans (BODDAERT, 1783)
- Colpocephalum eucarenum* BURMEISTER, 1838
Pelecanus onocrotalus LINNAEUS, 1758*
- Colpocephalum falconii* CARRIKER, 1963
Falco peregrinus TUNSTALL, 1771*
- Colpocephalum flavescens* (DE HAAN, 1829)
Haliaeetus albicilla (LINNAEUS, 1758)* HU: SCHÄFER (1963)
Aquila chrysaetos (LINNAEUS, 1758)
- Colpocephalum fregili* DENNY, 1842
Corvus corone cornix LINNAEUS, 1758 HU: RÉKÁSI (1984, as *C. subaequale*)
Corvus frugilegus LINNAEUS, 1758 HU: SCHÄFER (1963, as *C. subaequale*)
Corvus corax LINNAEUS, 1758, *Pyrhacorax graculus* (LINNAEUS, 1766), *Pyrhacorax pyrrhacorax* (LINNAEUS, 1758)*
- Colpocephalum gallinulae* UCHIDA, 1926
Gallinula chloropus (LINNAEUS, 1758)*
- Colpocephalum germanum* (EICHLER et ZLOTORZYCKA, 1971)
Accipiter nisus (LINNAEUS, 1758)*
- Colpocephalum gypsi* (EICHLER et ZLOTORZYCKA, 1971)
Gyps fulvus (HABLIZL, 1783)*
- Colpocephalum heterosoma* PIAGET, 1880
Phoenicopterus ruber LINNAEUS 1758*
- Colpocephalum impressum* RUDOW, 1866
Aquila chrysaetos (LINNAEUS, 1758)* HU: RÉKÁSI (2008a)
Aquila pomarina BREHM, 1831 HU: RÉKÁSI (2008a)
- Colpocephalum inaequale* BURMEISTER, 1838
Dryocopus martius (LINNAEUS, 1758)* HU: BALÁT (1957)
- Colpocephalum leptopygos* NITZSCH, 1874
Plegadis falcinellus (LINNAEUS, 1766)* HU: SCHÄFER (1964)
- Colpocephalum milvi* TENDEIRO, RESTIVO et DEMARTIS, 1979
Hieraaetus pennatus (GMELIN, 1788), *Milvus migrans* (BODDAERT, 1783), *Milvus milvus* (LINNAEUS, 1758)*

- Colpocephalum nanum* PIAGET, 1890
Accipiter gentilis (LINNAEUS, 1758) HU: RÉKÁSI (2008a)
Buteo buteo (LINNAEUS, 1758) HU: RÉKÁSI (1984, as *C. buteonis*)
Accipiter nisus (LINNAEUS, 1758), *Buteo lagopus* (PONTOPPIDAN, 1763)
- Colpocephalum napiforme* RUDOW, 1869
Pandion haliaetus (LINNAEUS, 1758)
- Colpocephalum nigrae* PRICE et BEER, 1965
Ciconia nigra (LINNAEUS, 1758)*
- Colpocephalum pectinatum* OSBORN, 1902
Tyto alba (SCOPOLI, 1769)
- Colpocephalum percnopteri* PRICE et BEER, 1963
Neophron percnopterus (LINNAEUS, 1758)*
- Colpocephalum plataleae* PRICE et BEER, 1965
Platalea leucorodia LINNAEUS, 1758*
- Colpocephalum polonum* (EICHLER et ZLOTORZYCKA, 1971)
Accipiter gentilis (LINNAEUS, 1758)*
- Colpocephalum rosei* PRICE et EMERSON, 1974
Phoenicopterus ruber LINNAEUS 1758*
- Colpocephalum salimalii* CLAY, 1951
Phoenicopterus ruber LINNAEUS 1758*
- Colpocephalum subzerfae* TENDEIRO, 1988
Falco amurensis RADDE, 1863, *Falco columbarius* LINNAEUS, 1758, *Falco naumanni* FLEISCHER, 1818*, *Falco peregrinus* TUNSTALL, 1771, *Falco tinnunculus* LINNAEUS, 1758, *Falco vespertinus* LINNAEUS, 1766
- Colpocephalum tausi* (ANSARI, 1951)
Meleagris gallopavo LINNAEUS, 1758
- Colpocephalum tirkhan* (ANSARI, 1951)
Dendrocopos leucotos (BECHSTEIN, 1802), *Picus canus* GMELIN, 1788
- Colpocephalum turbinatum* DENNY, 1842
Circus aeruginosus (LINNAEUS, 1758) HU: SCHÄFER (1963)
Columba livia GMELIN, 1789* HU: RÉKÁSI (1986a)
Milvus migrans (BODDAERT, 1783) HU: SCHÄFER (1963, as *C. tricinatum*)
Aegypius monachus (LINNAEUS, 1766), *Buteo buteo* (LINNAEUS, 1758), *Circus cyaneus* (LINNAEUS, 1766), *Gyps fulvus* (HABLIZL, 1783), *Hieraaetus pennatus* (GMELIN, 1788), *Milvus milvus* (LINNAEUS, 1758), *Neophron percnopterus* (LINNAEUS, 1758), *Pandion haliaetus* (LINNAEUS, 1758), *Pernis apivorus* (LINNAEUS, 1758), *Tyto alba* (SCOPOLI, 1769)
- Colpocephalum zebra* BURMEISTER, 1838
Ciconia ciconia (LINNAEUS, 1758)* HU: SCHÄFER (1963)

- Colpocephalum zerafae* ANSARI, 1955
Falco peregrinus TUNSTALL, 1771
- Comatomenopon elbeli** EMERSON, 1958
Ardea purpurea LINNAEUS, 1766*
- Comatomenopon elongatum* UCHIDA, 1920
Egretta garzetta (LINNAEUS, 1766)
- Comatomenopon ibis* EMERSON, 1958
Bubulcus ibis (LINNAEUS, 1758)*
- Cuculiphilus fasciatus** (SCOPOLI, 1763)
Cuculus canorus LINNAEUS, 1758*
- Cuculiphilus gypsis* (EICHLER, 1944)
Gyps fulvus (HABLIZL, 1783)*
- Cuculiphilus snodgrassi* (KELLOGG et KUWANA, 1902)
Clamator glandarius (LINNAEUS, 1758), *Cuculus canorus* LINNAEUS, 1758
- Dennyus hirundinis** (LINNAEUS, 1761)
Apus apus (LINNAEUS, 1758)* HU: BALÁT (1957)
Apus pallidus (Shelley, 1870)
- Dennyus vonarxi* BÜTTIKER, 1954
Tachymarptis melba (LINNAEUS, 1758)*
- Eidmanniella pellucida** (RUDOW, 1869)
Phalacrocorax carbo (LINNAEUS, 1758)
- Eucolpocephalum femorale** (PIAGET, 1880)
Platalea leucorodia LINNAEUS, 1758* HU: RÉKÁSI (1978a)
- Eureum cimicoides** BURMEISTER, 1838
Apus apus (LINNAEUS, 1758)*
- Gruimenopon longum** (GIEBEL, 1874)
Grus grus (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Heleonomus elbeli** PRICE, 1970
Anthropoides virgo (LINNAEUS, 1785)*
- Heleonomus furgalai* PRICE, 1970
Anthropoides virgo (LINNAEUS, 1785)
- Heleonomus macilentus* (NITZSCH, 1866)
Grus grus (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Hohorstiella gigantea** (DENNY, 1842)
Columba oenas LINNAEUS, 1758*
- Hohorstiella lata* (PIAGET, 1880)
Columba livia GMELIN, 1789* HU: RÓZSA (1990)
- Hohorstiella modesta* (ANSARI, 1951)
Streptopelia decaocto (FRIVALDSZKY, 1838)*

- Hohorstiella streptopeliae* EICHLER, 1953
Streptopelia turtur (LINNAEUS, 1758)*
- Holomenopon acutae** PRICE, 1971
Anas acuta LINNAEUS, 1758*
- Holomenopon bucephalae* PRICE 1971
Bucephala albeola (LINNAEUS, 1758)*, *Bucephala clangula* (LINNAEUS, 1758)
- Holomenopon cairinae* EICHLER, 1943
Cairina moschata (LINNAEUS, 1758)*
- Holomenopon clauseni* PRICE 1971
Bucephala albeola (LINNAEUS, 1758)
- Holomenopon clypeilargum* EICHLER, 1943
Anas acuta LINNAEUS, 1758*, *Anas americana* GMELIN, 1789, *Anas clypeata* LINNAEUS, 1758, *Anas crecca* LINNAEUS, 1758, *Anas penelope* LINNAEUS, 1758, *Anas querquedula* LINNAEUS, 1758, *Anas strepera* LINNAEUS, 1758, *Aythya marila* (LINNAEUS, 1761), *Mergus merganser* LINNAEUS, 1758
- Holomenopon leucoxanthum* (BURMEISTER, 1838)
Anas crecca LINNAEUS, 1758* HU: RÉKÁSI (1978b)
Anas acuta LINNAEUS, 1758, *Anas americana* GMELIN, 1789, *Anas clypeata* LINNAEUS, 1758, *Anas domesticus* LINNAEUS, 1758, *Anas penelope* LINNAEUS, 1758, *Anas platyrhynchos* LINNAEUS, 1758, *Anas strepera* LINNAEUS, 1758, *Anser anser* (LINNAEUS, 1758), *Anser domesticus* (LINNAEUS, 1758), *Aythya ferina* (LINNAEUS, 1758), *Aythya fuligula* (LINNAEUS, 1758), *Aythya marila* (LINNAEUS, 1761), *Branta canadensis* (LINNAEUS, 1758), *Bucephala albeola* (LINNAEUS, 1758), *Cairina moschata* (LINNAEUS, 1758), *Clangula hyemalis* (LINNAEUS, 1758), *Melanitta nigra* (LINNAEUS, 1758), *Netta rufina* (PALLAS, 1773), *Oxyura jamaicensis* (GMELIN, 1789), *Tadorna tadorna* (LINNAEUS, 1758)
- Holomenopon loomisii* (KELLOGG, 1896)
Melanitta fusca (LINNAEUS, 1758)*, *Mergus serrator* LINNAEUS, 1758, *Somateria mollissima* (LINNAEUS, 1758), *Somateria spectabilis* (LINNAEUS, 1758)
- Holomenopon maxbeieri* (EICHLER, 1954)
Anas domesticus LINNAEUS, 1758, *Anas platyrhynchos* LINNAEUS, 1758*
- Holomenopon setigerum* (BLAGOVESHCHENSKY, 1948)
Anas clypeata LINNAEUS, 1758* HU: RÉKÁSI (1984)
Anas acuta LINNAEUS, 1758, *Anas crecca* LINNAEUS, 1758, *Anas querquedula* LINNAEUS, 1758, *Anas strepera* LINNAEUS, 1758
- Holomenopon tadornae* (GERVAIS, 1844)
Alopochen aegyptiacus (LINNAEUS, 1766), *Branta bernicla* (LINNAEUS, 1758), *Tadorna ferruginea* (PALLAS, 1764), *Tadorna tadorna* (LINNAEUS, 1758)*
- Holomenopon transvaalense* (BEDFORD, 1920)
Anas platyrhynchos LINNAEUS, 1758* HU: RÉKÁSI (1984)
Anas domesticus LINNAEUS, 1758

- Kurodaia cryptostigmata*** (NITZSCH, 1861)
Aegolius funereus (LINNAEUS, 1758), *Athene noctua* (SCOPOLI, 1769)*, *Glaucidium passerinum* (LINNAEUS, 1758), *Otus scops* (LINNAEUS, 1758), *Strix aluco* LINNAEUS, 1758
- Kurodaia flammei*** PRICE et BEER, 1963
Asio flammeus (PONTOPPIDAN, 1763)
- Kurodaia fulvofasciata*** (PIAGET, 1880)
Buteo buteo (LINNAEUS, 1758)*, *Buteo lagopus* (PONTOPPIDAN, 1763), *Circaetus gallicus* (GMELIN, 1788), *Circus cyaneus* (LINNAEUS, 1766), *Hieraaetus fasciatus* (VIEILLOT, 1822)
- Kurodaia haliaeti*** (DENNY, 1842)
Pandion haliaetus (LINNAEUS, 1758)* HU: BALÁT (1957)
- Kurodaia longipes*** (GIEBEL, 1874)
Bubo bubo (LINNAEUS, 1758)* HU: BALÁT (1957)
- Kurodaia panjabensis*** (ANSARI, 1951)
Athene noctua (SCOPOLI, 1769)
- Kurodaia platyclypeatum*** (PIAGET, 1887)
Otus scops (LINNAEUS, 1758), *Strix aluco* LINNAEUS, 1758
- Kurodaia subpachygaster*** (PIAGET, 1880)*
Tyto alba (SCOPOLI, 1769)* HU: SOLT (1998)
- Machaerilaemus clayae*** (BALÁT, 1966)
Riparia riparia (LINNAEUS, 1758)*
- Machaerilaemus laticorpus*** (CARRIKER, 1903)
Emberiza rustica PALLAS, 1776
- Machaerilaemus malleus*** (BURMEISTER, 1838)
Hirundo rustica LINNAEUS, 1758*
- Menacanthus abdominalis*** (PIAGET, 1880)
Coturnix coturnix (LINNAEUS, 1758)*
- Menacanthus affinis*** FEDORENKO et BELSKAYA, 1977
Oenanthe oenanthe (LINNAEUS, 1758)*
- Menacanthus agilis*** (NITZSCH, 1866)
Muscicapa striata (PALLAS, 1764), *Phoenicurus ochruros* (GMELIN, 1774)*, *Phoenicurus phoenicurus* (LINNAEUS, 1758), *Phylloscopus collybita* (VIEILLOT, 1817), *Phylloscopus trochilus* (LINNAEUS, 1758)
- Menacanthus alaudae*** (SCHRANK, 1776)
Alauda arvensis LINNAEUS, 1758* HU: SCHÄFER (1963)
Carduelis cannabina (LINNAEUS, 1758) HU: RÉKÁSI (1984, as *M. cannabinae*)
Galerida cristata (LINNAEUS, 1758) HU: RÉKÁSI (1984)
Carduelis carduelis (LINNAEUS, 1758), *Carduelis flammea* (LINNAEUS, 1758), *Carduelis flavirostris* (LINNAEUS, 1758), *Carpodacus erythrurus* (PALLAS, 1770), *Carpodacus*

roseus (PALLAS, 1776), *Emberiza citrinella* LINNAEUS, 1758, *Eremophila alpestris* (LINNAEUS, 1758), *Pinicola enucleator* (LINNAEUS, 1758), *Plectrophenax nivalis* (LINNAEUS, 1758)

Menacanthus camelinus (NITZSCH, 1874)

Lanius collurio LINNAEUS, 1758, *Lanius excubitor* LINNAEUS, 1758*, *Lanius minor* GMELIN, 1788, *Lanius senator* LINNAEUS, 1758

Menacanthus cornutus (SCHÖMMER, 1913)

Gallus gallus (LINNAEUS, 1758)*

Menacanthus currucae (SCHRANK, 1776)

Sylvia borin (BODDAERT, 1783) HU: RÉKÁSI (1990, as *M. vistulanus*)
Acrocephalus arundinaceus (LINNAEUS, 1758), *Acrocephalus paludicola* (VIEILLOT, 1817),
Acrocephalus schoenobaenus (LINNAEUS, 1758), *Acrocephalus scirpaceus* (HERMANN, 1804),
Phylloscopus trochilus (LINNAEUS, 1758), *Sylvia atricapilla* (LINNAEUS, 1758),
Sylvia communis LATHAM, 1787, *Sylvia curruca* (LINNAEUS, 1758)*, *Sylvia nisoria* (BECHSTEIN, 1795)

Menacanthus eurysternus (BURMEISTER, 1838)

Corvus corone cornix LINNAEUS, 1758 HU: RÉKÁSI (1984, as *M. cornicis*)
Sturnus vulgaris LINNAEUS, 1758 HU: SCHÄFER (1963, as *M. spiniferus*)
Tichodroma muraria (LINNAEUS, 1766) HU: RÉKÁSI (1995, as *M. tichodromae*)
Calcarius lapponicus (LINNAEUS, 1758), *Carduelis chloris* (LINNAEUS, 1758), *Carduelis flammea* (LINNAEUS, 1758),
Corvus monedula LINNAEUS, 1758, *Fringilla coelebs* LINNAEUS, 1758, *Garrulus glandarius* (LINNAEUS, 1758), *Lanius collurio* LINNAEUS, 1758,
Panurus biarmicus (LINNAEUS, 1758), *Passer domesticus* (LINNAEUS, 1758), *Pica pica* (LINNAEUS, 1758)*,
Prunella modularis (LINNAEUS, 1758), *Pyrrhocorax graculus* (LINNAEUS, 1766), *Pyrrhula pyrrhula* (LINNAEUS, 1758),
Remiz pendulinus (LINNAEUS, 1758), *Sitta europaea* LINNAEUS, 1758, *Sturnus roseus* (LINNAEUS, 1758),
Turdus merula LINNAEUS, 1758, *Turdus philomelos* BREHM, 1831, *Turdus pilaris* LINNAEUS, 1758,
Turdus viscivorus LINNAEUS, 1758

Menacanthus exilis (NITZSCH, 1866)

Oenanthe oenanthe (LINNAEUS, 1758)*

Menacanthus fertilis (NITZSCH, 1866)

Upupa epops LINNAEUS, 1758*

Menacanthus gonophaeus (BURMEISTER, 1838)

Corvus corax LINNAEUS, 1758* HU: RÉKÁSI (1984)
Corvus frugilegus LINNAEUS, 1758 HU: RÉKÁSI (1984, as *M. laticeps*)
Corvus monedula LINNAEUS, 1758, *Pyrrhocorax pyrrhocorax* (LINNAEUS, 1758)

Menacanthus merisui EICHLER, 1953

Nucifraga caryocatactes (LINNAEUS, 1758)*

Menacanthus nogoma UCHIDA, 1926

Motacilla alba LINNAEUS, 1758

- Menacanthus numidae* (GIEBEL, 1874)
Numida meleagris (LINNAEUS, 1758)*
- Menacanthus obrteli* BALÁT, 1981
Locustella luscinioides (SAVI, 1824)*
- Menacanthus oriolus* BLAGOVESHTCHENSKY, 1951
Oriolus oriolus (LINNAEUS, 1758)* HU: RÉKÁSI (2002)
- Menacanthus pallidulus* (NEUMANN, 1912)
Gallus gallus (LINNAEUS, 1758)*
- Menacanthus phasiani* (MODRZEJEWSKA et ZLOTORZYCKA, 1977)
Phasianus colchicus LINNAEUS, 1758*
- Menacanthus pici* (DENNY, 1842)
Dendrocopos major (LINNAEUS, 1758) HU: RÉKÁSI (1984, as *M. dryobates*)
Picus viridis LINNAEUS, 1758* HU: SCHÄFER (1964)
Picus canus GMELIN, 1788
- Menacanthus pusillus* (NITZSCH, 1866)
Anthus campestris (LINNAEUS, 1758), *Anthus pratensis* (LINNAEUS, 1758), *Anthus spinoletta* (LINNAEUS, 1758), *Anthus trivialis* (LINNAEUS, 1758), *Motacilla alba* LINNAEUS, 1758*, *Motacilla flava* LINNAEUS, 1758
- Menacanthus sinuatus* (BURMEISTER, 1838)
Parus major LINNAEUS, 1758* HU: RÉKÁSI (1973)
Parus palustris LINNAEUS, 1758 HU: BALÁT (1957)
Parus ater LINNAEUS, 1758, *Parus caeruleus* LINNAEUS, 1758
- Menacanthus stramineus* (NITZSCH, 1818)
Gallus gallus (LINNAEUS, 1758), *Meleagris gallopavo* LINNAEUS, 1758*, *Numida meleagris* (LINNAEUS, 1758), *Phasianus colchicus* LINNAEUS, 1758
- Menacanthus takayamai* UCHIDA, 1926
Cettia cetti (TEMMINCK, 1820), *Phylloscopus fuscatus* (BLYTH, 1842)
- Menacanthus tenuifrons* BLAGOVESHTCHENSKY, 1940
Troglodytes troglodytes (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Menopon** *deryloi* ZLOTORZYCKA, 1972
Lyrurus tetrax (LINNAEUS, 1758)*
- Menopon gallinae* (LINNAEUS, 1758)
Gallus gallus (LINNAEUS, 1758)*, *Meleagris gallopavo* LINNAEUS, 1758, *Numida meleagris* (LINNAEUS, 1758)
- Menopon pallens* CLAY, 1949
Perdix perdix (LINNAEUS, 1758)* HU: BALÁT (1957)
- Meromenopon** *incisum* (GIEBEL, 1866)
Coracias garrulus LINNAEUS, 1758
- Meromenopon meropis* CLAY et MEINERTZHAGEN, 1941
Merops apiaster LINNAEUS, 1758* HU: BALÁT (1957)

- Myrsidea abhorrens* (ZLOTORZYCKA, 1964)
Lanius excubitor LINNAEUS, 1758*
- Myrsidea aegithali* BLAGOVESHCHENSKY, 1940
Aegithalos caudatus (LINNAEUS, 1758)*
- Myrsidea anaspila* (NITZSCH, 1866)
Corvus corax LINNAEUS, 1758* HU: RÉKÁSI (1984)
- Myrsidea anathorax* (NITZSCH, 1866)
Corvus monedula LINNAEUS, 1758* HU: RÉKÁSI (1984)
- Myrsidea balati* MACHACEK, 1977
Passer montanus (LINNAEUS, 1758)*
- Myrsidea brunnea* (NITZSCH, 1866)
Nucifraga caryocatactes (LINNAEUS, 1758)*
- Myrsidea cornicis* (DE GEER, 1778)
Corvus corone cornix LINNAEUS, 1758* HU: BALÁT (1957)
- Myrsidea cucullaris* (NITZSCH, 1818)
Sturnus vulgaris LINNAEUS, 1758* HU: SCHÄFER (1963)
- Myrsidea dukhunensis* ANSARI, 1951
Motacilla alba LINNAEUS, 1758*
- Myrsidea franciscoloi* CONCI, 1942
Cinclus cinclus (LINNAEUS, 1758)*
- Myrsidea iliaci* EICHLER, 1951
Turdus iliacus LINNAEUS, 1766*
- Myrsidea indivisa* (NITZSCH, 1866)
Garrulus glandarius (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Myrsidea islandica* KLOCKENHOFF et SCHIRMERS, 1976
Corvus corax LINNAEUS, 1758*
- Myrsidea isostoma* (NITZSCH, 1866)
Corvus frugilegus LINNAEUS, 1758* HU: RÉKÁSI (1973)
- Myrsidea latifrons* (CARRIKER et SHULL, 1910)
Riparia riparia (LINNAEUS, 1758)*
- Myrsidea lyali* KLOCKENHOFF, 1984
Fringilla coelebs LINNAEUS, 1758*
- Myrsidea major* (PIAGET, 1880)
Plectrophenax nivalis (LINNAEUS, 1758)*
- Myrsidea picae* (LINNAEUS, 1758)
Pica pica (LINNAEUS, 1758)* HU: BALÁT & BREUER (1955)
- Myrsidea proterva* (ZLOTORZYCKA, 1964)
Muscicapa striata (PALLAS, 1764)*

- Myrsidea quadrifasciata* (PIAGET, 1880)
Passer domesticus (LINNAEUS, 1758)*
- Myrsidea quadrimaculata* (CARRIKER, 1902)
Loxia curvirostra LINNAEUS, 1758*
- Myrsidea rustica* (GIEBEL, 1874)
Hirundo rustica LINNAEUS, 1758* HU: RÉKÁSI (1990)
- Myrsidea serini* (SÉGUY, 1944)
Carduelis carduelis (LINNAEUS, 1758), *Carduelis chloris* (LINNAEUS, 1758), *Emberiza citrinella* LINNAEUS, 1758, *Serinus serinus* (LINNAEUS, 1766)*
- Myrsidea subcoracis* KLOCKENHOFF et SCHIRMERS, 1976
Corvus corax LINNAEUS, 1758*
- Myrsidea sylviae* SYCHRA et LITERÁK, 2008
Sylvia atricapilla (LINNAEUS, 1758)*
- Myrsidea thoracica* (GIEBEL, 1874)
Turdus viscivorus LINNAEUS, 1758* HU: RÉKÁSI (1984)
Turdus merula LINNAEUS, 1758
- Myrsidea tibetana* KLOCKENHOFF et SCHIRMERS, 1976
Corvus corax LINNAEUS, 1758*
- Myrsidea troglodyti* (DENNY, 1842)
Troglodytes troglodytes (LINNAEUS, 1758)*
- Myrsidea vinlandica* KLOCKENHOFF et SCHIRMERS, 1976
Corvus corax LINNAEUS, 1758*
- Nosopon clayae* PRICE et BEER, 1963
Pernis apivorus (LINNAEUS, 1758)*
- Nosopon lucidum* (RUDOW, 1869)
Falco vespertinus LINNAEUS, 1766* HU: RÉKÁSI (1984)
Accipiter gentilis (LINNAEUS, 1758), *Accipiter nisus* (LINNAEUS, 1758), *Circus aeruginosus* (LINNAEUS, 1758), *Circus cyaneus* (LINNAEUS, 1766), *Circus pygargus* (LINNAEUS, 1758), *Falco columbarius* LINNAEUS, 1758, *Falco peregrinus* TUNSTALL, 1771, *Falco tinnunculus* LINNAEUS, 1758
- Nosopon milvus* TENDEIRO, 1959
Milvus migrans (BODDAERT, 1783)*
- Numidicola antennatus* (KELLOGG et PAINE, 1911)
Numida meleagris (LINNAEUS, 1758)*
- Piagetiella titan* (PIAGET, 1880)
Pelecanus crispus BRUCH, 1832, *Pelecanus onocrotalus* LINNAEUS, 1758*
- Plegadiphilus plegadis* (DUBININ, 1938)
Plegadis falcinellus (LINNAEUS, 1766)* HU: SCHÄFER (1964)

- Pseudomenopon concretum* (PIAGET, 1880)
Porphyrio porphyrio (LINNAEUS, 1758)*
- Pseudomenopon crecis* BECHET, 1963
Crex crex (LINNAEUS, 1758)*
- Pseudomenopon dolium* (RUDOW, 1869)
Podiceps auritus (LINNAEUS, 1758), *Podiceps cristatus* (LINNAEUS, 1758)*, *Podiceps grisegena* (BODDAERT, 1783), *Podiceps nigricollis* BREHM, 1831, *Tachybaptus ruficollis* (PALLAS, 1764)
- Pseudomenopon grebenjukaе* KASIEV, 1982
Rallus aquaticus LINNAEUS, 1758*
- Pseudomenopon pilosum* (SCOPOLI, 1763)
Fulica atra LINNAEUS, 1758* HU: BALÁT (1957)
Gallinula chloropus (LINNAEUS, 1758)
- Pseudomenopon qadrii* EICHLER, 1952
Porzana porzana (LINNAEUS, 1766)*
- Pseudomenopon scopulacorne* (DENNY, 1842)
Rallus aquaticus LINNAEUS, 1758* HU: RÉKÁSI (1984)
Porzana pusilla (PALLAS, 1776)
- Somaphantus lusius* PAINE, 1914
Numida meleagris (LINNAEUS, 1758)*
- Trinoton alpochen* TENDEIRO, 1960
Alopochen aegyptiacus (LINNAEUS, 1766)*
- Trinoton anserinum* (FABRICIUS, 1805)
Anser anser (LINNAEUS, 1758)* HU: RÉKÁSI (1978a)
Cygnus olor (GMELIN, 1789) HU: RÉKÁSI (2008a, as *T. cygni*)
Anser albifrons (SCOPOLI, 1769), *Anser caerulescens* (LINNAEUS, 1758), *Anser domesticus* (LINNAEUS, 1758), *Anser indicus* (LATHAM, 1790), *Branta canadensis* (LINNAEUS, 1758), *Cygnus columbianus* (ORD, 1815), *Cygnus cygnus* (LINNAEUS, 1758)
- Trinoton femoratum* PIAGET, 1889
Phoenicopterus ruber LINNAEUS 1758*
- Trinoton querquedulae* (LINNAEUS, 1758)
Anas crecca LINNAEUS, 1758* HU: SCHÄFER (1964)
Anas platyrhynchos LINNAEUS, 1758 HU: RÉKÁSI (1973)
Aythya ferina (LINNAEUS, 1758) HU: RÉKÁSI (1979, as *T. nyrocae*)
Bucephala clangula (LINNAEUS, 1758) HU: SCHÄFER (1964)
Anas acuta LINNAEUS, 1758, *Anas americana* GMELIN, 1789, *Anas clypeata* LINNAEUS, 1758, *Anas domesticus* LINNAEUS, 1758, *Anas penelope* LINNAEUS, 1758, *Anas querquedula* LINNAEUS, 1758, *Anas strepera* LINNAEUS, 1758, *Aythya fuligula* (LINNAEUS, 1758), *Aythya marila* (LINNAEUS, 1761), *Aythya nyroca* (GÜLDENSTADT, 1770), *Bucephala albeola* (LINNAEUS, 1758), *Bucephala islandica* (GMELIN, 1789), *Clangula hyemalis* (LINNAEUS, 1758), *Melanitta fusca* (LINNAEUS, 1758), *Melanitta nigra*

(LINNAEUS, 1758), *Mergellus albellus* (LINNAEUS, 1758), *Mergus merganser* LINNAEUS, 1758, *Mergus serrator* LINNAEUS, 1758, *Netta rufina* (PALLAS, 1773), *Oxyura jamaicensis* (GMELIN, 1789), *Polysticta stelleri* (PALLAS, 1769), *Somateria mollissima* (LINNAEUS, 1758), *Somateria spectabilis* (LINNAEUS, 1758)

Family: Ricinidae

Ricinus balati RHEINWALD, 1968

Phylloscopus inornatus (BLYTH, 1842)

Ricinus borin BALÁT, 1952

Sylvia borin (BODDAERT, 1783)*

Ricinus calcarii NELSON, 1972

Calcarius lapponicus (LINNAEUS, 1758)

Ricinus diffusus (KELLOGG, 1896)

Plectrophenax nivalis (LINNAEUS, 1758)

Ricinus dolichocephalus (SCOPOLI, 1763)

Oriolus oriolus (LINNAEUS, 1758)*

Ricinus elongatus (OLFERS, 1816)

Bombycilla garrulus (LINNAEUS, 1758) HU: RÉKÁSI (1984)

Turdus merula LINNAEUS, 1758 HU: BALÁT (1957)

Turdus viscivorus LINNAEUS, 1758* HU: BALÁT (1957)

Prunella modularis (LINNAEUS, 1758), *Sturnus vulgaris* LINNAEUS, 1758, *Turdus iliacus* LINNAEUS, 1766, *Turdus naumanni* TEMMINCK, 1820, *Turdus philomelos* BREHM, 1831, *Turdus pilaris* LINNAEUS, 1758, *Turdus torquatus* LINNAEUS, 1758

Ricinus frenatus (BURMEISTER, 1838)

Regulus ignicapillus (TEMMINCK, 1820), *Regulus regulus* (LINNAEUS, 1758)*

Ricinus fringillae DE GEER, 1778

Bombycilla garrulus (LINNAEUS, 1758) HU: RÉKÁSI (1978a, as *R. bombycillae*)

Emberiza citrinella LINNAEUS, 1758* HU: BALÁT (1957)

Fringilla coelebs LINNAEUS, 1758 HU: BALÁT (1957, as *R. irascens*)

Anthus pratensis (LINNAEUS, 1758), *Anthus spinoletta* (LINNAEUS, 1758), *Anthus trivialis* (LINNAEUS, 1758), *Carduelis cannabina* (LINNAEUS, 1758), *Carduelis carduelis* (LINNAEUS, 1758), *Carduelis flammea* (LINNAEUS, 1758), *Carduelis flavirostris* (LINNAEUS, 1758), *Emberiza cia* LINNAEUS, 1766, *Emberiza rustica* PALLAS, 1776, *Emberiza schoeniclus* (LINNAEUS, 1758), *Fringilla montifringilla* LINNAEUS, 1758, *Motacilla alba* LINNAEUS, 1758, *Parus ater* LINNAEUS, 1758, *Parus cristatus* LINNAEUS, 1758, *Passer domesticus* (LINNAEUS, 1758), *Passer montanus* (LINNAEUS, 1758), *Plectrophenax nivalis* (LINNAEUS, 1758), *Prunella collaris* (SCOPOLI, 1769), *Pyrhula pyrrhula* (LINNAEUS, 1758), *Riparia riparia* (LINNAEUS, 1758)

Ricinus major FRESCA, 1924

Emberiza calandra LINNAEUS, 1758*, *Plectrophenax nivalis* (LINNAEUS, 1758)

Ricinus pflegeri BALÁT, 1952

Ficedula albicollis (TEMMINCK, 1815)*

Ricinus rubeculae (SCHRANK, 1776)

Erithacus rubecula (LINNAEUS, 1758)*, *Luscinia svecica* (LINNAEUS, 1758), *Monticola solitarius* (LINNAEUS, 1758), *Oenanthe deserti* (TEMMINCK, 1825), *Phoenicurus ochrurus* (GMELIN, 1774), *Phoenicurus phoenicurus* (LINNAEUS, 1758), *Prunella modularis* (LINNAEUS, 1758)

Ricinus serratus (DURRANT, 1906)

Alauda arvensis LINNAEUS, 1758, *Emberiza cia* LINNAEUS, 1766, *Emberiza melanocephala* SCOPOLI, 1769, *Eremophila alpestris* (LINNAEUS, 1758)*, *Galerida cristata* (LINNAEUS, 1758)

Ricinus thoracicus (PACKARD, 1870)

Plectrophenax nivalis (LINNAEUS, 1758)*

Suborder: ISCHNOCERA

Family: Philopteridae

Acidoproctus moschatae (LINNAEUS, 1758)

Netta rufina (PALLAS, 1773)

Acidoproctus taschenbergi HOPKINS, 1938

Alopochen aegyptiacus (LINNAEUS, 1766)*

Aegypocetus brevicollis (BURMEISTER, 1838)

Aegyptius monachus (LINNAEUS, 1766)*

Aegypocetus perspicuus (KELLOGG, 1914)

Neophron percnopterus (LINNAEUS, 1758)

Aegypocetus trigoniceps (GIEBEL, 1874)

Gyps fulvus (HABLIZL, 1783)*

Alcedoffula alcedinis (DENNY, 1842)

Alcedo atthis (LINNAEUS, 1758)* HU: RÉKÁSI (1984)

Anaticola angustolimbatus (GIEBEL, 1866)

Melanitta nigra (LINNAEUS, 1758)*

Anaticola anseris (LINNAEUS, 1758)

Anser albifrons (SCOPOLI, 1769) HU: BALÁT (1957, as *A. serratus*)

Anser anser (LINNAEUS, 1758)* HU: SCHÄFER (1963)

Branta canadensis (LINNAEUS, 1758) HU: SCHÄFER (1963)

Anser brachyrhynchus BAILLON, 1834, *Anser caerulescens* (LINNAEUS, 1758), *Anser domesticus* (LINNAEUS, 1758), *Anser fabalis* (LATHAM, 1787), *Anser indicus* (LATHAM, 1790), *Branta leucopsis* (BECHSTEIN, 1803)

Anaticola asymmetricus (RUDOW, 1869)

Alopochen aegyptiacus (LINNAEUS, 1766)*

- Anaticola beieri* EICHLER, 1954
Branta ruficollis (PALLAS, 1769)*
- Anaticola branderi* EICHLER et HACKMAN 1973
Clangula hyemalis (LINNAEUS, 1758)*
- Anaticola cairinensis* (MONTEIRO DE BARROS, 1933)
Cairina moschata (LINNAEUS, 1758)*
- Anaticola candidus* (RUDOW, 1869)
Phoenicopterus ruber (LINNAEUS, 1758)*
- Anaticola clangulae* (FABRICIUS 1780)
Bucephala clangula (LINNAEUS, 1758), *Bucephala islandica* (GMELIN, 1789)*
- Anaticola crassicornis* (SCOPOLI, 1763)
Anas clypeata LINNAEUS, 1758 HU: RÉKÁSI (1984, as *A. hopkinsi*)
Anas crecca LINNAEUS, 1758 HU: BALÁT (1957, as *A. sordidus*)
Anas platyrhynchos LINNAEUS, 1758* HU: BALÁT (1957)
Anas querquedula LINNAEUS, 1758 HU: RÉKÁSI (1984, as *A. sordidus*)
Anas strepera LINNAEUS, 1758 HU: BALÁT (1957, as *A. depuratus*)
Anas acuta LINNAEUS, 1758, *Anas americana* GMELIN, 1789, *Anas domesticus* LINNAEUS, 1758, *Anas penelope* LINNAEUS, 1758, *Cygnus cygnus* (LINNAEUS, 1758), *Oxyura jamaicensis* (GMELIN, 1789), *Somateria spectabilis* (LINNAEUS, 1758)
- Anaticola kloedenhoffi* EICHLER et VASJUKOVA, 1980
Polysticta stelleri (PALLAS, 1769)*
- Anaticola magnificus* ANSARI, 1955
Tadorna ferruginea (PALLAS, 1764)*
- Anaticola mergiserrati* (DE GEER, 1778)
Aythya nyroca (GÜLDENSTADT, 1770) HU: RÉKÁSI (1984, as *A. fuligulae*)
Somateria mollissima (LINNAEUS, 1758) HU: RÉKÁSI (1998b, as *A. rubromaculatus*)
Aythya ferina (LINNAEUS, 1758), *Aythya fuligula* (LINNAEUS, 1758), *Aythya marila* (LINNAEUS, 1761), *Melanitta fusca* (LINNAEUS, 1758), *Mergus merganser* LINNAEUS, 1758, *Mergus serrator* LINNAEUS, 1758*, *Netta rufina* (PALLAS, 1773)
- Anaticola phoenicopteri* (COINDE, 1859)
Phoenicopterus ruber (LINNAEUS, 1758)*
- Anaticola rheinwaldi* EICHLER et VASJUKOVA, 1980
Branta bernicla (LINNAEUS, 1758)*
- Anaticola tadornae* (DENNY, 1842)
Tadorna tadorna (LINNAEUS, 1758)* HU: RÉKÁSI (1978a)
- Anatoecus cygni* (DENNY, 1842)
Cygnus columbianus (ORD, 1815)*, *Cygnus cygnus* (LINNAEUS, 1758)
- Anatoecus dentatus* (SCOPOLI, 1763)
Anas clypeata LINNAEUS, 1758 HU: BALÁT (1957, as *A. ferrugineus*)
Anas platyrhynchos LINNAEUS, 1758* HU: BALÁT (1957)

Aythya fuligula (LINNAEUS, 1758) HU: RÉKÁSI (2002)
Aythya nyroca (GÜLDENSTADT, 1770) HU: RÉKÁSI (1984)
Alopochen aegyptiacus (LINNAEUS, 1766), *Anas acuta* LINNAEUS, 1758, *Anas crecca* LINNAEUS, 1758, *Anas domesticus* LINNAEUS, 1758, *Anas penelope* LINNAEUS, 1758, *Anas querquedula* LINNAEUS, 1758, *Anas strepera* LINNAEUS, 1758, *Anser albifrons* (SCOPOLI, 1769), *Anser anser* (LINNAEUS, 1758), *Anser caerulescens* (LINNAEUS, 1758), *Anser domesticus* (LINNAEUS, 1758), *Anser erythropus* (LINNAEUS, 1758), *Anser fabalis* (LATHAM, 1787), *Aythya ferina* (LINNAEUS, 1758), *Aythya marila* (LINNAEUS, 1761), *Branta bernicla* (LINNAEUS, 1758), *Branta canadensis* (LINNAEUS, 1758), *Branta leucopsis* (BECHSTEIN, 1803), *Bucephala albeola* (LINNAEUS, 1758), *Bucephala clangula* (LINNAEUS, 1758), *Bucephala islandica* (GMELIN, 1789), *Clangula hyemalis* (LINNAEUS, 1758), *Cygnus olor* (GMELIN, 1789), *Melanitta fusca* (LINNAEUS, 1758), *Melanitta nigra* (LINNAEUS, 1758), *Mergellus albellus* (LINNAEUS, 1758), *Mergus merganser* LINNAEUS, 1758, *Mergus serrator* LINNAEUS, 1758, *Netta rufina* (PALLAS, 1773), *Oxyura jamaicensis* (GMELIN, 1789), *Oxyura leucocephala* (SCOPOLI, 1769), *Polysticta stelleri* (PALLAS, 1769), *Somateria mollissima* (LINNAEUS, 1758), *Somateria spectabilis* (LINNAEUS, 1758), *Tadorna tadorna* (LINNAEUS, 1758)

Anatoecus icterodes (NITZSCH, 1818)

Anas clypeata LINNAEUS, 1758 HU: RÉKÁSI (1984)
Anas crecca LINNAEUS, 1758 HU: RÉKÁSI (1984)
Anas platyrhynchos LINNAEUS, 1758* HU: RÉKÁSI (1984)
Anser albifrons (SCOPOLI, 1769) HU: BALÁT (1957, as *A. brunneiceps*)
Anser anser (LINNAEUS, 1758) HU: RÉKÁSI (1984)
Aythya ferina (LINNAEUS, 1758) HU: SCHÄFER (1963)
Bucephala clangula (LINNAEUS, 1758) HU: RÉKÁSI (1978a)
Somateria mollissima (LINNAEUS, 1758) HU: RÉKÁSI (1998b)
Alopochen aegyptiacus (LINNAEUS, 1766), *Anas acuta* LINNAEUS, 1758, *Anas domesticus* LINNAEUS, 1758, *Anas penelope* LINNAEUS, 1758, *Anas querquedula* LINNAEUS, 1758, *Anas strepera* LINNAEUS, 1758, *Anser caerulescens* (LINNAEUS, 1758), *Anser domesticus* (LINNAEUS, 1758), *Anser erythropus* (LINNAEUS, 1758), *Anser fabalis* (LATHAM, 1787), *Aythya fuligula* (LINNAEUS, 1758), *Aythya marila* (LINNAEUS, 1761), *Aythya nyroca* (GÜLDENSTADT, 1770), *Branta bernicla* (LINNAEUS, 1758), *Branta canadensis* (LINNAEUS, 1758), *Branta leucopsis* (BECHSTEIN, 1803), *Branta ruficollis* (PALLAS, 1769), *Bucephala islandica* (GMELIN, 1789), *Clangula hyemalis* (LINNAEUS, 1758), *Cygnus olor* (GMELIN, 1789), *Melanitta fusca* (LINNAEUS, 1758), *Melanitta nigra* (LINNAEUS, 1758), *Mergellus albellus* (LINNAEUS, 1758), *Mergus merganser* LINNAEUS, 1758, *Mergus serrator* LINNAEUS, 1758*, *Netta rufina* (PALLAS, 1773), *Oxyura jamaicensis* (GMELIN, 1789), *Oxyura leucocephala* (SCOPOLI, 1769), *Polysticta stelleri* (PALLAS, 1769), *Somateria spectabilis* (LINNAEUS, 1758), *Tadorna tadorna* (LINNAEUS, 1758)

Anatoecus keleri CLAY, 1962

Phoenicopiterus ruber (LINNAEUS, 1758)*

Anatoecus penicillatus KÉLER, 1960

Cygnus olor (GMELIN, 1789)*

- Anatoecus pygaspis* (NITZSCH, 1866)
Phoenicopterus ruber (LINNAEUS, 1758)*
- Anatoecus regina* ANSARI, 1955
Tadorna ferruginea (PALLAS, 1764)*
- Aquanirmus americanus* (KELLOGG et CHAPMAN, 1899)
Podiceps nigricollis BREHM, 1831*
- Aquanirmus bahli* TANDAN, 1951
Tachybaptus ruficollis (PALLAS, 1764)*
- Aquanirmus bucomfishi* EDWARDS, 1965
Podiceps auritus (LINNAEUS, 1758)*
- Aquanirmus colymbinus* (SCOPOLI, 1763)
Podiceps auritus (LINNAEUS, 1758)*
- Aquanirmus emersoni* EDWARDS, 1965
Podiceps grisegena (BODDAERT, 1783)*
- Aquanirmus podicipis* (DENNY, 1842)
Podiceps cristatus (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Aquanirmus runcinatus* (NITZSCH, 1866)
Tachybaptus ruficollis (PALLAS, 1764)*
- Ardeicola ardeae* (LINNAEUS, 1758)
Ardea cinerea LINNAEUS, 1758* HU: BALÁT (1957)
- Ardeicola ciconiae* (LINNAEUS, 1758)
Ciconia ciconia (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Ardeicola expallidus* BLAGOVESHTCHENSKY, 1940
Ardea alba (LINNAEUS, 1758) HU: RÉKÁSI *et al.* (2002, as *A. albulus*)
Bubulcus ibis (LINNAEUS, 1758), *Egretta garzetta* (LINNAEUS, 1766)*
- Ardeicola goisagi* UCHIDA, 1954
Nycticorax nycticorax (LINNAEUS, 1758)* HU: BALÁT (1957)
- Ardeicola leucoproctus* (NITZSCH, 1866)
Ardea purpurea LINNAEUS, 1766* HU: RÉKÁSI (1973)
- Ardeicola maculatus* (NITZSCH, 1866)
Ciconia nigra (LINNAEUS, 1758)* HU: RÉKÁSI (1979)
- Ardeicola plataleae* (LINNAEUS, 1758)
Platalea leucorodia LINNAEUS, 1758* HU: SCHÄFER (1963)
- Ardeicola raphidius* (NITZSCH, 1866)
Plegadis falcinellus (LINNAEUS, 1766)* HU: RÉKÁSI (1978a)
- Ardeicola stellaris* (DENNY, 1842)
Botaurus stellaris (LINNAEUS, 1758)*
- Brueelia altaica* MEY, 1982
Montifringilla nivalis (LINNAEUS, 1766)*

- Brueelia amsel* (EICHLER, 1951)
Turdus merula LINNAEUS, 1758* HU: BALÁT (1957)
- Brueelia annae* (ZLOTORZYCKA et EICHLER, 1984)
Prunella modularis (LINNAEUS, 1758)*
- Brueelia antimarginalis* EICHLER, 1951
Turdus pilaris LINNAEUS, 1758*
- Brueelia apiastri* (DENNY, 1842)
Merops apiaster LINNAEUS, 1758* HU: BALÁT (1957)
- Brueelia argula* (BURMEISTER, 1838)
Corvus corax LINNAEUS, 1758* HU: RÉKÁSI (1984)
- Brueelia atherae* ANSARI, 1957
Corvus corax LINNAEUS, 1758*
- Brueelia balati* (KRIŠTOFIK, 1999)
Remiz pendulinus (LINNAEUS, 1758)*
- Brueelia biguttata* (KELLOGG et PAINE, 1914)
Pyrrhocorax graculus (LINNAEUS, 1766)*
- Brueelia biocellata* (PIAGET, 1880)
Pica pica (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
Corvus corax LINNAEUS, 1758
- Brueelia blagovescenskyi* BALÁT, 1955
Emberiza schoeniclus (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Brueelia borini* LUNKASCHU, 1970
Sylvia borin (BODDAERT, 1783)*
- Brueelia brachythorax* (GIEBEL, 1874)
Bombicilla garrulus (LINNAEUS, 1758)* HU: SCHÄFER (1963)
- Brueelia breueri* BALÁT, 1955
Carduelis chloris (LINNAEUS, 1758)* HU: BALÁT (1957)
- Brueelia chrysomytris* (BLAGOVESHTCHENSKY, 1940)
Carduelis spinus (LINNAEUS, 1758)*
- Brueelia conocephalus* (BLAGOVESHTCHENSKY, 1940)
Sitta europaea LINNAEUS, 1758*
- Brueelia corydalla* TIMMERMANN, 1950
Anthus pratensis (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
Anthus spinoletta (LINNAEUS, 1758)
- Brueelia cruciata* (BURMEISTER, 1838)
Lanius collurio LINNAEUS, 1758* HU: RÉKÁSI (1984)
- Brueelia currucae* BECHET, 1961
Sylvia curruca (LINNAEUS, 1758)*

- Brueelia cyclothorax* (BURMEISTER, 1838)
 Passer domesticus (LINNAEUS, 1758) HU: RÉKÁSI (1973)
 Passer montanus (LINNAEUS, 1758)* HU: BALÁT (1957)
- Brueelia delicata* (NITZSCH, 1866)
 Emberiza citrinella LINNAEUS, 1758* HU: BALÁT (1957)
 Emberiza leucocephalos GMELIN, 1771, *Emberiza rustica* PALLAS, 1776
- Brueelia densilimba* (NITZSCH, 1866)
 Carduelis carduelis (LINNAEUS, 1758)*
- Brueelia docilis* ANSARI, 1956
 Pyrrhonorax pyrrhonorax (LINNAEUS, 1758)*
- Brueelia domestica* (KELLOGG et CHAPMAN, 1899)
 Hirundo rustica LINNAEUS, 1758* HU: (VAS *et al.* 2008)
- Brueelia exigua* (NITZSCH, 1866)
 Phoenicurus ochruros (GMELIN, 1774)*
- Brueelia ferianci* BALÁT, 1955
 Anthus trivialis (LINNAEUS, 1758)*
- Brueelia fuscopleura* (BLAGOVESHTCHENSKY, 1951)
 Sturnus roseus (LINNAEUS, 1758)*
- Brueelia glandarii* (DENNY, 1842)
 Garrulus glandarius (LINNAEUS, 1758)* HU: SCHÄFER (1963)
- Brueelia glizi* BALÁT, 1955
 Fringilla montifringilla LINNAEUS, 1758*
- Brueelia gracilis* (BURMEISTER, 1838)
 Delichon urbica (LINNAEUS, 1758)* HU: BALÁT (1957)
- Brueelia gulabitylar* ANSARI, 1955
 Sturnus roseus (LINNAEUS, 1758)*
- Brueelia haftorni* (BALÁT, 1981)
 Turdus iliacus LINNAEUS, 1766*
- Brueelia iliaci* (DENNY, 1842)
 Turdus iliacus LINNAEUS, 1766*
- Brueelia imponderabilica* EICHLER, 1954
 Lanius excubitor LINNAEUS, 1758* HU: RÉKÁSI (1984)
- Brueelia infrequens* (CARRIKER, 1902)
 Calcarius lapponicus (LINNAEUS, 1758)*
- Brueelia jacobi* EICHLER, 1951
 Turdus merula LINNAEUS, 1758*
- Brueelia junco* (GIEBEL, 1874)
 Coccothraustes coccothraustes (LINNAEUS, 1758)* HU: RÉKÁSI (1973)

- Brueelia kistiakowskyi* FEDORENKO, 1975
Anthus campestris (LINNAEUS, 1758)*
- Brueelia kluzi* BALÁT, 1955
Fringilla coelebs LINNAEUS, 1758*
- Brueelia kratochvili* BALÁT, 1958
Motacilla flava LINNAEUS, 1758*
- Brueelia lais* (GIEBEL, 1874)
Luscinia megarhynchos BREHM, 1831*
- Brueelia limbata* (BURMEISTER, 1838)
Loxia curvirostra LINNAEUS, 1758*
- Brueelia limpidus* (MEY, 1982)
Eremophila alpestris (LINNAEUS, 1758)*
- Brueelia locustellae* FEDORENKO, 1975
Locustella luscinioides (SAVI, 1824)*
- Brueelia lullulae* BECHET, 1961
Lullula arborea (LINNAEUS, 1758)*
- Brueelia marginata* (BURMEISTER, 1838)
Turdus pilaris LINNAEUS, 1758* HU: BALÁT (1957)
Turdus torquatus LINNAEUS, 1758 HU: RÉKÁSI (1984, as *B. intermedia*)
- Brueelia matvejevi* BALÁT, 1981
Turdus viscivorus LINNAEUS, 1758*
- Brueelia melanocoryphae* BECHET, 1966
Melanocorypha calandra (LINNAEUS, 1766)*
- Brueelia merulensis* (DENNY, 1842)
Turdus merula LINNAEUS, 1758* HU: BALÁT (1957)
- Brueelia minor* LUNKASCHU, 1970
Lanius minor GMELIN, 1788*
- Brueelia modularis* (PIAGET, 1880)
Prunella modularis (LINNAEUS, 1758)*
- Brueelia mongolica* MEY, 1982
Carduelis flavirostris (LINNAEUS, 1758)*
- Brueelia multipunctata* (CLAY, 1936)
Nucifraga caryocatactes (LINNAEUS, 1758)*
- Brueelia munda* (NITZSCH, 1866)
Oriolus oriolus (LINNAEUS, 1758)* HU: BALÁT (1957)
- Brueelia nebulosa* (BURMEISTER, 1838)
Sturnus vulgaris LINNAEUS, 1758* HU: SCHÄFER (1963)
- Brueelia neoatricapillae* PRICE, HELLENTHAL et PALMA, 2003
Sylvia atricapilla (LINNAEUS, 1758)*

- Brueelia nivalis* (GIEBEL, 1874)
Plectrophenax nivalis (LINNAEUS, 1758)*
- Brueelia olivacea* (BURMEISTER, 1838)
Nucifraga caryocatactes (LINNAEUS, 1758)* HU: RÉKÁSI (1973)
- Brueelia oudhensis* ANSARI, 1956
Turdus merula LINNAEUS, 1758*
- Brueelia paratricapillae* PRICE, HELLENTHAL et PALMA, 2003
Sylvia atricapilla (LINNAEUS, 1758)*
- Brueelia parviguttata* (BLAGOVESHTCHENSKY, 1940)
Alauda arvensis LINNAEUS, 1758*
- Brueelia pelikani* BALÁT, 1958
Emberiza melanocephala SCOPOLI, 1769*
- Brueelia perforata* (ZLOTORZYCKA, 1964)
Corvus frugilegus LINNAEUS, 1758*
- Brueelia pyrrhularum* EICHLER, 1954
Pyrrhula pyrrhula (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Brueelia rosickyi* BALÁT, 1955
Sylvia nisoria (BECHSTEIN, 1795)*
- Brueelia sexytanum* (SOLER CRUZ, BENITEZ RODRÍGUEZ, FLORIDO NAVIO et MUÑOZ PARRA, 1987)
Serinus serinus (LINNAEUS, 1766)*
- Brueelia sibirica* MEY, 1982
Carduelis flammea (LINNAEUS, 1758)*
- Brueelia stadleri* EICHLER, 1954
Carduelis cannabina (LINNAEUS, 1758)*
- Brueelia straminea* (DENNY, 1842)
Dendrocopos major (LINNAEUS, 1758)* HU: SCHÄFER (1963)
Dendrocopos leucotos (BECHSTEIN, 1802), *Jynx torquilla* LINNAEUS, 1758
- Brueelia subtilis* (NITZSCH, 1874)
Passer domesticus (LINNAEUS, 1758), *Passer montanus* (LINNAEUS, 1758)*
- Brueelia tasniemae* ANSARI, 1957
Corvus frugilegus LINNAEUS, 1758* HU: RÉKÁSI (1973)
- Brueelia tenuis* (BURMEISTER, 1838)
Riparia riparia (LINNAEUS, 1758)*
- Brueelia tovoornikae* (BALÁT, 1981)
Sylvia atricapilla (LINNAEUS, 1758)*
- Brueelia tristis* (GIEBEL, 1874)
Erithacus rubecula (LINNAEUS, 1758)*

- Brueelia turdinulae* ANSARI, 1956
Turdus philomelos BREHM, 1831*
- Brueelia uncinosa* (BURMEISTER, 1838)
Corvus corone cornix LINNAEUS, 1758* HU: RÉKÁSI (1984)
- Brueelia vaneki* BALÁT, 1981
Acrocephalus schoenobaenus (LINNAEUS, 1758)*
- Brueelia varia* (BURMEISTER, 1838)
Corvus monedula LINNAEUS, 1758* HU: BALÁT (1957)
- Brueelia viscivori* (DENNY, 1842)
Turdus viscivorus LINNAEUS, 1758* HU: RÉKÁSI (1984)
- Brueelia weberi* BALÁT, 1982
Parus major LINNAEUS, 1758*
- Campanulotes bidentatus* (SCOPOLI, 1763)
Columba palumbus LINNAEUS, 1758* HU: BALÁT (1957)
- Campanulotes compar* (BURMEISTER, 1838)
Columba livia GMELIN, 1789* HU: RÉKÁSI (1978a)
- Campanulotes drosti* EICHLER, 1950
Columba oenas LINNAEUS, 1758* HU: RÉKÁSI (1990)
- Capraiella subcuspidata* (BURMEISTER, 1838)
Coracias garrulus LINNAEUS, 1758* HU: BALÁT (1957)
- Carduiceps cingulatus* (DENNY, 1842)
Limosa limosa (LINNAEUS, 1758)*
- Carduiceps fulvofasciatus* (GRUBE, 1851)
Xenus cinereus (GÜLDENSTADT, 1775)* HU: RÉKÁSI (2008b)
- Carduiceps lapponicus* EMERSON, 1953
Limosa lapponica (LINNAEUS, 1758)*
- Carduiceps meinertzhageni* TIMMERMANN, 1954
Calidris alpina (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
Calidris maritima (BRÜNNICH, 1764)
- Carduiceps scalaris* (PIAGET, 1880)
Philomachus pugnax (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Carduiceps subscalaris* (PIAGET, 1880)
Phalaropus lobatus (LINNAEUS, 1758)*
- Carduiceps zonarius* (NITZSCH, 1866)
Calidris minuta (LEISLER, 1812)* HU: RÉKÁSI (1984)
Calidris alba (PALLAS, 1764), *Calidris canutus* (LINNAEUS, 1758), *Calidris ferruginea* (PONTOPPIDAN, 1763), *Calidris fuscicollis* (VIEILLOT, 1819), *Calidris melanotos* (VIEILLOT, 1819), *Calidris pusilla* (LINNAEUS, 1766), *Calidris temminckii* (LEISLER, 1812), *Tryngites subruficollis* (VIEILLOT, 1819)

- Chelopistes meleagridis* (LINNAEUS, 1758)
Meleagris gallopavo LINNAEUS, 1758*
- Cirrophthirius recurvirostrae* (LINNAEUS, 1758)
Recurvirostra avosetta LINNAEUS 1758* HU: RÉKÁSI (1986b)
- Coloceras aegypticum* (KELLOGG et PAINE, 1911)
Columba livia GMELIN, 1789*
- Coloceras alloceratum* (TENDEIRO, 1974)
Columba palumbus LINNAEUS, 1758*
- Coloceras britannicum* (TENDEIRO, 1973)
Streptopelia orientalis (LATHAM, 1790), *Streptopelia turtur* (LINNAEUS, 1758)*
- Coloceras chinense* (KELLOGG et CHAPMAN, 1902)
Streptopelia orientalis (LATHAM, 1790), *Streptopelia turtur* (LINNAEUS, 1758)
- Coloceras damicorne* (NITZSCH, 1866)
Columba palumbus LINNAEUS, 1758* HU: BALÁT (1957)
Columba livia GMELIN, 1789, *Columba oenas* LINNAEUS, 1758
- Coloceras hilli* (BEDFORD, 1920)
Streptopelia decaocto (FRIVALDSZKY, 1838)
- Coloceras israelensis* (TENDEIRO, 1974)
Columba livia GMELIN, 1789*
- Coloceras liviae* (TENDEIRO, 1974)
Columba livia GMELIN, 1789*
- Coloceras orientalis* (TENDEIRO, 1969)
Streptopelia orientalis (LATHAM, 1790)*
- Coloceras piageti* (JOHNSTON et HARRISON, 1912)
Streptopelia decaocto (FRIVALDSZKY, 1838) HU: RÉKÁSI (1984, as *C. sofioticus*)
- Coloceras tovoornikae* TENDEIRO, 1973
Columba livia GMELIN, 1789*
- Columbicola bacillus* (GIEBEL, 1866)
Streptopelia decaocto (FRIVALDSZKY, 1838) HU: BALÁT (1957, as *C. baculus*)
Streptopelia turtur (LINNAEUS, 1758)* HU: BALÁT (1957, as *C. baculus*)
- Columbicola claviformis* (DENNY, 1842)
Columba palumbus LINNAEUS, 1758* HU: BALÁT (1957)
- Columbicola columbae* (LINNAEUS, 1758)
Columba livia GMELIN, 1789* HU: BALÁT (1957)
Columba oenas LINNAEUS, 1758 HU: BALÁT (1957)
- Columbicola orientalis* TENDEIRO, 1965
Streptopelia orientalis (LATHAM, 1790)*
- Columbicola tschulyschman* EICHLER, 1942
Columba livia GMELIN, 1789

- Columbicola turturis* (UCHIDA, 1917)
Streptopelia orientalis (LATHAM, 1790)*
- Craspedonirmus colymbinus*** (DENNY, 1842)
Gavia arctica (LINNAEUS, 1758) HU: SCHÄFER (1963)
Gavia stellata (PONTOPPIDAN, 1763)*
- Craspedonirmus immer* EMERSON, 1955
Gavia immer (BRÜNNICH, 1764)*
- Craspedorrhynchus aquilinus*** (DENNY, 1842)
Aquila chrysaetos (LINNAEUS, 1758)* HU: SCHÄFER (1963, as *C. chrysophthalmus*)
- Craspedorrhynchus dilatatus* (RUDOW, 1869)
Buteo lagopus (PONTOPPIDAN, 1763)*
- Craspedorrhynchus fasciati* GALLEGO *et al.*, 1987
Hieraaetus fasciatus (VIEILLOT, 1822)*
- Craspedorrhynchus fraterculus* EICHLER et ZLOTORZYCKA, 1975
Aquila heliaca SAVIGNY, 1809* HU: RÉKÁSI (2008a)
- Craspedorrhynchus haematopus* (SCOPOLI, 1763)
Accipiter gentilis (LINNAEUS, 1758)*
- Craspedorrhynchus macrocephalus* (NITZSCH, 1874)
Haliaeetus albicilla (LINNAEUS, 1758)* HU: RÉKÁSI *et al.* (2002)
- Craspedorrhynchus melittoscopus* (NITZSCH, 1874)
Pernis apivorus (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Craspedorrhynchus naevius* (GIEBEL, 1861)
Aquila pomarina BREHM, 1831* HU: SOLT (1998)
- Craspedorrhynchus nisi* (DENNY, 1842)
Accipiter nisus (LINNAEUS, 1758)* HU: BALÁT (1957)
- Craspedorrhynchus platystomus* (BURMEISTER, 1838)
Buteo buteo (LINNAEUS, 1758)* HU: BALÁT (1957)
- Craspedorrhynchus ranjhae* ANSARI, 1955
Hieraaetus pennatus (GMELIN, 1788)*
- Craspedorrhynchus rotundatus* (PIAGET, 1880)
Circus aeruginosus (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Craspedorrhynchus spathulatus* (GIEBEL, 1874)
Milvus migrans (BODDAERT, 1783)* HU: SCHÄFER (1963)
- Craspedorrhynchus subbuteonis* GALLEGO *et al.*, 1987
Falco subbuteo LINNAEUS, 1758*
- Craspedorrhynchus triangularis* (RUDOW, 1869)
Circus gallicus (GMELIN, 1788)*
- Cuclotogaster cameratus*** (DE HAAN, 1829)
Lyrurus tetrix (LINNAEUS, 1758)*

- Cuclotogaster cinereus* (NITZSCH, 1866)
Coturnix coturnix (LINNAEUS, 1758)* HU: BALÁT (1957)
- Cuclotogaster heterogrammicus* (NITZSCH, 1866)
Perdix perdix (LINNAEUS, 1758)* HU: BALÁT (1957)
- Cuclotogaster heterographus* (NITZSCH, 1866)
Gallus gallus (LINNAEUS, 1758)*, *Phasianus colchicus* LINNAEUS, 1758
- Cuculicola latirostris* (BURMEISTER, 1838)
Cuculus canorus LINNAEUS, 1758* HU: RÉKÁSI (1984)
- Cuculicola limbatus* TENDEIRO, 1962
Clamator glandarius (LINNAEUS, 1758)*
- Cuculoecus latifrons* (DENNY, 1842)
Cuculus canorus LINNAEUS, 1758* HU: BALÁT (1957)
- Cummingsiella ambigua* (BURMEISTER, 1838)
Gallinago gallinago (LINNAEUS, 1758)* HU: BALÁT (1957)
- Cummingsiella aurea* HOPKINS, 1949
Scolopax rusticola LINNAEUS, 1758* HU: RÉKÁSI (1978a)
- Cummingsiella brelihi* TIMMERMAN, 1969
Scolopax rusticola LINNAEUS, 1758* HU: RÉKÁSI (1984)
- Cummingsiella breviclypeata* BLAGOVESHCHENSKY, 1948
Numenius tenuirostris VIEILLOT, 1817*
- Cummingsiella ovalis* (SCOPOLI, 1763)
Numenius arquata (LINNAEUS, 1758)* HU: RÉKÁSI (1973)
- Degeeriella aquilarum* EICHLER, 1943
Aquila chrysaetos (LINNAEUS, 1758), *Aquila clanga* PALLAS, 1811, *Aquila heliaca* SAVIGNY, 1809, *Aquila pomarina* BREHM, 1831
- Degeeriella discocephalus* (BURMEISTER, 1838)
Haliaeetus albicilla (LINNAEUS, 1758)* HU: RÉKÁSI *et al.* (2002)
- Degeeriella fulva* (GIEBEL, 1874)
Buteo buteo (LINNAEUS, 1758) HU: BALÁT (1957, as *D. giebelsi*)
Buteo lagopus (PONTOPPIDAN, 1763) HU: BALÁT (1957, as *D. angusta*)
Buteo rufinus (CRETZSCHMAR, 1829) HU: SOLT (1998)
Aquila heliaca SAVIGNY, 1809 HU: SOLT (1998)
Hieraaetus pennatus (GMELIN, 1788) HU: SOLT (1998)
Aquila chrysaetos (LINNAEUS, 1758)*, *Aquila clanga* PALLAS, 1811, *Aquila pomarina* BREHM, 1831, *Hieraaetus fasciatus* (VIEILLOT, 1822)
- Degeeriella fusca* (DENNY, 1842)
Circus aeruginosus (LINNAEUS, 1758)* HU: BALÁT (1957)
Circus cyaneus (LINNAEUS, 1766) HU: BALÁT (1957)
Circus macrourus (GMELIN, 1770), *Circus pygargus* (LINNAEUS, 1758)

- Degeeriella leucopleura* (NITZSCH, 1874)
Circaetus gallicus (GMELIN, 1788)
- Degeeriella nisus* (GIEBEL, 1866)
Accipiter nisus (LINNAEUS, 1758)* HU: BALÁT (1957)
- Degeeriella phlyctopygus* (NITZSCH, 1861)
Pernis apivorus (LINNAEUS, 1758)*
- Degeeriella regalis* (GIEBEL, 1866)
Milvus migrans (BODDAERT, 1783), *Milvus milvus* (LINNAEUS, 1758)*
- Degeeriella rufa* (BURMEISTER, 1838)
Falco cherrug Gray, 1834 HU: RÉKÁSI (1987, as *D. quadraticollis*)
Falco peregrinus TUNSTALL, 1771 HU: RÉKÁSI (1993b)
Falco subbuteo LINNAEUS, 1758 HU: BALÁT (1957, as *D. nitzschi*)
Falco tinnunculus LINNAEUS, 1758 * HU: BALÁT (1957)
Falco vespertinus LINNAEUS, 1766 HU: SCHÄFER (1963)
Falco amurensis RADDE, 1863, *Falco columbarius* LINNAEUS, 1758, *Falco eleonorae* GENE, 1839, *Falco naumanni* FLEISCHER, 1818
- Degeeriella vagans* (GIEBEL, 1874)
Accipiter gentilis (LINNAEUS, 1758)*
- Esthiopterum elbeli* TANDAN, 1973
Anthropoides virgo (LINNAEUS, 1785)*
- Esthiopterum gruis* (LINNAEUS, 1758)
Grus grus (LINNAEUS, 1758)* HU: RÉKÁSI (1973)
- Falcolipeurus frater* (GIEBEL, 1874)
Neophron percnopterus (LINNAEUS, 1758)*
- Falcolipeurus quadripustulatus* (BURMEISTER, 1838)
Aegypius monachus (LINNAEUS, 1766)*, *Circaetus gallicus* (GMELIN, 1788), *Gyps fulvus* (HABLIZL, 1783)
- Falcolipeurus sulcifrons* (DENNY, 1842)
Haliaeetus albicilla (LINNAEUS, 1758)*
- Falcolipeurus suturalis* (RUDOW, 1869)
Aquila chrysaetos (LINNAEUS, 1758)*, *Aquila clanga* PALLAS, 1811, *Aquila heliaca* SAVIGNY, 1809, *Aquila pomarina* BREHM, 1831
- Falcolipeurus yasminae* ANSARI, 1956
Hieraaetus pennatus (GMELIN, 1788)*
- Fulicoffula gallinula* CARRIKER, 1953
Gallinula chloropus (LINNAEUS, 1758)*
- Fulicoffula lurida* (NITZSCH, 1818)
Fulica atra LINNAEUS, 1758* HU: BALÁT (1957)
- Fulicoffula rallina* (DENNY, 1842)
Rallus aquaticus LINNAEUS, 1758*

- Fulicoffula stammeri* EICHLER, 1958
Porzana porzana (LINNAEUS, 1766)*
- Goniocotes chrysocephalus** GIEBEL, 1874
Phasianus colchicus LINNAEUS, 1758* HU: BALÁT (1957)
- Goniocotes congolensis* TENDEIRO, 1989
Numida meleagris (LINNAEUS, 1758)*
- Goniocotes gallinae* (DE GEER, 1778)
Gallus gallus (LINNAEUS, 1758)*, *Meleagris gallopavo* LINNAEUS, 1758
- Goniocotes maculatus* TASCHENBERG, 1882
Numida meleagris (LINNAEUS, 1758)
- Goniocotes megalcephalus* UCHIDA, 1916
Tetrastes bonasia (LINNAEUS, 1758)*
- Goniocotes microthorax* (STEPHENS, 1829)
Perdix perdix (LINNAEUS, 1758)*
- Goniodes astrocephalus** (BURMEISTER, 1838)
Coturnix coturnix (LINNAEUS, 1758)*
- Goniodes bituberculatus* RUDOW, 1869
Tetrao urogallus LINNAEUS, 1758* HU: RÉKÁSI (1978a)
- Goniodes capitatus* (KÉLER, 1939)
Phasianus colchicus LINNAEUS, 1758*
- Goniodes colchici* DENNY, 1842
Phasianus colchicus LINNAEUS, 1758*
- Goniodes dispar* BURMEISTER, 1838
Perdix perdix (LINNAEUS, 1758)* HU: RÉKÁSI (1993b)
- Goniodes dissimilis* DENNY, 1842
Gallus gallus (LINNAEUS, 1758)*
- Goniodes gigas* (TASCHENBERG, 1879)
Gallus gallus (LINNAEUS, 1758)*, *Numida meleagris* (LINNAEUS, 1758)
- Goniodes kloedenhoffi* (TENDEIRO, 1988)
Numida meleagris (LINNAEUS, 1758)*
- Goniodes meyi* (TENDEIRO, 1988)
Numida meleagris (LINNAEUS, 1758)*
- Goniodes numidae* MJÖBERG, 1910
Numida meleagris (LINNAEUS, 1758)*
- Goniodes reichenowii* (TENDEIRO, 1988)
Numida meleagris (LINNAEUS, 1758)*
- Goniodes tetraonis* (LINNAEUS, 1761)
Lyrurus tetrix (LINNAEUS, 1758)*

- Haffneria grandis*** (PIAGET, 1880)
Stercorarius longicaudus VIEILLOT, 1819, *Stercorarius parasiticus* (LINNAEUS, 1758),
Stercorarius pomarinus (TEMMINCK, 1815), *Stercorarius skua* (BRÜNNICH, 1764)
- Ibidoecus bisignatus*** (NITZSCH, 1866)
Plegadis falcinellus (LINNAEUS, 1766)* HU: RÉKÁSI (1978a)
- Ibidoecus plataleae*** (DENNY, 1842)
Platalea leucorodia LINNAEUS, 1758* HU: SCHÄFER (1963)
- Incidifrons curvitrabeculatus*** BLAGOVESHTCHENSKY, 1940
Porphyrio porphyrio (LINNAEUS, 1758)*
- Incidifrons fulicae*** (LINNAEUS, 1758)
Fulica atra LINNAEUS, 1758* HU: BALÁT (1957)
- Incidifrons gallinulae*** BLAGOVESHTCHENSKY, 1951
Gallinula chloropus (LINNAEUS, 1758)*
- Incidifrons porzanae*** BLAGOVESHTCHENSKY, 1951
Porzana parva (SCOPOLI, 1769)*
- Incidifrons ralli*** (SCOPOLI, 1772)
Rallus aquaticus LINNAEUS, 1758*
- Lagopoecus colchicus*** EMERSON, 1949
Phasianus colchicus LINNAEUS, 1758*
- Lagopoecus lyrurus*** CLAY, 1938
Lyrurus tetrix (LINNAEUS, 1758)*
- Lagopoecus pallidovittatus*** (GRUBE, 1851)
Tetrao urogallus LINNAEUS, 1758*
- Lagopoecus sinensis*** (SUGIMOTO, 1930)
Gallus gallus (LINNAEUS, 1758)*
- Lagopoecus tetrastei*** BECHET, 1963
Tetrastes bonasia (LINNAEUS, 1758)*
- Lipeurus caponis*** (LINNAEUS, 1758)
Gallus gallus (LINNAEUS, 1758)*, *Meleagris gallopavo* LINNAEUS, 1758, *Numida meleagris* (LINNAEUS, 1758), *Phasianus colchicus* LINNAEUS, 1758
- Lipeurus lawrensis*** BEDFORD, 1929
Numida meleagris (LINNAEUS, 1758)*
- Lipeurus maculosus*** CLAY, 1938
Phasianus colchicus LINNAEUS, 1758* HU: BALÁT (1957)
Perdix perdix (LINNAEUS, 1758)
- Lipeurus numidae*** (DENNY, 1842)
Numida meleagris (LINNAEUS, 1758)*
- Lipeurus tropicalis*** PETERS, 1931
Gallus gallus (LINNAEUS, 1758)*

- Lunaceps actophilus* (KELLOGG et CHAPMAN, 1899)
Calidris alba (PALLAS, 1764)* HU: RÉKÁSI (2006)
Calidris alpina (LINNAEUS, 1758) HU: RÉKÁSI (1978b)
- Lunaceps cabanisi* TIMMERMAN, 1954
Calidris ferruginea (PONTOPPIDAN, 1763), *Calidris pusilla* (LINNAEUS, 1766)
- Lunaceps drosti* TIMMERMAN, 1954
Calidris canutus (LINNAEUS, 1758)*
- Lunaceps falcinellus* TIMMERMAN, 1954
Limicola falcinellus (PONTOPPIDAN, 1763)*, *Tryngites subruficollis* (VIEILLOT, 1819)
- Lunaceps haematopi* TIMMERMAN, 1954
Haematopus ostralegus LINNAEUS, 1758*
- Lunaceps holophaeus* (BURMEISTER, 1838)
Philomachus pugnax (LINNAEUS, 1758)* HU: RÉKÁSI (1978b)
Vanellus vanellus (LINNAEUS, 1758)
- Lunaceps incoenis* (KELLOGG et CHAPMAN, 1899)
Calidris minuta (LEISLER, 1812) HU: RÉKÁSI (2006)
Calidris temminckii (LEISLER, 1812), *Pluvialis squatarola* (LINNAEUS, 1758)*
- Lunaceps limosella* TIMMERMAN, 1954
Limosa lapponica (LINNAEUS, 1758)*, *Limosa limosa* (LINNAEUS, 1758)
- Lunaceps nereis* TIMMERMAN, 1954
Calidris maritima (BRÜNNICH, 1764)*
- Lunaceps numenii numenii* (DENNY, 1842)
Numenius arquata (LINNAEUS, 1758)* HU: BALÁT (1957)
- Lunaceps numenii oliveri* (JOHNSON et HARRISON, 1912)
Numenius phaeopus (LINNAEUS, 1758)*
- Lunaceps numenii phaeopi* (DENNY, 1842)
Numenius phaeopus (LINNAEUS, 1758)*
- Lunaceps numenii proximus* (BLAGOVESHTCHENSKY, 1948)
Numenius tenuirostris VIEILLOT, 1817*
- Lunaceps timmermanni* BECHET, 1968
Calidris ferruginea (PONTOPPIDAN, 1763)* HU: RÉKÁSI (2006)
- Meropoecus meropis* (DENNY, 1842)
Merops apiaster LINNAEUS, 1758* HU: BALÁT (1957)
- Mulcticola hypoleucus* (DENNY, 1842)
Caprimulgus europaeus LINNAEUS, 1758* HU: BALÁT (1957)
- Neophilopterus incompletus* (DENNY, 1842)
Ciconia ciconia (LINNAEUS, 1758)* HU: SCHÄFER (1963)
- Neophilopterus tricolor* (BURMEISTER, 1838)
Ciconia nigra (LINNAEUS, 1758)* HU: SCHÄFER (1963)

- Ornithobius bucephalus* (GIEBEL, 1874)
Cygnus olor (GMELIN, 1789)*
- Ornithobius cygni* (LINNAEUS, 1758)
Cygnus columbianus (ORD, 1815), *Cygnus cygnus* (LINNAEUS, 1758)*
- Ornithobius goniopleurus* DENNY, 1842
Branta canadensis (LINNAEUS, 1758)*
- Ornithobius hexophthalmus* (NITZSCH, 1818)
Branta leucopsis (BECHSTEIN, 1803)
- Ornithobius mathisi* (NEUMANN, 1912)
Anser anser (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
Anser domesticus (LINNAEUS, 1758), *Anser fabalis* (LATHAM, 1787)
- Ornithobius waterstoni* TIMMERMAN, 1962
Cygnus columbianus (ORD, 1815)
- Otidoecus antilogus* (NITZSCH, 1866)
Tetrax tetrax (LINNAEUS, 1758)*
- Otidoecus turmalis* (DENNY, 1842)
Otis tarda LINNAEUS, 1758*
- Oxylipeurus colchicus* CLAY, 1938
Phasianus colchicus LINNAEUS, 1758* HU: RÉKÁSI (1973)
- Oxylipeurus copulentus* CLAY, 1938
Meleagris gallopavo LINNAEUS, 1758*
- Oxylipeurus dentatus* (SUGIMOTO, 1934)*
Gallus gallus (LINNAEUS, 1758)*
- Oxylipeurus minor* (ZLOTORZYCKA, 1966)
Lyrurus tetrix (LINNAEUS, 1758)*
- Oxylipeurus polytrapesius* (BURMEISTER, 1838)
Meleagris gallopavo LINNAEUS, 1758*
- Oxylipeurus tetraonis* (GRUBE, 1851)
Tetrao urogallus LINNAEUS, 1758*
- Pectinopygus bifasciatus* (PIAGET, 1880)
Pelecanus crispus BRUCH, 1832*
- Pectinopygus excornis* (BLAGOVESHCHENSKY, 1940)
Phalacrocorax pygmeus (PALLAS, 1773)*
- Pectinopygus forficulatus* (NITZSCH, 1866)
Pelecanus onocrotalus LINNAEUS, 1758*
- Pectinopygus gyricornis* (DENNY, 1842)
Phalacrocorax carbo (LINNAEUS, 1758) HU: BALÁZS (1957)
- Penenirmus affectator* (ZLOTORZYCKA, 1976)
Sylvia borin (BODDAERT, 1783)*

- Penenirmus albiventris* (SCOPOLI, 1763)
Troglodytes troglodytes (LINNAEUS, 1758)* HU: BALÁT (1957)
- Penenirmus auritus* (SCOPOLI, 1763)
Dendrocopos leucotos (BECHSTEIN, 1802) HU: SCHÄFER (1964)
Dendrocopos major (LINNAEUS, 1758)* HU: BALÁT (1957)
Dendrocopos minor (LINNAEUS, 1758) HU: RÉKÁSI (1984)
Dendrocopos syriacus (EHRENBERG, 1833) HU: BALÁT & BREUER (1955)
Dendrocopos medius (LINNAEUS, 1758)
- Penenirmus barusi* BALÁT, 1981
Phoenicurus ochruros (GMELIN, 1774)*
- Penenirmus burei* BALÁT, 1958
Emberiza hortulana LINNAEUS, 1758*, *Emberiza melanocephala* SCOPOLI, 1769*
- Penenirmus deductoris* MEY, 1982
Carduelis flavirostris (LINNAEUS, 1758)*
- Penenirmus desertus* FEDORENKO et BELSKAYA, 1979
Oenanthe deserti (TEMMINCK, 1825)*
- Penenirmus digitiformis* FEDORENKO et BELSKAYA, 1979
Oenanthe pleschanka (LEPECHIN, 1770)*
- Penenirmus gulosus* (NITZSCH, 1866)
Certhia familiaris LINNAEUS, 1758*
- Penenirmus heteroscelis* (NITZSCH, 1866)
Dryocopus martius (LINNAEUS, 1758)*
- Penenirmus hibari* (UCHIDA, 1949)
Alauda arvensis LINNAEUS, 1758
- Penenirmus incurvatus* FEDORENKO et BELSKAYA, 1979
Oenanthe isabellina (TEMMINCK, 1829)*
- Penenirmus kuxi* BALÁT, 1981
Locustella luscinioides (SAVI, 1824)*
- Penenirmus longuliceps* (BLAGOVESHTCHENSKY, 1940)
Cettia cetti (TEMMINCK, 1820)*, *Troglodytes troglodytes* (LINNAEUS, 1758)*
- Penenirmus nirmoideus* (NITZSCH, 1874)
Saxicola rubetra (LINNAEUS, 1758)*
- Penenirmus pari* (DENNY, 1842)
Aegithalos caudatus (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
Parus ater LINNAEUS, 1758*, *Parus caeruleus* LINNAEUS, 1758*
- Penenirmus patevi* BALÁT, 1958
Anthus campestris (LINNAEUS, 1758)*
- Penenirmus pavlovskyi* BLAGOVESHTCHENSKY, 1951
Galerida cristata (LINNAEUS, 1758)*

- Penenirmus phylloscopi* (ZLOTORZYCKA, 1976)
Phylloscopus trochilus (LINNAEUS, 1758)*
- Penenirmus pici* (FABRICIUS, 1798)
Picus canus GMELIN, 1788 HU: BALÁT (1957)
Picus viridis LINNAEUS, 1758* HU: RÉKÁSI (1984)
- Penenirmus pikulai* BALÁT, 1981
Sylvia nisoria (BECHSTEIN, 1795)*
- Penenirmus rarus* (ZLOTORZYCKA, 1976)
Phylloscopus collybita (VIEILLOT, 1817)* HU: RÉKÁSI (1990, in *Pleurinirmus*)
- Penenirmus serrahnensis* BALÁT, 1982
Fringilla coelebs LINNAEUS, 1758*
- Penenirmus serratilumbus* (BURMEISTER, 1838)
Jynx torquilla LINNAEUS, 1758*
- Penenirmus silvicultrix* (MEY, 1982)
Phoenicurus phoenicurus (LINNAEUS, 1758)*
- Penenirmus speciosus* MEY, 1982
Sylvia curruca (LINNAEUS, 1758)*
- Penenirmus visendus* (ZLOTORZYCKA, 1946b)
Panurus biarmicus (LINNAEUS, 1758)*
- Philopterus alexanderkoenigi* (EICHLER, 1953)
Galerida cristata (LINNAEUS, 1758)* HU: RÉKÁSI (1973)
- Philopterus arboreus* FEDORENKO, 1984
Lullula arborea (LINNAEUS, 1758)*
- Philopterus atratus* (NITZSCH, 1818)
Corvus frugilegus LINNAEUS, 1758* HU: BALÁT (1957)
- Philopterus bischoffi* (EICHLER, 1951)
Turdus pilaris LINNAEUS, 1758* HU: RÉKÁSI (1984, in *Docophorulus*)
- Philopterus capillatus* (ZLOTORZYCKA, 1964)
Ficedula hypoleuca (PALLAS, 1764)* HU: RÉKÁSI (1990, in *Docophorulus*)
- Philopterus cincli* (DENNY, 1842)
Cinclus cinclus (LINNAEUS, 1758)*
- Philopterus citrinellae* (SCHRANK, 1776)
Carduelis chloris (LINNAEUS, 1758) HU: BALÁT (1957)
Emberiza citrinella LINNAEUS, 1758* HU: BALÁT & BREUER (1955)
Pyrrhula pyrrhula (LINNAEUS, 1758) HU: BALÁT (1957)
- Philopterus coarctatus* (SCOPOLI, 1763)
Lanius collurio LINNAEUS, 1758* HU: BALÁT (1957)
Lanius excubitor LINNAEUS, 1758 HU: BALÁT (1957, as *Ph. fuscicollis*)
Lanius minor GMELIN, 1788

- Philopterus comatus* (MEY, 1982)
Montifringilla nivalis (LINNAEUS, 1766)*
- Philopterus corvi* (LINNAEUS, 1758)
Corvus corax LINNAEUS, 1758* HU: SCHÄFER (1963, as *Ph. semisignatus*)
- Philopterus crassipes* (BURMEISTER, 1838)
Nucifraga caryocatactes (LINNAEUS, 1758)* HU: RÉKÁSI (1973)
- Philopterus cumulatus* (ZLOTORZYCKA, 1964)
Emberiza calandra LINNAEUS, 1758* HU: RÉKÁSI (1973)
- Philopterus curvirostrae* (SCHRANK, 1776)
Loxia curvirostra LINNAEUS, 1758*
- Philopterus desertus* (ZLOTORZYCKA, 1964)
Muscicapa striata (PALLAS, 1764)* HU: RÉKÁSI (1973)
- Philopterus dumani* PRICE et HELLENTHAL, 1998
Pyrrhonorax graculus (LINNAEUS, 1766)*
- Philopterus emiliae* BALÁT, 1955
Prunella collaris (SCOPOLI, 1769)*
- Philopterus erythrini* (MEY, 1982)
Carpodacus erythrinus (PALLAS, 1770)
- Philopterus eurasiaticus* (MEY, 1982)
Coccothraustes coccothraustes (LINNAEUS, 1758)*
- Philopterus excisus* NITZSCH, 1818
Delichon urbica (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Philopterus fedorenkoae* (MEY, 1983)
Acrocephalus arundinaceus (LINNAEUS, 1758)*
- Philopterus fortunatus* (ZLOTORZYCKA, 1964)
Fringilla coelebs LINNAEUS, 1758*
- Philopterus fringillae* (SCOPOLI, 1772)
Passer domesticus (LINNAEUS, 1758)* HU: BALÁT (1957)
- Philopterus garrulae* (PIAGET, 1880)
Bombycilla garrulus (LINNAEUS, 1758)*
- Philopterus garruli* BOISDUVAL et LACORDAIRE, 1935
Garrulus glandarius (LINNAEUS, 1758)* HU: SCHÄFER (1963)
- Philopterus guttatus* (DENNY, 1842)
Corvus monedula LINNAEUS, 1758* HU: BALÁT (1957)
- Philopterus hamatus* (PACKARD, 1870)
Plectrophenax nivalis (LINNAEUS, 1758)*
- Philopterus hansmuenchi* (EICHLER et VASJUKOVA, 1981)
Loxia leucoptera GMELIN, 1789*

- Philopterus hanzaki* BALÁT, 1955
Anthus spinoletta (LINNAEUS, 1758)*
- Philopterus hercynicus* (MEY, 1988)
Parus caeruleus LINNAEUS, 1758*
- Philopterus hungaricus* RÉKÁSI, 1998
Tichodroma muraria (LINNAEUS, 1766)* HU: RÉKÁSI (1998a)
- Philopterus isabellinae* (MEY, 1982)
Oenanthe isabellina (TEMMINCK, 1829)*
- Philopterus kekilovae* FEDORENKO, 1984
Eremophila alpestris (LINNAEUS, 1758)*
- Philopterus linariae* (PIAGET, 1885)
Carduelis flammea (LINNAEUS, 1758)*
- Philopterus lineatus* (GIEBEL, 1874)
Certhia brachydactyla BREHM, 1820*
- Philopterus markevichi* FEDORENKO et VOLKOV, 1977
Ficedula parva (BECHSTEIN, 1792)*
- Philopterus microsomaticus* TANDAN, 1955
Hirundo rustica LINNAEUS, 1758* HU: VAS *et al.* (2008)
Riparia riparia (LINNAEUS, 1758)
- Philopterus mirificus* (ZLOTORZYCKA, 1964)
Acrocephalus palustris (BECHSTEIN, 1798)*
- Philopterus modularis* (DENNY, 1842)
Prunella modularis (LINNAEUS, 1758)*
- Philopterus montani* (ZLOTORZYCKA, 1964)
Passer montanus (LINNAEUS, 1758)* HU: RÉKÁSI (1973)
- Philopterus nativus* FEDORENKO, 1977
Turdus torquatus LINNAEUS, 1758*
- Philopterus necopinatus* (ZLOTORZYCKA, 1964)
Acrocephalus schoenobaenus (LINNAEUS, 1758)*
- Philopterus neomajor* PRICE, HELLENTHAL et PALMA, 2003
Dendrocopos major (LINNAEUS, 1758)*
- Philopterus ocellatus* (SCOPOLI, 1763)
Corvus corone cornix LINNAEUS, 1758* HU: BALÁT (1957)
- Philopterus oenanthe* FEDORENKO, 1983
Oenanthe oenanthe (LINNAEUS, 1758)*
- Philopterus ornatus* (NITZSCH, 1866)
Oriolus oriolus (LINNAEUS, 1758)* HU: BALÁT (1957)
- Philopterus osborni* EDWARDS, 1952
Corvus corax LINNAEUS, 1758

- Philopterus pallescens* (DENNY, 1842)
Parus major LINNAEUS, 1758* HU: BALÁT (1957)
Parus palustris LINNAEUS, 1758*
- Philopterus passerinus* (DENNY, 1842)
Motacilla alba LINNAEUS, 1758* HU: BALÁT (1957)
- Philopterus pavidus* (ZLOTORZYCKA, 1964)
Motacilla flava LINNAEUS, 1758*
- Philopterus peripariphilus* (MEY, 1988)
Parus ater LINNAEUS, 1758*
- Philopterus phylloscopi* FEDORENKO, 1979
Phylloscopus bonelli (VIEILLOT, 1819), *Phylloscopus sibilatrix* (BECHSTEIN, 1793)*,
Phylloscopus trochilus (LINNAEUS, 1758)
- Philopterus picae* (DENNY, 1842)
Pica pica (LINNAEUS, 1758)* HU: BALÁT & BREUER (1955)
- Philopterus pleschankae* FEDORENKO, 1983
Oenanthe pleschanka (LEPECHIN, 1770)*
- Philopterus rapax* (ZLOTORZYCKA, 1964)
Fringilla montifringilla LINNAEUS, 1758*
- Philopterus reginae* (MEY, 1982)
Phylloscopus fuscatus (BLYTH, 1842)*
- Philopterus reguli* (DENNY, 1842)
Regulus regulus (LINNAEUS, 1758)* HU: RÉKÁSI (1973)
- Philopterus residuus* (ZLOTORZYCKA, 1964)
Emberiza schoeniclus (LINNAEUS, 1758)* HU: RÉKÁSI (1973)
- Philopterus rubeculae* (DENNY, 1842)
Erithacus rubecula (LINNAEUS, 1758)*
- Philopterus sibiricus* FEDORENKO et VOLKOV, 1980
Emberiza leucocephalos GMELIN, 1771*
- Philopterus sittae* FEDORENKO, 1978
Sitta europaea LINNAEUS, 1758*
- Philopterus stadleri* (EICHLER, 1959)
Alauda arvensis LINNAEUS, 1758*
- Philopterus stepposus* FEDORENKO, 1984
Melanocorypha calandra (LINNAEUS, 1766)*
- Philopterus subitus* FEDORENKO, 1985
Motacilla cinerea TUNSTALL, 1771*
- Philopterus thryptocephalus* (KELLOGG et PAINE, 1914)
Pyrrhocorax graculus (LINNAEUS, 1766)*, *Pyrrhocorax pyrrhocorax* (LINNAEUS, 1758)

- Philopterus thuringiacus* (MEY, 1988)
Parus major LINNAEUS, 1758*
- Philopterus timmermanni* (ZLOTORZYCKA, 1964)
Turdus iliacus LINNAEUS, 1766*
- Philopterus trigonophorus* (GIEBEL, 1874)
Lanius senator LINNAEUS, 1758*
- Philopterus troglodytis* FEDORENKO, 1986
Troglodytes troglodytes (LINNAEUS, 1758)*
- Philopterus turdi* (DENNY, 1842)
Turdus merula LINNAEUS, 1758 HU: BALÁT & BREUER (1955, as *Ph. merulae*)
Turdus philomelos BREHM, 1831* HU: RÉKÁSI (1990, in *Docophorulus*)
- Philopterus vernus* (ZLOTORZYCKA, 1964)
Turdus viscivorus LINNAEUS, 1758* HU: RÉKÁSI (1984, in *Docophorulus*)
- Philopterus vultuosus* (ZLOTORZYCKA, 1964)
Anthus trivialis (LINNAEUS, 1758)*
- Philopterus zlotorzyckae* (MEY, 1982)
Monticola saxatilis (LINNAEUS, 1766)*
- Physconelloides zenaidurae* (MCGREGOR, 1917)
Columba livia GMELIN, 1789
- Picicola candidus* (NITZSCH, 1866)
Picus canus GMELIN, 1788* HU: RÉKÁSI (1984)
Picus viridis LINNAEUS, 1758 HU: SCHÄFER (1964, in *Degeeriella*)
- Picicola snodgrassi* (KELLOGG, 1896)
Dendrocopos leucotos (BECHSTEIN, 1802), *Dendrocopos major* (LINNAEUS, 1758)
- Picicola superciliosa* (NITZSCH, 1866)
Dendrocopos medius (LINNAEUS, 1758)*
- Quadriceps alcae* (DENNY, 1842)
Alca torda LINNAEUS, 1758*
- Quadriceps anagrapsus* (NITZSCH, 1866)
Chlidonias hybrida (PALLAS, 1811)*, *Chlidonias leucoptera* (TEMMINCK, 1815)
- Quadriceps annulatus* (DENNY, 1842)
Burhinus oedicephalus (LINNAEUS, 1758)*
- Quadriceps auratus* (DE HAAN, 1829)
Haematopus ostralegus LINNAEUS, 1758*
- Quadriceps baliola* (BLAGOVESHCHENSKY, 1951)
Gelochelidon nilotica (GMELIN, 1789)*
- Quadriceps bicuspis* (NITZSCH, 1874)
Charadrius dubius SCOPOLI, 1786* HU: RÉKÁSI (1979)

- Quadriceps boeophilus* (KELLOGG, 1896)
Charadrius vociferus LINNAEUS, 1758*
- Quadriceps caspius* (GIEBEL, 1874)
Sterna caspia PALLAS, 1770*
- Quadriceps charadrii* (LINNAEUS, 1758)
Pluvialis apricaria (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Quadriceps connexus* (KELLOGG et MANN, 1912)
Phalaropus lobatus (LINNAEUS, 1758)* HU: RÉKÁSI (2002)
- Quadriceps decipiens* (DENNY, 1842)
Recurvirostra avosetta LINNAEUS, 1758*
- Quadriceps ellipticus* (NITZSCH, 1866)
Glareola pratincola (LINNAEUS, 1766)*
- Quadriceps eugrammicus* (BURMEISTER, 1838)
Larus minutus PALLAS, 1776*
- Quadriceps falcigerus* (PETERS, 1931)
Tringa flavipes (GMELIN, 1789)*
- Quadriceps fimbriatus* (GIEBEL, 1866)
Phalaropus tricolor (VIEILLOT, 1819)*
- Quadriceps fissus* (BURMEISTER, 1838)
Charadrius hiaticula LINNAEUS, 1758*
- Quadriceps furvus* (BURMEISTER, 1838)
Tringa erythropus (PALLAS, 1764)* HU: BALÁT (1957)
- Quadriceps grallarius* TIMMERMAN, 1954
Vanellus leucurus (LICHTENSTEIN, 1823)*
- Quadriceps helgovauki* (TIMMERMAN, 1974)
Fratercula arctica (LINNAEUS, 1758)*
- Quadriceps hemichrous* (NITZSCH, 1866)
Himantopus himantopus (LINNAEUS, 1758)*
- Quadriceps hiaticulae* (FABRICIUS, 1780)
Charadrius hiaticula LINNAEUS, 1758*
- Quadriceps hoplopteri* (MJÖBERG, 1910)
Vanellus spinosus (LINNAEUS, 1758)*
- Quadriceps hospes* (NITZSCH, 1866)
Pluvialis squatarola (LINNAEUS, 1758)* HU: RÉKÁSI (1984, as *Q. charadrii hospes*)
- Quadriceps houri* HOPKINS, 1949
Sterna paradisaea PONTOPPIDAN, 1763*
- Quadriceps junceus* (SCOPOLI, 1763)
Vanellus vanellus (LINNAEUS, 1758)* HU: BALÁT (1957)

- Quadriceps kekra* ANSARI, 1947
Gelochelidon nilotica (GMELIN, 1789)*
- Quadriceps kilimandjarensis* (KELLOGG, 1910)
Vanellus gregarius (PALLAS, 1771)
- Quadriceps kirghizicus* (KASIEV, 1982)
Glareola pratincola (LINNAEUS, 1766)*
- Quadriceps lahorensis* ANSARI, 1955
Philomachus pugnax (LINNAEUS, 1758)*
- Quadriceps lineatus* (PIAGET, 1880)
Xema sabini (SABINE, 1819)*
- Quadriceps longicollis* (RUDOW, 1869)
Sterna sandvicensis LATHAM, 1787*
- Quadriceps macrocephalus* (WATERSTON, 1914)
Charadrius alexandrinus LINNAEUS, 1758 HU: RÉKÁSI (1986b, as *Q. retractus*)
- Quadriceps normifer* (GRUBE, 1851)
Stercorarius parasiticus (LINNAEUS, 1758)* HU: SCHÄFER (1964)
- Quadriceps nycthemerus* (BURMEISTER, 1838)
Sterna albifrons (PALLAS, 1764)*
- Quadriceps obscurus* (BURMEISTER, 1838)
Tringa glareola LINNAEUS, 1758* HU: RÉKÁSI (1978b)
Tringa stagnatilis (BECHSTEIN, 1803)
- Quadriceps obtusus* (KELLOGG et KUWANA, 1902)
Tringa totanus (LINNAEUS, 1758) HU: BALÁT (1957, as *Q. conformis*)
- Quadriceps ochropi* (DENNY, 1842)
Tringa ochropus LINNAEUS, 1758* HU: RÉKÁSI (1979)
- Quadriceps orarius* (KELLOGG, 1896)
Pluvialis dominica (MÜLLER, 1776)*, *Pluvialis fulva* (GMELIN, 1789)
- Quadriceps ornatus lineolatus* (NITZSCH, 1866)
Rissa tridactyla (LINNAEUS, 1758)*
- Quadriceps ornatus ornatus* (GRUBE, 1851)
Larus canus LINNAEUS, 1758*
- Quadriceps ornatus paulschulzei* (TIMMERMANN, 1949)
Rissa tridactyla (LINNAEUS, 1758)*
- Quadriceps ornatus striolatus* (NITZSCH, 1866)
Larus argentatus PONTOPPIDAN, 1763, *Larus glaucoides* MEYER, 1822, *Larus hyperboreus* GUNNERUS, 1767*, *Larus marinus* LINNAEUS, 1758
- Quadriceps parvopallidus* (EICHLER, 1951)
Stercorarius longicaudus VIEILLOT, 1819*

- Quadriceps phaeonotus* (NITZSCH, 1866)
Chlidonias nigra (LINNAEUS, 1758)* HU: RÉKÁSI (1984, as *Koeniginirmus nychthemerus phaeonotus*)
- Quadriceps phalaropi* (DENNY 1842)
Phalaropus fulicarius (LINNAEUS, 1758)*
- Quadriceps ptyadis* (SÉGUY, 1949)
Charadrius leschenaultii LESSON, 1826*
- Quadriceps punctatus lingulatus* TIMMERMAN, 1952
Larus pipixcan WAGLER, 1831
- Quadriceps punctatus pallidus* TIMMERMAN, 1952
Larus genei BRÉME, 1839*
- Quadriceps punctatus punctatus* (BURMEISTER, 1838)
Larus ridibundus LINNAEUS, 1766* HU: BALÁT (1957)
Larus ichthyaetus PALLAS, 1773
- Quadriceps punctatus regressus* TIMMERMAN, 1952
Larus argentatus PONTOPPIDAN, 1763*, *Larus canus* LINNAEUS, 1758, *Larus fuscus* LINNAEUS, 1758, *Larus melanocephalus* TEMMINCK, 1820, *Sterna caspia* PALLAS, 1770
- Quadriceps punctatus sublingulatus* TIMMERMAN, 1952
Larus delawarensis ORD, 1815*
- Quadriceps punctifer* HOPKINS, 1949
Charadrius morinellus LINNAEUS, 1758*
- Quadriceps ravus* (KELLOGG, 1899)
Actitis hypoleucos (LINNAEUS, 1758) HU: RÉKÁSI (1984)
- Quadriceps sellatus* (BURMEISTER, 1838)
Sterna hirundo LINNAEUS, 1758* HU: BALÁT (1957)
- Quadriceps semifissus* (NITZSCH, 1866)
Himantopus himantopus (LINNAEUS, 1758)* HU: RÉKÁSI (1978a, in *Proneptis*)
Recurvirostra avosetta LINNAEUS, 1758
- Quadriceps signatus* (PIAGET, 1880)
Recurvirostra avosetta LINNAEUS, 1758* HU: SCHÄFER (1963)
- Quadriceps similis* (GIEBEL, 1866)
Tringa nebularia (GUNNERUS, 1767)* HU: BALÁT (1957)
- Quadriceps stellaepolaris* TIMMERMAN, 1952
Stercorarius pomarinus (TEMMINCK, 1815)*, *Stercorarius skua* (BRÜNNICH, 1764)
- Quadriceps strepsilaris* (DENNY, 1842)
Arenaria interpres (LINNAEUS, 1758)*
- Rallicola cuspidatus* (SCOPOLI, 1763)
Rallus aquaticus LINNAEUS, 1758* HU: BALÁT (1957)

- Rallicola fulicae* (DENNY, 1842)
Fulica atra LINNAEUS, 1758* HU: BALÁT (1957)
- Rallicola lugens* (GIEBEL, 1874)
Porphyrio porphyrio (LINNAEUS, 1758)*
- Rallicola minutus* (NITZSCH, 1866)
Gallinula chloropus (LINNAEUS, 1758)*
- Rallicola mystax* (GIEBEL, 1874)
Porzana parva (SCOPOLI, 1769), *Porzana porzana* (LINNAEUS, 1766)*
- Rallicola ortygometrae* (SCHRANK, 1781)
Crex crex (LINNAEUS, 1758)*
- Rallicola parani* EICHLER, 1954
Gallinula chloropus (LINNAEUS, 1758)*
- Rallicola thompsoni* TENDEIRO, 1965
Porphyrio porphyrio (LINNAEUS, 1758)*
- Rhynonirmus helvolus* (BURMEISTER, 1838)
Scolopax rusticola LINNAEUS, 1758* HU: BALÁT (1957)
- Rhynonirmus medius* TIMMERMANN, 1955
Gallinago media (LATHAM, 1787)*
- Rhynonirmus scolopacis* (DENNY, 1842)
Gallinago gallinago (LINNAEUS, 1758)* HU: BALÁT (1957)
- Rotundiceps cordatus* (OSBORN, 1896)
Limosa lapponica (LINNAEUS, 1758)
- Saemundssonina africana* TIMMERMANN, 1954
Vanellus leucurus (LICHTENSTEIN, 1823)
- Saemundssonina brevicornis* (GIEBEL, 1874)
Sterna sandvicensis LATHAM, 1787*
- Saemundssonina celidoxa* (BURMEISTER, 1838)
Alca torda LINNAEUS, 1758*
- Saemundssonina cephalus* (DENNY, 1841)
Stercorarius parasiticus (LINNAEUS, 1758)*
- Saemundssonina clayae* HOPKINS, 1949
Scolopax rusticola LINNAEUS, 1758*
- Saemundssonina conica conica* (DENNY, 1842)
Charadrius vociferus LINNAEUS, 1758, *Pluvialis apricaria* (LINNAEUS, 1758)*, *Pluvialis dominica* (MÜLLER, 1776), *Pluvialis fulva* (GMELIN, 1789)
- Saemundssonina conica naumanni* (GIEBEL, 1866)
Pluvialis squatarola (LINNAEUS, 1758)* HU: RÉKÁSI (1984, as *S. naumanni*)
- Saemundssonina euryrhyncha* (GIEBEL, 1874)
Stercorarius pomarinus (TEMMINCK, 1815)*, *Stercorarius skua* (BRÜNNICH, 1764)

- Saemundssonina fraterculae* (OVERGAARD, 1942)
Fratercula arctica (LINNAEUS, 1758)*
- Saemundssonina gelochelidoni* (TOULESHKOV, 1959)
Gelochelidon nilotica (GMELIN, 1789)*
- Saemundssonina haematopi* (LINNAEUS, 1758)
Haematopus ostralegus LINNAEUS, 1758*
- Saemundssonina inexpectata* TIMMERMANN, 1951
Stercorarius longicaudus VIEILLOT, 1819
- Saemundssonina intiger* (NITZSCH, 1866)
Grus grus (LINNAEUS, 1758)* HU: BALÁT (1957)
Anthropoides virgo (LINNAEUS, 1785)
- Saemundssonina kratochvili* BALÁT, 1950
Gallinago gallinago (LINNAEUS, 1758)*, *Lymnocryptes minimus* (BRÜNNICH, 1764)
- Saemundssonina lari* (FABRICIUS, 1780)
Larus argentatus PONTOPPIDAN, 1763 HU: RÉKÁSI (1973, may refer to *Larus cachinnans michahellis* NAUMANN, 1840)
Larus ridibundus LINNAEUS, 1766 HU: BALÁT (1957, as *S. mülleri*)
Larus canus LINNAEUS, 1758, *Larus delawarensis* ORD, 1815, *Larus fuscus* LINNAEUS, 1758, *Larus genei* BRÉME, 1839, *Larus glaucoides* MEYER, 1822, *Larus hyperboreus* GUNNERUS, 1767*, *Larus marinus* LINNAEUS, 1758, *Larus melanocephalus* TEMMINCK, 1820, *Larus minutus* PALLAS, 1776, *Larus pipixcan* WAGLER, 1831, *Rissa tridactyla* (LINNAEUS, 1758), *Xema sabini* (SABINE, 1819)
- Saemundssonina laticaudata* (RUDOW, 1869)
Sterna sandvicensis LATHAM, 1787*
- Saemundssonina limosae* (DENNY, 1842)
Limosa lapponica (LINNAEUS, 1758)*
- Saemundssonina lobaticeps* (GIEBEL, 1874)
Chlidonias leucoptera (TEMMINCK, 1815) HU: BALÁT (1957)
Chlidonias nigra (LINNAEUS, 1758)* HU: BALÁT (1957)
Chlidonias hybrida (PALLAS, 1811)
- Saemundssonina lockleyi* CLAY, 1949
Sterna paradisaea PONTOPPIDAN, 1763
- Saemundssonina media* MARTENS, 1974
Gallinago media (LATHAM, 1787)*
- Saemundssonina melanocephalus* BURMEISTER, 1838
Sterna albifrons (PALLAS, 1764)*
- Saemundssonina platygaster ashi* TIMMERMANN, 1955
Philomachus pugnax (LINNAEUS, 1758)*
- Saemundssonina platygaster cordiceps* (GIEBEL, 1874)
Tringa glareola LINNAEUS, 1758*

- Saemundssonia platygaster frater* (GIEBEL, 1874)
Actitis hypoleucos (LINNAEUS, 1758)*
- Saemundssonia platygaster islandica* TIMMERMAN, 1951
Calidris canutus (LINNAEUS, 1758)*
- Saemundssonia platygaster jadwigae* TIMMERMAN, 1969
Calidris alba (PALLAS, 1764)*
- Saemundssonia platygaster mollis* (NITZSCH, 1874)
Tringa totanus (LINNAEUS, 1758)*
- Saemundssonia platygaster nitzschi* (GIEBEL, 1866)
Calidris minuta (LEISLER, 1812) HU: RÉKÁSI (1984)
Calidris fuscicollis (VIEILLOT, 1819), *Tringa erythropus* (PALLAS, 1764)*, *Tringa flavi-*
pes (GMELIN, 1789), *Tringa nebularia* (GUNNERUS, 1767), *Tringa ochropus* LINNAEUS,
 1758
- Saemundssonia platygaster pastoris* TIMMERMAN, 1969
Charadrius alexandrinus LINNAEUS, 1758 HU: RÉKÁSI (1986b)
- Saemundssonia platygaster platygaster* (DENNY, 1842)
Charadrius hiaticula LINNAEUS, 1758* HU: RÉKÁSI (1984)
Charadrius leschenaultii LESSON, 1826
- Saemundssonia platygaster semivittata* (GIEBEL, 1874)
Charadrius morinellus LINNAEUS, 1758*
- Saemundssonia platygaster stenrami* (GIEBEL, 1874)
Arenaria interpres (LINNAEUS, 1758)*
- Saemundssonia platygaster temporalis* (GIEBEL, 1874)
Vanellus vanellus (LINNAEUS, 1758)* HU: BALÁT (1957, as *S. temporalis*)
Vanellus gregarius (PALLAS, 1771)
- Saemundssonia platygaster* (ssp. indet.) (DENNY, 1842)
Charadrius dubius SCOPOLI, 1786, *Himantopus himantopus* (LINNAEUS, 1758), *Xenus*
cinereus (GÜLDENSTADT, 1775)
- Saemundssonia scolopacisphaeopodis humeralis* (DENNY, 1842)
Numenius arquata (LINNAEUS, 1758)* HU: BALÁT (1957, as *S. humeralis*)
- Saemundssonia scolopacisphaeopodis scolopacisphaeopodis* (SCHRANK, 1803)
Numenius phaeopus (LINNAEUS, 1758)*
- Saemundssonia sterna* (LINNAEUS, 1758)
Sterna hirundo LINNAEUS, 1758* HU: BALÁT (1957)
- Saemundssonia thompsoni* TIMMERMAN, 1951
Limosa limosa (LINNAEUS, 1758)*
- Saemundssonia tricolor* CARRIKER, 1956
Phalaropus tricolor (VIEILLOT, 1819)*

- Saemundssonina tringae* (FABRICIUS, 1780)
 Phalaropus lobatus (LINNAEUS, 1758) HU: RÉKÁSI (2002)
 Arenaria interpres (LINNAEUS, 1758), *Calidris alba* (PALLAS, 1764), *Calidris alpina* (LINNAEUS, 1758), *Calidris canutus* (LINNAEUS, 1758), *Calidris ferruginea* (PONTOPPIDAN, 1763), *Calidris fuscicollis* (VIEILLOT, 1819), *Calidris maritima* (BRÜNNICH, 1764)*, *Calidris melanotos* (VIEILLOT, 1819), *Calidris minuta* (LEISLER, 1812), *Calidris pusilla* (LINNAEUS, 1766), *Calidris temminckii* (LEISLER, 1812), *Philomachus pugnax* (LINNAEUS, 1758)
- Strigiphilus aitkeni* CLAY, 1966
 Tyto alba (SCOPOLI, 1769)*
- Strigiphilus barbatus* (OSBORN, 1902)
 Asio otus (LINNAEUS, 1758) HU: BALÁT (1957, as *S. asionis*)
- Strigiphilus ceblebrachys* (DENNY, 1842)
 Nyctea scandiaca (LINNAEUS, 1758)*
- Strigiphilus crenulatus* (GIEBEL, 1874)
 Surnia ulula (LINNAEUS, 1758)*
- Strigiphilus cursitans* (NITZSCH, 1861)
 Athene noctua (SCOPOLI, 1769)* HU: RÉKÁSI (1973)
- Strigiphilus cursor* (BURMEISTER, 1838)
 Asio flammeus (PONTOPPIDAN, 1763)* HU: BALÁT (1957)
- Strigiphilus goniodicerus* EICHLER, 1949
 Bubo bubo (LINNAEUS, 1758)*
- Strigiphilus heterocerus* (GRUBE, 1851)
 Strix uralensis PALLAS, 1771*
- Strigiphilus heterogenitalis* (EMERSON et ELBEL, 1957)
 Otus scops (LINNAEUS, 1758)
- Strigiphilus laticephalus* (UCHIDA, 1949)
 Strix aluco (LINNAEUS, 1758)* HU: RÉKÁSI (1993b, as *S. laticeps*)
 Strix uralensis PALLAS, 1771*
- Strigiphilus pallidus* (GIEBEL, 1874)
 Aegolius funereus (LINNAEUS, 1758)*
- Strigiphilus portigi* EICHLER, 1952
 Strix aluco (LINNAEUS, 1758)*
- Strigiphilus rostratus* (BURMEISTER, 1838)
 Tyto alba (SCOPOLI, 1769)* HU: BALÁT (1957)
- Strigiphilus splendens* (GIEBEL, 1874)
 Glaucidium passerinum (LINNAEUS, 1758)*
- Strigiphilus strigis* (PONTOPPIDAN, 1763)
 Bubo bubo (LINNAEUS, 1758)*

- Strigiphilus tuleskovi* BALÁT, 1958
Otus scops (LINNAEUS, 1758)*
- Sturnidoecus aeneas* (PIAGET, 1885)
Motacilla alba LINNAEUS, 1758* HU: RÉKÁSI (1990)
- Sturnidoecus atharea* ANSARI, 1955
Luscinia svecica (LINNAEUS, 1758)*
- Sturnidoecus blandus* ZLOTORZYCKA, 1964
Carduelis carduelis (LINNAEUS, 1758)*
- Sturnidoecus carpodaci* (BALÁT, 1981)
Carpodacus erythrinus (PALLAS, 1770)*
- Sturnidoecus chendoola* ANSARI, 1955
Galerida cristata (LINNAEUS, 1758)*
- Sturnidoecus hudeci* (BALÁT, 1981)
Parus major LINNAEUS, 1758*
- Sturnidoecus irritans* ANSARI, 1955
Saxicola torquata (LINNAEUS, 1766)
- Sturnidoecus melodicus* (EICHLER, 1951)
Turdus philomelos BREHM, 1831*
- Sturnidoecus pastoris* (DENNY, 1842)
Sturnus roseus (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
- Sturnidoecus pflergi* (BALÁT, 1981)
Acrocephalus palustris (BECHSTEIN, 1798)*
- Sturnidoecus quadrilineatus* (NITZSCH, 1866)
Aegithalos caudatus (LINNAEUS, 1758)*
- Sturnidoecus radui* BECHET, 1965
Oriolus oriolus (LINNAEUS, 1758)*
- Sturnidoecus refractariolus* (ZLOTORZYCKA, 1964)
Passer domesticus (LINNAEUS, 1758)*
- Sturnidoecus ruficeps* (NITZSCH, 1866)
Passer montanus (LINNAEUS, 1758) HU: BALÁT (1957)
- Sturnidoecus sturni* (SCHRANK, 1776)
Sturnus vulgaris LINNAEUS, 1758* HU: BALÁT (1957)
- Sturnidoecus tulackovae* (BALÁT, 1981)
Locustella fluviatilis (WOLF, 1810)*
- Syrrhaptoecus bedfordi* WATERSTON, 1928
Syrrhaptes paradoxus (PALLAS, 1773)*
- Syrrhaptoecus emahusaini* ANSARI, 1947
Pterocles exustus TEMMINCK, 1825*

- Syrrhaptoecus falcatus* WATERSTON, 1928
Pterocles exustus TEMMINCK, 1825*
Syrrhaptoecus paradoxus (RUDOW, 1869)
Syrrhaptus paradoxus (PALLAS, 1773)*
Turturicola salimalii CLAY et MEINERTZHAGEN, 1937
Streptopelia decaocto (FRIVALDSZKY, 1838)*
Upupicola upupae (SCHRANK, 1803)
Upupa epops LINNAEUS, 1758* HU: SCHÄFER (1963)

Mammalian lice

Suborder: AMBLYCERA

Family: Gyropidae

- Gliricola porcelli* (SCHRANK, 1781)
Cavia porcellus (LINNAEUS, 1758)*
Gyropus ovalis NITZSCH, 1818
Cavia porcellus (LINNAEUS, 1758)*
Pitrufulquia coypus MARELLI, 1932
Myocastor coypus (MOLINA, 1782)*

Family: Trimenoponidae

- Trimenopon hispidum* (BURMEISTER, 1838)
Cavia porcellus (LINNAEUS, 1758)*

Suborder: ANOPLURA

Family: Enderleinellidae

- Enderleinellus ferrisi* (TOULESHKOV, 1957)
Spermophilus citellus (LINNAEUS, 1766)* HU: (PIOTROWSKI 1970)
Enderleinellus nitzschi FAHRENHOLZ, 1916
Sciurus vulgaris LINNAEUS, 1758* HU: (PIOTROWSKI 1970)
Enderleinellus propinquus BLAGOVESHCHENSKY, 1965
Spermophilus citellus (LINNAEUS, 1766)

Family: Haematopinidae

- Haematopinus apri* GOUREAU, 1866
Sus scrofa LINNAEUS, 1758* HU: (PIOTROWSKI 1970)

Haematopinus asini (LINNAEUS, 1758)

Equus asinus LINNAEUS, 1758*, *Equus caballus* LINNAEUS, 1758

Haematopinus eurysternus (NITZSCH, 1818)

Bos taurus LINNAEUS, 1758* HU: (PIOTROWSKI 1970)

Haematopinus suis (LINNAEUS, 1758)

Sus domesticus LINNAEUS, 1758* HU: (PIOTROWSKI 1970)

Haematopinus tuberculatus (BURMEISTER, 1839)

Bubalus bubalis LINNAEUS, 1758*

Family: Hoplopleuridae

Hoplopleura acanthopus (BURMEISTER, 1839)

Arvicola amphibius (LINNAEUS, 1758) HU: (PIOTROWSKI 1970)

Microtus agrestis (LINNAEUS, 1761) HU: (PIOTROWSKI 1970)

Microtus arvalis (LINNAEUS, 1761)* HU: (PIOTROWSKI 1970)

Microtus oeconomus (PALLAS, 1776) HU: (PIOTROWSKI 1970)

Microtus subterraneus (SÉLYS-LONGCHAMPS, 1836) HU: (PIOTROWSKI 1970)

Myodes glareolus (SCHREBER, 1780) HU: (PIOTROWSKI 1970)

Hoplopleura affinis (BURMEISTER, 1839)

Apodemus agrarius PALLAS, 1771* HU: (PIOTROWSKI 1970)

Apodemus sylvaticus (LINNAEUS, 1758) HU: (PIOTROWSKI 1970)

Apodemus flavicollis (MELCHIOR, 1834)

Hoplopleura captiosa JOHNSON, 1960

Mus spicilegus PETÉNYI, 1882 HU: (PIOTROWSKI 1970) – not included in DURDEN & MUSSER (1994); as a sibling species of *Mus musculus*, likely to be a regular host

Mus musculus LINNAEUS, 1758*

Hoplopleura edentula FAHRENHOLZ, 1916

Myodes glareolus (SCHREBER, 1780)

Hoplopleura longula (NEUMANN, 1909)

Micromys minutus (PALLAS, 1771)* HU: (PIOTROWSKI 1970)

Hoplopleura pacifica EWING, 1924

Rattus norvegicus (BERKENHOUT, 1769), *Rattus rattus* (LINNAEUS, 1758)

Schizophthirus dryomydis BLAGOVESHCHENSKY, 1965

Dryomys nitedula PALLAS, 1778*

Schizophthirus gliris BLAGOVESHCHENSKY, 1965

Glis glis (LINNAEUS, 1766)*

Schizophthirus jaczewskii CAIS, 1974

Dryomys nitedula PALLAS, 1778*

Schizophthirus pleurophaeus (BURMEISTER, 1839)

Dryomys nitedula PALLAS, 1778, *Glis glis* (LINNAEUS, 1766), *Muscardinus avellanarius* (LINNAEUS, 1758)

Schizophthirus sicistae BLAGOVESHTCHENSKY, 1965
Sicista subtilis PALLAS 1773*

Family: Linognathidae

Linognathus africanus KELLOGG et PAINE, 1911
Capra hircus LINNAEUS, 1758, *Ovis aries* LINNAEUS, 1758*, *Ovis musimon* LINNAEUS, 1758
Linognathus setosus (VON OLFERS, 1816)
Canis familiaris (LINNAEUS, 1758)* HU: (PIOTROWSKI 1970)
Canis aureus LINNAEUS, 1758, *Canis lupus* LINNAEUS, 1758, *Vulpes vulpes* (LINNAEUS, 1758)
Linognathus stenopsis (BURMEISTER, 1838)
Capra hircus LINNAEUS, 1758* HU: (PIOTROWSKI 1970)
Rupicapra rupicapra (LINNAEUS, 1758)
Linognathus ovillus (NEUMANN, 1907)
Ovis aries LINNAEUS, 1758*, *Ovis musimon* LINNAEUS, 1758
Linognathus pedalis (OSBORN, 1896)
Ovis aries LINNAEUS, 1758*, *Ovis musimon* LINNAEUS, 1758
Linognathus vituli (LINNAEUS, 1758)
Bos taurus LINNAEUS, 1758* HU: (PIOTROWSKI 1970)
Solenopotes burmeisteri (FAHRENHOLZ, 1919)
Cervus elaphus LINNAEUS, 1758* HU: (PIOTROWSKI 1970)
Solenopotes capillatus ENDERLEIN, 1904
Bos taurus LINNAEUS, 1758* HU: (HORNOK *et al.* 2010)
Solenopotes capreoli FREUND, 1935
Capreolus capreolus LINNAEUS, 1758* HU: (BERDÁR 1983)

Family: Pediculidae

Pediculus humanus LINNAEUS, 1758 – both “*P. h. capitis*” and “*P. h. humanus*” ecotypes
Homo sapiens LINNAEUS, 1758* HU: (PIOTROWSKI 1970)

Family: Polyplacidae

Haemodipsus lyriocephalus (BURMEISTER, 1839)
Lepus europaeus PALLAS, 1778 HU: (BEAUCOURNU 1968)
Haemodipsus ventricosus (DENNY, 1842)
Oryctolagus cuniculus (LINNAEUS, 1758)*, *Oryctolagus domesticus* (LINNAEUS, 1758)
Linognathoides laeviusculus (GRUBE, 1851)
Spermophilus citellus (LINNAEUS, 1766)

Neohaematopinus sciuri JANCKE, 1932

Sciurus vulgaris LINNAEUS, 1758*

Polyplax borealis FERRIS, 1933

Arvicola amphibius (LINNAEUS, 1758), *Myodes glareolus* (SCHREBER, 1780)

Polyplax bureschi TOULESHKOV, 1957

Spermophilus citellus (LINNAEUS, 1766)*

Polyplax gracilis FAHRENHOLZ, 1910

Micromys minutus (PALLAS, 1771)* HU: (PIOTROWSKI 1970)

Polyplax hannswrangeli EICHLER, 1952

Myodes glareolus (SCHREBER, 1780)*

Polyplax reclinata (NITZSCH, 1864)

Crocidura suaveolens (PALLAS, 1811) HU: (HAITLINGER 1973)

Crocidura leucodon (HERMANN, 1780), *Neomys fodiens* (PENNANT, 1771), *Sorex araneus* LINNAEUS, 1758*, *Sorex minutus* LINNAEUS, 1766

Polyplax serrata (BURMEISTER, 1839)

Apodemus agrarius PALLAS, 1771 HU: (PIOTROWSKI 1970)

Apodemus flavicollis (MELCHIOR, 1834) HU: (PIOTROWSKI 1970)

Apodemus sylvaticus (LINNAEUS, 1758) HU: (HAITLINGER 1973)

Apodemus uralensis (PALLAS, 1811) HU: (HAITLINGER 1973)

Mus musculus LINNAEUS, 1758* HU: (PIOTROWSKI 1970)

Polyplax spinigera (BURMEISTER, 1839)

Arvicola amphibius (LINNAEUS, 1758)*

Polyplax spinulosa (BURMEISTER, 1839)

Rattus norvegicus (BERKENHOUT, 1769)*, *Rattus rattus* (LINNAEUS, 1758)

Family: Pthiridae

Pthirus pubis (LINNAEUS, 1758)

Homo sapiens LINNAEUS, 1758* HU: (PIOTROWSKI 1970)

Suborder: ISCHNOCERA

Family: Trichodectidae

Bovicola alpinus KÉLER, 1942

Rupicapra rupicapra LINNAEUS, 1758*

Bovicola bovis (LINNAEUS, 1758)

Bos taurus LINNAEUS, 1758* HU: (EGRI & NAGY 1995)

Bovicola caprae (GURLT, 1843)

Capra hircus LINNAEUS, 1758* HU: (PIOTROWSKI 1970)

- Bovicola crassipes* (RUDOW, 1866)
Capra hircus LINNAEUS, 1758
- Bovicola equi* (DENNY, 1842)
Equus caballus LINNAEUS, 1758* HU: (EGRI 1990)
- Bovicola limbatus* (GERVAIS, 1844)
Capra hircus LINNAEUS, 1758
- Bovicola longicornis* (NITZSCH, 1818)
Cervus elaphus LINNAEUS, 1758* HU: (SUGÁR 1997)
- Bovicola ocellatus* (PIAGET, 1880)
Equus asinus LINNAEUS, 1758
- Bovicola ovis* (SCHRANK, 1781)
Ovis aries LINNAEUS, 1758*, *Ovis musimon* LINNAEUS, 1758
- Bovicola tibialis* (PIAGET, 1880)
Dama dama (LINNAEUS, 1758)*
- Damalinia meyeri* (TASCHENBERG, 1882)
Capreolus capreolus LINNAEUS, 1758 HU: (SUGÁR 1985)
- Felicola hercynianus* KÉLER, 1957
Felis silvestris SCHREBER, 1775*
- Felicola spenceri* HOPKINS, 1960
Lynx lynx LINNAEUS, 1758*
- Felicola subrostratus* (BURMEISTER, 1838)
Felis catus (LINNAEUS, 1758)* HU: (SZILVÁSSY 2006)
- Felicola vulpis* DENNY, 1842
Vulpes vulpes (LINNAEUS, 1758)* – RÉKÁSI (1979) collected a single individual from an atypical host *Microtus arvalis* PALLAS, 1778
- Lutridia exilis* (NITZSCH [in GIEBEL], 1861)
Lutra lutra (LINNAEUS, 1758)*
- Stachiella ermineae* HOPKINS, 1941
Mustela erminea LINNAEUS, 1758* HU: RÉKÁSI (1983)
- Stachiella jacobi* EICHLER, 1941
Mustela putorius LINNAEUS, 1758*
- Stachiella mustelae* (SCHRANK, 1803)
Mustela nivalis LINNAEUS, 1766* HU: RÉKÁSI (1979)
- Stachiella octomaculatus* (PAINE, 1912)
Procyon lotor (LINNAEUS, 1758)*
- Stachiella retusa* (BURMEISTER, 1838)
Martes foina (ERXLEBEN, 1777)*
- Stachiella salffi* CONCI, 1940
Martes martes (LINNAEUS, 1758)*

Trichodectes canis (DE GEER, 1778)*Canis familiaris* (LINNAEUS, 1758)* HU: (PIOTROWSKI 1970)*Canis aureus* LINNAEUS, 1758, *Canis lupus* LINNAEUS, 1758, *Nyctereutes procyonoides* (GRAY, 1834)***Trichodectes melis*** (FABRICIUS, 1805)*Meles meles* (LINNAEUS, 1758)* HU: RÉKÁSI (1979)***Trichodectes pinguis*** BURMEISTER, 1838*Ursus arctos* LINNAEUS, 1758*

CHECKLIST ORDERED BY HOSTS

Wild birds with louse associations

Order: GALLIFORMES

Family: Phasianidae

Coturnix coturnix (LINNAEUS, 1758)*Cuculotogaster cinereus* (NITZSCH, 1866)* HU: BALÁT (1957)*Amyrsidea fulvomaculata* (DENNY, 1842)*, *Goniodes astrocephalus* (BURMEISTER, 1838)*, *Menacanthus abdominalis* (PIAGET, 1880)****Lyrurus tetrix*** (LINNAEUS, 1758)*Amyrsidea lagopi* (GRUBE, 1851), *Cuculotogaster cameratus* (DE HAAN, 1829)*, *Goniodes tetraonis* (LINNAEUS, 1761)*, *Lagopoecus lyrurus* CLAY, 1938*, *Menopon deryloi* ZLOTORZYCKA, 1972*, *Oxylpeurus minor* (ZLOTORZYCKA, 1966)****Perdix perdix*** (LINNAEUS, 1758)*Cuculotogaster heterogrammicus* (NITZSCH, 1866)* HU: BALÁT (1957)*Goniodes dispar* BURMEISTER, 1838* HU: RÉKÁSI (1993b)*Menopon pallens* CLAY, 1949* HU: BALÁT (1957)*Amyrsidea perdicis* (DENNY, 1842)*, *Goniocotes microthorax* (STEPHENS, 1829)*, *Lipeurus maculosus* CLAY, 1938***Phasianus colchicus*** LINNAEUS, 1758*Amyrsidea perdicis* (DENNY, 1842) HU: RÉKÁSI (1984, as *A. megalosoma*)*Goniocotes chrysocephalus* GIEBEL, 1874* HU: BALÁT (1957)*Lipeurus maculosus* CLAY, 1938* HU: BALÁT (1957)*Oxylpeurus colchicus* CLAY, 1938* HU: RÉKÁSI (1973)*Cuculotogaster heterographus* (NITZSCH, 1866), *Goniodes capitatus* (KÉLER, 1939)*, *Goniodes colchici* DENNY, 1842*, *Lagopoecus colchicus* EMERSON, 1949*, *Lipeurus caponis* (LINNAEUS, 1758), *Menacanthus phasiani* (MODRZEJEWSKA et ZLOTORZYCKA, 1977)*, *Menacanthus stramineus* (NITZSCH, 1818)

Tetrao urogallus* LINNAEUS, 1758Goniodes bituberculatus* RUDOW, 1869* HU: RÉKÁSI (1978a)*Amyrsidea lagopi* (GRUBE, 1851), *Lagopoecus pallidovittatus* (GRUBE, 1851)*, *Oxylipeurus tetraonis* (GRUBE, 1851)****Tetrastes bonasia* (LINNAEUS, 1758)***Goniocotes megalcephalus* UCHIDA, 1916*, *Lagopoecus tetrastei* BECHET, 1963***Order: ANSERIFORMES****Family: Anatidae*****Alopochen aegyptiacus* (LINNAEUS, 1766)***Acidoproctus taschenbergi* HOPKINS, 1938*, *Anaticola asymmetricus* (RUDOW, 1869)*, *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon tadornae* (GERVAIS, 1844), *Trinoton alopochen* TENDEIRO, 1960****Anas acuta* LINNAEUS, 1758***Anaticola crassicornis* (SCOPOLI, 1763), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon acutae* PRICE, 1971*, *Holomenopon clypeilargum* EICHLER, 1943*, *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Holomenopon setigerum* (BLAGOVESHTCHENSKY, 1948), *Trinoton querquedulae* (LINNAEUS, 1758)***Anas americana* GMELIN, 1789***Anaticola crassicornis* (SCOPOLI, 1763), *Holomenopon clypeilargum* EICHLER, 1943, *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Trinoton querquedulae* (LINNAEUS, 1758)***Anas clypeata* LINNAEUS, 1758***Anaticola crassicornis* (SCOPOLI, 1763) HU: RÉKÁSI (1984, as *A. hopkinsi*)
Anatoecus dentatus (SCOPOLI, 1763) HU: BALÁT (1957, as *A. ferrugineus*)
Anatoecus icterodes (NITZSCH, 1818) HU: RÉKÁSI (1984)
Holomenopon setigerum (BLAGOVESHTCHENSKY, 1948)* HU: RÉKÁSI (1984)
Holomenopon clypeilargum EICHLER, 1943, *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Trinoton querquedulae* (LINNAEUS, 1758)***Anas crecca* LINNAEUS, 1758***Anaticola crassicornis* (SCOPOLI, 1763) HU: BALÁT (1957, as *A. sordidus*)
Anatoecus icterodes (NITZSCH, 1818) HU: RÉKÁSI (1984)
Holomenopon leucoxanthum (BURMEISTER, 1838)* HU: RÉKÁSI (1978b)
Trinoton querquedulae (LINNAEUS, 1758)* HU: SCHÄFER (1964)
Anatoecus dentatus (SCOPOLI, 1763), *Holomenopon clypeilargum* EICHLER, 1943, *Holomenopon setigerum* (BLAGOVESHTCHENSKY, 1948)***Anas penelope* LINNAEUS, 1758***Anaticola crassicornis* (SCOPOLI, 1763), *Anatoecus dentatus* (SCOPOLI, 1763)

Anatoecus icterodes (NITZSCH, 1818), *Holomenopon clypeilargum* EICHLER, 1943, *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Trinoton querquedulae* (LINNAEUS, 1758)

Anas platyrhynchos LINNAEUS, 1758

Anaticola crassicornis (SCOPOLI, 1763)* HU: BALÁT (1957)

Anatoecus dentatus (SCOPOLI, 1763)* HU: BALÁT (1957)

Anatoecus icterodes (NITZSCH, 1818) HU: RÉKÁSI (1984)

Holomenopon transvaalense (BEDFORD, 1920)* HU: RÉKÁSI (1984)

Trinoton querquedulae (LINNAEUS, 1758) HU: RÉKÁSI (1973)

Holomenopon leucoxanthum (BURMEISTER, 1838), *Holomenopon maxbeieri* EICHLER, 1954*

Anas querquedula LINNAEUS, 1758

Anaticola crassicornis (SCOPOLI, 1763) HU: RÉKÁSI (1984, as *A. sordidus*)

Anatoecus dentatus (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon clypeilargum* EICHLER, 1943, *Holomenopon setigerum* (BLAGOVESHCHENSKY, 1948), *Trinoton querquedulae* (LINNAEUS, 1758)

Anas strepera LINNAEUS, 1758

Anaticola crassicornis (SCOPOLI, 1763) HU: BALÁT (1957, as *A. depuratus*)

Anatoecus dentatus (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon clypeilargum* EICHLER, 1943, *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Holomenopon setigerum* (BLAGOVESHCHENSKY, 1948), *Trinoton querquedulae* (LINNAEUS, 1758)

Anser albifrons (SCOPOLI, 1769)

Anaticola anseris (LINNAEUS, 1758) HU: BALÁT (1957, as *A. serratus*)

Anatoecus icterodes (NITZSCH, 1818) HU: BALÁT (1957, as *A. brunneiceps*)

Anatoecus dentatus (SCOPOLI, 1763), *Ciconiphilus pectiniventris* (HARRISON, 1916),

Trinoton anserinum (FABRICIUS, 1805)

Anser anser (LINNAEUS, 1758)

Anaticola anseris (LINNAEUS, 1758)* HU: SCHÄFER (1963)

Anatoecus icterodes (NITZSCH, 1818) HU: RÉKÁSI (1984)

Ornithobius mathisi (NEUMANN, 1912)* HU: RÉKÁSI (1984)

Trinoton anserinum (FABRICIUS, 1805)* HU: RÉKÁSI (1978a)

Anatoecus dentatus (SCOPOLI, 1763), *Ciconiphilus pectiniventris* (HARRISON, 1916)*,

Holomenopon leucoxanthum (BURMEISTER, 1838)

Anser brachyrhynchus BAILLON, 1834

Anaticola anseris (LINNAEUS, 1758), *Ciconiphilus pectiniventris* (HARRISON, 1916)

Anser caerulescens (LINNAEUS, 1758)

Anaticola anseris (LINNAEUS, 1758), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Ciconiphilus pectiniventris* (HARRISON, 1916), *Trinoton anserinum* (FABRICIUS, 1805)

- Anser erythropus* (LINNAEUS, 1758)
Anatoecus dentatus (SCOPOLI, 1763)
- Anser fabalis* (LATHAM, 1787)
Anaticola anseris (LINNAEUS, 1758), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Ciconiphilus pectiniventris* (HARRISON, 1916), *Ornithobius mathisi* (NEUMANN, 1912)
- Anser indicus* (LATHAM, 1790)
Anaticola anseris (LINNAEUS, 1758), *Ciconiphilus pectiniventris* (HARRISON, 1916), *Trinoton anserinum* (FABRICIUS, 1805)
- Aythya ferina* (LINNAEUS, 1758)
Anatoecus icterodes (NITZSCH, 1818) HU: SCHÄFER (1963)
Trinoton querquedulae (LINNAEUS, 1758) HU: RÉKÁSI (1979, as *T. nyrocae*)
Anaticola mergiserrati (DE GEER, 1778), *Anatoecus dentatus* (SCOPOLI, 1763), *Holomenopon leucoxanthum* (BURMEISTER, 1838)
- Aythya fuligula* (LINNAEUS, 1758)
Anatoecus dentatus (SCOPOLI, 1763) HU: RÉKÁSI (2002)
Anaticola mergiserrati (DE GEER, 1778), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Trinoton querquedulae* (LINNAEUS, 1758)
- Aythya marila* (LINNAEUS, 1761)
Anaticola mergiserrati (DE GEER, 1778), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon clypeilargum* EICHLER, 1943, *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Trinoton querquedulae* (LINNAEUS, 1758)
- Aythya nyroca* (GÜLDENSTADT, 1770)
Anaticola mergiserrati (DE GEER, 1778) HU: RÉKÁSI (1984, as *A. fuligulae*)
Anatoecus dentatus (SCOPOLI, 1763) HU: RÉKÁSI (1984)
Anatoecus icterodes (NITZSCH, 1818), *Trinoton querquedulae* (LINNAEUS, 1758)
- Branta bernicla*** (LINNAEUS, 1758)
Anaticola rheinwaldi EICHLER et VASJUKOVA, 1980*, *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Ciconiphilus pectiniventris* (HARRISON, 1916), *Holomenopon tadornae* (GERVAIS, 1844)
- Branta canadensis*** (LINNAEUS, 1758)
Anaticola anseris (LINNAEUS, 1758) HU: SCHÄFER (1963)
Anatoecus dentatus (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Ciconiphilus pectiniventris* (HARRISON, 1916), *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Ornithobius goniopleurus* DENNY, 1842*, *Trinoton anserinum* (FABRICIUS, 1805)
- Branta leucopsis*** (BECHSTEIN, 1803)
Anaticola anseris (LINNAEUS, 1758), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Ciconiphilus pectiniventris* (HARRISON, 1916), *Ornithobius hexophthalmus* (NITZSCH, 1818)

Branta ruficollis (PALLAS, 1769)

Anaticola beieri EICHLER, 1954*, *Anatoecus icterodes* (NITZSCH, 1818)

Bucephala albeola (LINNAEUS, 1758)

Anatoecus dentatus (SCOPOLI, 1763), *Holomenopon bucephalae* PRICE, 1971, *Holomenopon clanuseni* PRICE, 1971, *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Trinoton querquedulae* (LINNAEUS, 1758)

Bucephala clangula (LINNAEUS, 1758)

Anatoecus icterodes (NITZSCH, 1818) HU: RÉKÁSI (1978a)

Trinoton querquedulae (LINNAEUS, 1758) HU: SCHÄFER (1964)

Anaticola clangulae (FABRICIUS, 1780), *Anatoecus dentatus* (SCOPOLI, 1763), *Ciconiphilus cygni* (PRICE et BEER, 1965), *Holomenopon bucephalae* PRICE, 1971

Bucephala islandica (GMELIN, 1789)

Anaticola clangulae (FABRICIUS, 1780), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Trinoton querquedulae* (LINNAEUS, 1758)

Clangula hyemalis (LINNAEUS, 1758)

Anaticola branderi EICHLER et HACKMAN, 1973*, *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Trinoton querquedulae* (LINNAEUS, 1758)

Cygnus columbianus (ORD, 1815)

Anatoecus cygni (DENNY, 1842)*, *Ciconiphilus cygni* PRICE et BEER, 1965, *Ornithobius cygni* (LINNAEUS, 1758), *Ornithobius waterstoni* (TIMMERMAN, 1962), *Trinoton anserinum* (FABRICIUS, 1805)

Cygnus cygnus (LINNAEUS, 1758)

Anaticola crassicornis (SCOPOLI, 1763), *Anatoecus cygni* (DENNY, 1842), *Ciconiphilus cygni* PRICE et BEER, 1965*, *Ornithobius cygni* (LINNAEUS, 1758)*, *Trinoton anserinum* (FABRICIUS, 1805)

Cygnus olor (GMELIN, 1789)

Trinoton anserinum (FABRICIUS, 1805) HU: RÉKÁSI (2008a, as *T. cygni*)

Anatoecus dentatus (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Anatoecus penicillatus* KÉLER, 1960*, *Ciconiphilus cygni* PRICE et BEER, 1965, *Ciconiphilus pectiniventris* (HARRISON, 1916), *Ornithobius bucephalus* (GIEBEL, 1874)*

Melanitta fusca (LINNAEUS, 1758)

Anaticola mergiserrati (DE GEER, 1778), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon loomisii* (KELLOGG, 1896)*, *Trinoton querquedulae* (LINNAEUS, 1758)

Melanitta nigra (LINNAEUS, 1758)

Anaticola angustolimbatus (GIEBEL, 1866)*, *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Trinoton querquedulae* (LINNAEUS, 1758)

***Mergellus albellus* (LINNAEUS, 1758)**

Anatoecus dentatus (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Trinoton querquedulae* (LINNAEUS, 1758)

***Mergus merganser* LINNAEUS, 1758**

Anaticola mergiserrati (DE GEER, 1778), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon clypeilargum* EICHLER, 1943, *Trinoton querquedulae* (LINNAEUS, 1758)

***Mergus serrator* LINNAEUS, 1758**

Anaticola mergiserrati (DE GEER, 1778)*, *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818)*, *Holomenopon loomisii* (KELLOGG, 1896), *Trinoton querquedulae* (LINNAEUS, 1758)

***Netta rufina* (PALLAS, 1773)**

Acidoproctus moschatae (LINNAEUS, 1758), *Anaticola mergiserrati* (DE GEER, 1778), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Trinoton querquedulae* (LINNAEUS, 1758)

***Oxyura jamaicensis* (GMELIN, 1789)**

Anaticola crassicornis (SCOPOLI, 1763), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Trinoton querquedulae* (LINNAEUS, 1758)

***Oxyura leucocephala* (SCOPOLI, 1769)**

Anatoecus dentatus (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818)

***Polysticta stelleri* (PALLAS, 1769)**

Anaticola kloedenhoffi EICHLER et VASJUKOVA, 1980*, *Anatoecus dentatus* (SCOPOLI, 1763), *Trinoton querquedulae* (LINNAEUS, 1758)

***Somateria mollissima* (LINNAEUS, 1758)**

Anaticola mergiserrati (DE GEER, 1778) HU: RÉKÁSI (1998b)
Anatoecus icterodes (NITZSCH, 1818) HU: RÉKÁSI (1998b)
Anatoecus dentatus (SCOPOLI, 1763), *Holomenopon loomisii* (KELLOGG, 1896), *Trinoton querquedulae* (LINNAEUS, 1758)

***Somateria spectabilis* (LINNAEUS, 1758)**

Anaticola crassicornis (SCOPOLI, 1763), *Anatoecus dentatus* (SCOPOLI, 1763), *Holomenopon loomisii* (KELLOGG, 1896), *Trinoton querquedulae* (LINNAEUS, 1758)

***Tadorna ferruginea* (PALLAS, 1764)**

Anaticola magnificus ANSARI, 1955*, *Anatoecus regina* ANSARI, 1955*, *Holomenopon tadornae* (GERVAIS, 1844)

***Tadorna tadorna* (LINNAEUS, 1758)**

Anaticola tadornae (DENNY, 1842)* HU: RÉKÁSI (1978a)
Anatoecus dentatus (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon leucoxanthum* (BURMEISTER, 1838), *Holomenopon tadornae* (GERVAIS, 1844)*

Order: GAVIIFORMES**Family: Gaviidae**

Gavia arctica (LINNAEUS, 1758)

Craspedonirmus colymbinus (DENNY, 1842) HU: RÉKÁSI (1984)

Gavia immer (BRÜNNICH, 1764)

Craspedonirmus immer EMERSON, 1955*

Gavia stellata (PONTOPPIDAN, 1763)

Craspedonirmus colymbinus (DENNY, 1842)*

Order: PODICIPEDIFORMES**Family: Podicipedidae**

Podiceps auritus (LINNAEUS, 1758)

Aquanirmus bucomfishi EDWARDS, 1965*, *Aquanirmus colymbinus* (SCOPOLI, 1763)*,

Pseudomenopon dolium (RUDOW, 1869)

Podiceps cristatus (LINNAEUS, 1758)

Aquanirmus podiceps (DENNY, 1842)* HU: RÉKÁSI (1984)

Pseudomenopon dolium (RUDOW, 1869)*

Podiceps grisegena (BODDAERT, 1783)

Aquanirmus emersoni EDWARDS, 1965*, *Pseudomenopon dolium* (RUDOW, 1869)

Podiceps nigricollis BREHM, 1831

Aquanirmus americanus (KELLOGG et CHAPMAN, 1899)*, *Laemobothrion simile*

KELLOGG, 1896*, *Pseudomenopon dolium* (RUDOW, 1869)

Tachybaptus ruficollis (PALLAS, 1764)

Aquanirmus bahli TANDAN, 1951*, *Aquanirmus runcinatus* (NITZSCH, 1866)*, *Pseudomenopon dolium* (RUDOW, 1869)

Order: CICONIIFORMES**Family: Phoenicopteridae**

Phoenicopiterus ruber LINNAEUS 1758

Anaticola candidus (RUDOW, 1869)*, *Anaticola phoenicopteri* (COINDE, 1859)*, *Anatoecus keleri* CLAY, 1962*, *Anatoecus pygaspis* (NITZSCH, 1866)*, *Colpocephalum heterosoma* PIAGET, 1880*, *Colpocephalum rosei* PRICE et EMERSON, 1974*, *Colpocephalum salimalii* CLAY, 1951*, *Trinoton femoratum* PIAGET, 1889*

Family: Ciconiidae

Ciconia ciconia (LINNAEUS, 1758)

Ardeicola ciconiae (LINNAEUS, 1758)* HU: RÉKÁSI (1984)

Ciconiphilus quadripustulatus (BURMEISTER, 1838)* HU: RÉKÁSI (1984)

Colpocephalum zebra BURMEISTER, 1838* HU: SCHÄFER (1963)

Neophilopterus incompletus (DENNY, 1842)* HU: SCHÄFER (1963)

Ciconia nigra (LINNAEUS, 1758)

Ardeicola maculatus (NITZSCH, 1866)* HU: RÉKÁSI (1979)

Ciconiphilus quadripustulatus (BURMEISTER, 1838) HU: SCHÄFER (1963, in *Colpocephalum*)

Neophilopterus tricolor (BURMEISTER, 1838)* HU: SCHÄFER (1963)

Colpocephalum nigrae PRICE et BEER, 1965*

Family: Threskiornithidae

Platalea leucorodia LINNAEUS, 1758

Ardeicola plataleae (LINNAEUS, 1758)* HU: SCHÄFER (1963)

Eucolpocephalum femorale (PIAGET, 1880)* HU: RÉKÁSI (1978a)

Ibidoecus plataleae (DENNY, 1842)* HU: SCHÄFER (1963)

Colpocephalum plataleae PRICE et BEER, 1965*

Plegadis falcinellus (LINNAEUS, 1766)

Ardeicola raphidius (NITZSCH, 1866)* HU: RÉKÁSI (1978a)

Colpocephalum leptopygos NITZSCH, 1874* HU: SCHÄFER (1964)

Ibidoecus bisignatus (NITZSCH, 1866)* HU: RÉKÁSI (1978a)

Plegadiphilus plegadis (DUBININ, 1938)* HU: SCHÄFER (1964)

Family: Ardeidae

Ardea alba (LINNAEUS, 1758)

Ardeicola expallidus BLAGOVESHCHENSKY, 1940 HU: RÉKÁSI et al. (2002, as *A. albulus*)

Ciconiphilus decimfasciatus (BOISDUVAL et LACORDAIRE, 1835)

Ardea cinerea LINNAEUS, 1758

Ardeicola ardeae (LINNAEUS, 1758)* HU: BALÁT (1957)

Ciconiphilus decimfasciatus (BOISDUVAL et LACORDAIRE, 1835)*

Ardea purpurea LINNAEUS, 1766

Ardeicola leucoproctus (NITZSCH, 1866)* HU: RÉKÁSI (1973)

Ciconiphilus decimfasciatus (BOISDUVAL et LACORDAIRE, 1835), *Comatomenopon elbeli* EMERSON, 1958*

Ardeola ralloides (SCOPOLI, 1769)

Ardeiphilus vittatus (RUDOW, 1866)* HU: SCHÄFER (1963, in *Colpocephalum*)

Ciconiphilus decimfasciatus (BOISDUVAL et LACORDAIRE, 1835) HU: SCHÄFER (1964, in *Colpocephalum*)

Botaurus stellaris (LINNAEUS, 1758)

Ardeicola stellaris (DENNY 1842)*, *Ardeiphilus trochioxus* (BURMEISTER, 1838)*

***Bubulcus ibis* (LINNAEUS, 1758)**

Ardeicola expallidus BLAGOVESHCHENSKY, 1940, *Ciconiphilus decimfasciatus* (BOISDUVAL et LACORDAIRE, 1835), *Comatomenopon ibis* EMERSON, 1958*

***Egretta garzetta* (LINNAEUS, 1766)**

Ardeicola expallidus BLAGOVESHCHENSKY, 1940*, *Ciconiphilus decimfasciatus* (BOISDUVAL et LACORDAIRE, 1835), *Comatomenopon elongatum* UCHIDA, 1920

***Nycticorax nycticorax* (LINNAEUS, 1758)**

Ardeicola goisagi UCHIDA, 1954* HU: BALÁT (1957)

Ciconiphilus decimfasciatus (BOISDUVAL et LACORDAIRE, 1835) HU: RÉKÁSI (1973)

Order: PELECANIFORMES**Family: Pelecanidae*****Pelecanus crispus* BRUCH, 1832**

Pectinopygus bifasciatus (PIAGET, 1880)*, *Piagetiella titan* (PIAGET, 1880)

***Pelecanus onocrotalus* LINNAEUS, 1758**

Colpocephalum eucarenum BURMEISTER, 1838*, *Pectinopygus forficulatus* (NITZSCH, 1866)*, *Piagetiella titan* (PIAGET, 1880)*

Family: Phalacrocoracidae***Phalacrocorax carbo* (LINNAEUS, 1758)**

Pectinopygus gyricornis (DENNY, 1842) HU: BALÁT (1957)

Eidmanniella pellucida (RUDOW, 1869)

***Phalacrocorax pygmeus* (PALLAS, 1773)**

Pectinopygus excornis (BLAGOVESHCHENSKY, 1940)*

Order: FALCONIFORMES**Family: Falconidae*****Falco amurensis* RADDE, 1863**

Colpocephalum subzerafae TENDEIRO, 1988, *Degeeriella rufa* (BURMEISTER, 1838)

***Falco cherrug* GRAY, 1834**

Degeeriella rufa (BURMEISTER, 1838) HU: RÉKÁSI (1987, as *D. quadraticollis*)

***Falco columbarius* LINNAEUS, 1758**

Colpocephalum subzerafae TENDEIRO, 1988, *Degeeriella rufa* (BURMEISTER, 1838), *Laemobothrion tinnunculi* (LINNAEUS, 1758), *Nosopon lucidum* (RUDOW, 1869)

***Falco eleonora* GENE, 1839**

Degeeriella rufa (BURMEISTER, 1838), *Laemobothrion tinnunculi* (LINNAEUS, 1758)

***Falco naumanni* FLEISCHER, 1818**

Colpocephalum subzerafae TENDEIRO, 1988*, *Degeeriella rufa* (BURMEISTER, 1838)

Falco peregrinus TUNSTALL, 1771*Degeeriella rufa* (BURMEISTER, 1838) HU: RÉKÁSI (1993b)*Colpocephalum falconii* CARRIKER, 1963*, *Colpocephalum subzerafae* TENDEIRO, 1988,*Colpocephalum zerafae* ANSARI, 1955, *Laemobothrion tinnunculi* (LINNAEUS, 1758),*Nosopon lucidum* (RUDOW, 1869)*Falco subbuteo* LINNAEUS, 1758*Degeeriella rufa* (BURMEISTER, 1838) HU: BALÁT (1957, as *D. nitzschi*)*Craspedorrhynchus subbuteonis* GALLEGÓ *et al.*, 1987*, *Laemobothrion tinnunculi* (LINNAEUS, 1758)*Falco tinnunculus* LINNAEUS, 1758*Degeeriella rufa* (BURMEISTER, 1838)* HU: BALÁT (1957)*Laemobothrion tinnunculi* (LINNAEUS, 1758)* HU: BALÁT (1957)*Colpocephalum subzerafae* TENDEIRO, 1988, *Nosopon lucidum* (RUDOW, 1869)*Falco vespertinus* LINNAEUS, 1766*Degeeriella rufa* (BURMEISTER, 1838) HU: SCHÄFER (1963)*Nosopon lucidum* (RUDOW, 1869)* HU: RÉKÁSI (1984)*Colpocephalum subzerafae* TENDEIRO, 1988**Order: ACCIPITRIFORMES****Family: Accipitridae***Accipiter brevipes* (SEVERTZOV, 1850)*Laemobothrion maximum* (SCOPOLI, 1763)*Accipiter gentilis* (LINNAEUS, 1758)*Colpocephalum nanum* PIAGET, 1890 HU: RÉKÁSI (2008a)*Colpocephalum polonum* (EICHLER *et* ZLOTORZYCKA, 1971)*, *Craspedorrhynchus haematopus* (SCOPOLI, 1763)*, *Degeeriella vagans* (GIEBEL, 1874)*, *Laemobothrion maximum* (SCOPOLI, 1763), *Nosopon lucidum* (RUDOW, 1869)*Accipiter nisus* (LINNAEUS, 1758)*Craspedorrhynchus nisi* (DENNY, 1842)* HU: BALÁT (1957)*Degeeriella nisus* (GIEBEL, 1866)* HU: BALÁT (1957)*Colpocephalum germanum* (EICHLER *et* ZLOTORZYCKA, 1971)*, *Colpocephalum nanum* PIAGET, 1890, *Nosopon lucidum* (RUDOW, 1869)*Aegypius monachus* (LINNAEUS, 1766)*Aegypocercus brevicollis* (BURMEISTER, 1838)*, *Colpocephalum turbinatum* DENNY, 1842, *Falcolipeurus quadripustulatus* (BURMEISTER, 1838)*, *Laemobothrion vulturis* (FABRICIUS, 1775)*Aquila chrysaetos* (LINNAEUS, 1758)*Colpocephalum impressum* RUDOW, 1866* HU: RÉKÁSI (2008a)*Craspedorrhynchus aquilinus* (DENNY, 1842)* HU: SCHÄFER (1963, as *C. chrysophthalmus*)

Colpocephalum flavescens (DE HAAN, 1829), *Degeeriella aquilarum* EICHLER, 1943, *Degeeriella fulva* (GIEBEL, 1874)*, *Falcolipeurus suturalis* (RUDOW, 1869)*, *Laemobothrion maximum* (SCOPOLI, 1763), *Laemobothrion vulturis* (FABRICIUS, 1775)

Aquila clanga PALLAS, 1811

Degeeriella aquilarum EICHLER, 1943, *Degeeriella fulva* (GIEBEL, 1874), *Falcolipeurus suturalis* (RUDOW, 1869), *Laemobothrion vulturis* (FABRICIUS, 1775)

Aquila heliaca SAVIGNY, 1809

Craspedorrhynchus fraterculus EICHLER et ZLOTORZYCKA, 1975* HU: RÉKÁSI (2008a)
Degeeriella fulva (GIEBEL, 1874) HU: SOLT (1998)
Degeeriella aquilarum EICHLER, 1943, *Falcolipeurus suturalis* (RUDOW, 1869), *Laemobothrion vulturis* (FABRICIUS, 1775)

Aquila pomarina BREHM, 1831

Colpocephalum impressum RUDOW, 1866 HU: RÉKÁSI (2008a)
Craspedorrhynchus naevius (GIEBEL, 1861)* HU: SOLT (1998)
Degeeriella aquilarum EICHLER, 1943, *Degeeriella fulva* (GIEBEL, 1874), *Falcolipeurus suturalis* (RUDOW, 1869), *Laemobothrion vulturis* (FABRICIUS, 1775)

Buteo buteo (LINNAEUS, 1758)

Colpocephalum nanum PIAGET, 1890 HU: RÉKÁSI (1984, as *C. buteonis*)
Craspedorrhynchus platystomus (BURMEISTER, 1838)* HU: BALÁT (1957)
Degeeriella fulva (GIEBEL, 1874) HU: BALÁT (1957, as *D. giebeli*)
Laemobothrion maximum (SCOPOLI, 1763)* HU: SCHÄFER (1964, as *L. circi*)
Colpocephalum turbinatum DENNY, 1842, *Kurodaia fulvofasciata* (PIAGET, 1880)*

Buteo lagopus (PONTOPPIDAN, 1763)

Degeeriella fulva (GIEBEL, 1874) HU: BALÁT (1957, as *D. angusta*)
Colpocephalum nanum PIAGET, 1890, *Craspedorrhynchus dilatatus* (RUDOW, 1869)*,
Kurodaia fulvofasciata (PIAGET, 1880), *Laemobothrion maximum* (SCOPOLI, 1763)

Buteo rufinus (CRETZSCHMAR, 1829)

Degeeriella fulva (GIEBEL, 1874) HU: SOLT (1998)
Laemobothrion maximum (SCOPOLI, 1763)

Circaetus gallicus (GMELIN, 1788)

Craspedorrhynchus triangularis (RUDOW, 1869)*, *Degeeriella leucopleura* (NITZSCH, 1874), *Falcolipeurus quadripustulatus* (BURMEISTER, 1838), *Kurodaia fulvofasciata* (PIAGET, 1880), *Laemobothrion maximum* (SCOPOLI, 1763)

Circus aeruginosus (LINNAEUS, 1758)

Colpocephalum turbinatum DENNY, 1842 HU: SCHÄFER (1963, as *C. bicinctum*)
Craspedorrhynchus rotundatus (PIAGET, 1880)* HU: RÉKÁSI (1984)
Degeeriella fusca (DENNY, 1842)* HU: BALÁT (1957)
Laemobothrion maximum (SCOPOLI, 1763) HU: RÉKÁSI (1990)
Nosopon lucidum (RUDOW, 1869)

Circus cyaneus (LINNAEUS, 1766)

Laemobothrion maximum (SCOPOLI, 1763) HU: RÉKÁSI (1984, as *L. circi*)

- Degeeriella fusca* (DENNY, 1842) HU: BALÁT (1957)
Colpocephalum turbinatum DENNY, 1842, *Kurodaia fulvofasciata* (PIAGET, 1880),
Nosopon lucidum (RUDOW, 1869)
- Circus macrourus* (GMELIN, 1770)
Degeeriella fusca (DENNY, 1842)
- Circus pygargus* (LINNAEUS, 1758)
Degeeriella fusca (DENNY, 1842), *Laemobothrion maximum* (SCOPOLI, 1763), *Nosopon lucidum* (RUDOW, 1869)
- Gyps fulvus* (HABLIZL, 1783)
Aegypocercus trigonocephalus (GIEBEL, 1874)*, *Colpocephalum gypsi* (EICHLER et ZLOTORZYCKA, 1971)*, *Colpocephalum turbinatum* DENNY, 1842, *Cuculiphilus gypsis* (EICHLER, 1944)*, *Falcolipeurus quadripustulatus* (BURMEISTER, 1838), *Laemobothrion vulturis* (FABRICIUS, 1775)
- Haliaeetus albicilla* (LINNAEUS, 1758)
Colpocephalum flavescens (DE HAAN, 1829)* HU: SCHÄFER (1963)
Craspedorrhynchus macrocephalus (NITZSCH, 1874)* HU: RÉKÁSI *et al.* (2002)
Degeeriella discocephalus (BURMEISTER, 1838)* HU: RÉKÁSI *et al.* (2002)
Falcolipeurus sulcifrons (DENNY, 1842)*, *Laemobothrion vulturis* (FABRICIUS, 1775)
- Hieraaetus fasciatus* (VIEILLOT, 1822)
Craspedorrhynchus fasciatus GALLEGÓ, MARTÍN MATEO *et al.*, 1987*, *Degeeriella fulva* (GIEBEL, 1874), *Kurodaia fulvofasciata* (PIAGET, 1880), *Laemobothrion maximum* (SCOPOLI, 1763)
- Hieraaetus pennatus* (GMELIN, 1788)
Degeeriella fulva (GIEBEL, 1874) HU: SOLT (1998)
Colpocephalum milvi TENDEIRO, RESTIVO et DEMARTIS, 1979, *Colpocephalum turbinatum* DENNY, 1842, *Craspedorrhynchus ranjhae* ANSARI, 1955*, *Falcolipeurus yasminae* ANSARI, 1956*, *Laemobothrion maximum* (SCOPOLI, 1763)
- Milvus migrans* (BODDAERT, 1783)
Colpocephalum turbinatum DENNY, 1842 HU: SCHÄFER (1963, as *C. tricinatum*)
Craspedorrhynchus spathulatus (GIEBEL, 1874)* HU: SCHÄFER (1963)
Laemobothrion maximum (SCOPOLI, 1763) HU: SCHÄFER (1963, as *L. circi*)
Colpocephalum ecaudati PRICE et BEER, 1963, *Colpocephalum milvi* TENDEIRO, RESTIVO et DEMARTIS, 1979, *Degeeriella regalis* (GIEBEL, 1866), *Nosopon milvus* TENDEIRO, 1959*
- Milvus milvus* (LINNAEUS, 1758)
Colpocephalum milvi TENDEIRO, RESTIVO et DEMARTIS, 1979*, *Colpocephalum turbinatum* DENNY, 1842, *Degeeriella regalis* (GIEBEL, 1866)*, *Laemobothrion maximum* (SCOPOLI, 1763)
- Neophron percnopterus* (LINNAEUS, 1758)
Aegypocercus perspicuus (KELLOGG, 1914), *Colpocephalum percnopteri* PRICE et BEER, 1963*, *Colpocephalum turbinatum* DENNY, 1842, *Falcolipeurus frater* (GIEBEL, 1874)*, *Laemobothrion vulturis* (FABRICIUS, 1775)

Pandion haliaetus* (LINNAEUS, 1758)Kurodaia haliaeeti* (DENNY, 1842)* HU: BALÁT (1957)*Colpocephalum napiforme* RUDOW, 1869, *Colpocephalum turbinatum* DENNY, 1842,*Laemobothrion maximum* (SCOPOLI, 1763)***Pernis apivorus* (LINNAEUS, 1758)***Colpocephalum apivorus* TENDEIRO, 1958* HU: RÉKÁSI (1984)*Craspedorrhynchus melittoscopus* (NITZSCH, 1874)* HU: RÉKÁSI (1984)*Colpocephalum turbinatum* DENNY, 1842, *Degeeriella phlyctopygus* (NITZSCH, 1861)*,*Laemobothrion maximum* (SCOPOLI, 1763), *Nosopon clayae* PRICE et BEER, 1963***Order: GRUIFORMES****Family: Otidae*****Otis tarda* LINNAEUS, 1758***Otidoecus turmalis* (DENNY, 1842)****Tetrax tetrax* (LINNAEUS, 1758)***Otidoecus antilogus* (NITZSCH, 1866)***Family: Rallidae*****Crex crex* (LINNAEUS, 1758)***Pseudomenopon crecis* BECHET, 1963*, *Rallicola ortygometrae* (SCHRANK, 1781)****Gallinula chloropus* (LINNAEUS, 1758)***Colpocephalum gallinulae* UCHIDA, 1926*, *Fulicoffula gallinula* CARRIKER, 1953*,*Incidifrons gallinulae* BLAGOVESHTCHENSKY, 1951*, *Laemobothrion chloropodis*(SCHRANK, 1803)*, *Pseudomenopon pilosum* (SCOPOLI, 1763), *Rallicola minutus*(NITZSCH, 1866)*, *Rallicola parani* EICHLER, 1954****Fulica atra* LINNAEUS, 1758***Fulicoffula lurida* (NITZSCH, 1818)* HU: BALÁT (1957)*Incidifrons fulicae* (LINNAEUS, 1758)* HU: BALÁT (1957)*Laemobothrion atrum* (NITZSCH, 1818)* HU: BALÁT (1957)*Pseudomenopon pilosum* (SCOPOLI, 1763)* HU: BALÁT (1957)*Rallicola fulicae* (DENNY, 1842)* HU: BALÁT (1957)***Porphyrio porphyrio* (LINNAEUS, 1758)***Incidifrons curvitrabeculatus* BLAGOVESHTCHENSKY, 1940*, *Laemobothrion biswasi*(LAKSHMINARAYANA, 1967)*, *Laemobothrion blagoveshtchenski* TENDEIRO, 1963*,*Pseudomenopon concretum* (PIAGET, 1880)*, *Rallicola lugens* (GIEBEL, 1874)*, *Ralli-**cola thompsoni* TENDEIRO, 1965****Porzana parva* (SCOPOLI, 1769)***Incidifrons porzanae* BLAGOVESHTCHENSKY, 1951*, *Rallicola mystax* (GIEBEL, 1874)

Porzana porzana (LINNAEUS, 1766)

Fulicoffula stammeri EICHLER, 1958*, *Pseudomenopon qadrii* EICHLER, 1952*, *Rallicola mystax* (GIEBEL, 1874)*

Porzana pusilla (PALLAS, 1776)

Pseudomenopon scopulacorne (DENNY, 1842)

Rallus aquaticus LINNAEUS, 1758

Pseudomenopon scopulacorne (DENNY, 1842)* HU: RÉKÁSI (1984)

Rallicola cuspidatus (SCOPOLI, 1763)* HU: BALÁT (1957)

Fulicoffula rallina (DENNY, 1842)*, *Incidifrons ralli* (SCOPOLI, 1772)*, *Pseudomenopon grebenjukae* KASIEV, 1982*

Family: Gruidae

Anthropoides virgo (LINNAEUS, 1785)

Esthiopterum elbeli TANDAN, 1973*, *Heleonomus elbeli* PRICE, 1970*, *Heleonomus furgalai* PRICE, 1970, *Saemundssonina intiger* (NITZSCH, 1866)

Grus grus (LINNAEUS, 1758)

Esthiopterum gruis (LINNAEUS, 1758)* HU: RÉKÁSI (1973)

Gruimenopon longum (GIEBEL, 1874)* HU: RÉKÁSI (1984)

Heleonomus macilentus (NITZSCH, 1866)* HU: RÉKÁSI (1984)

Saemundssonina intiger (NITZSCH, 1866)* HU: BALÁT (1957)

Order: CHARADRIIFORMES

Family: Burhinidae

Burhinus oedicnemus (LINNAEUS, 1758)

Actornithophilus tetraclicis CLAY, 1962*, *Quadriceps annulatus* (DENNY, 1842)*

Family: Haematopodidae

Haematopus ostralegus LINNAEUS, 1758

Actornithophilus grandiceps (PIAGET, 1880)*, *Austromenopon haematopi* TIMMERMAN, 1954*, *Luniceps haematopi* TIMMERMAN, 1954*, *Quadriceps auratus* (DE HAAN, 1829)*, *Saemundssonina haematopi* (LINNAEUS, 1758)*

Family: Recurvirostridae

Himantopus himantopus (LINNAEUS, 1758)

Quadriceps semifissus (NITZSCH, 1866)* HU: RÉKÁSI (1978a, in *Proneptis*)

Actornithophilus himantopi BLAGOVESHTCHENSKY, 1951*, *Austromenopon himantopi* TIMMERMAN, 1954*, *Quadriceps hemichrous* (NITZSCH, 1866)*, *Saemundssonina platygaster* (DENNY, 1842)

***Recurvirostra avosetta* LINNAEUS, 1758**

- Austromenopon micrandrum* (NITZSCH, 1866)* HU: RÉKÁSI (1986b)
Cirrophthirus recurvirostrae (LINNAEUS, 1758)* HU: RÉKÁSI (1986b)
Quadriceps signatus (PIAGET, 1880)* HU: SCHÄFER (1963)
Actornithophilus uniseriatus (PIAGET, 1880)*, *Quadriceps decipiens* (DENNY, 1842)*,
Quadriceps semifissus (NITZSCH, 1866)

Family: Charadriidae***Charadrius alexandrinus* LINNAEUS, 1758**

- Quadriceps macrocephalus* (WATERSTON, 1914) HU: RÉKÁSI (1986b, as *Q. retractus*)
Saemundssonia platygaster pastoris TIMMERMAN, 1969 HU: RÉKÁSI (1986b)
Actornithophilus nodularis MARTINHO GUIMARÃES, 1988*, *Austromenopon aegialitidis* (DURANT, 1906)

***Charadrius dubius* SCOPOLI, 1786**

- Quadriceps bicuspis* (NITZSCH, 1874)* HU: RÉKÁSI (1979)
Actornithophilus ochraceus (NITZSCH, 1818), *Austromenopon aegialitidis* (DURANT, 1906), *Saemundssonia platygaster* (DENNY, 1842)

***Charadrius hiaticula* LINNAEUS, 1758**

- Saemundssonia platygaster platygaster* (DENNY, 1842)* HU: RÉKÁSI (1984)
Actornithophilus ochraceus (NITZSCH, 1818), *Austromenopon aegialitidis* (DURANT, 1906), *Quadriceps fissus* (BURMEISTER, 1838)*, *Quadriceps hiaticulae* (FABRICIUS, 1780)*

***Charadrius leschenaultii* LESSON, 1826**

- Actornithophilus ochraceus* (NITZSCH, 1818), *Austromenopon aegialitidis* (DURANT, 1906), *Quadriceps ptyadis* (SÉGUY, 1949)*, *Saemundssonia platygaster platygaster* (DENNY, 1842)*

***Charadrius morinellus* LINNAEUS, 1758**

- Actornithophilus ochraceus* (NITZSCH, 1818), *Quadriceps punctifer* HOPKINS, 1949*,
Saemundssonia platygaster semivittata (GIEBEL, 1874)*

***Charadrius vociferus* LINNAEUS, 1758**

- Actornithophilus hoplopteri* (MJÖBERG, 1910), *Austromenopon aegialitidis* (DURANT, 1906)*, *Quadriceps boeophilus* (KELLOGG, 1896)*, *Saemundssonia conica conica* (DENNY, 1842)

***Pluvialis apricaria* (LINNAEUS, 1758)**

- Actornithophilus ochraceus* (NITZSCH, 1818)* HU: RÉKÁSI (1984)
Quadriceps charadrii (LINNAEUS, 1758)* HU: RÉKÁSI (1984)
Saemundssonia conica conica (DENNY, 1842)*

***Pluvialis dominica* (MÜLLER, 1776)**

- Actornithophilus ochraceus* (NITZSCH, 1818), *Quadriceps orarius* (KELLOGG, 1896)*,
Saemundssonia conica conica (DENNY, 1842)

Pluvialis fulva (GMELIN, 1789)

Actornithophilus ochraceus (NITZSCH, 1818), *Quadriceps orarius* (KELLOGG, 1896),
Saemundssonina conica conica (DENNY, 1842)

Pluvialis squatarola (LINNAEUS, 1758)

Actornithophilus ochraceus (NITZSCH, 1818) HU: RÉKÁSI (1984, as *A. flavipes*)
Austromenopon squatarolae TIMMERMAN, 1954* HU: RÉKÁSI (1984)
Quadriceps hospes (NITZSCH, 1866)* HU: RÉKÁSI (1984, as *Q. charadrii hospes*)
Saemundssonina conica naumanni (GIEBEL, 1866)* HU: RÉKÁSI (1984, as *S. naumanni*)
Luniceps incoenis (KELLOGG et CHAPMAN, 1899)*

Vanellus gregarius (PALLAS, 1771)

Actornithophilus ochraceus (NITZSCH, 1818) HU: SCHÄFER (1963)
Austromenopon gregariae TIMMERMAN, 1954*, *Quadriceps kilimandjarensis* (KELLOGG, 1910), *Saemundssonina platygaster temporalis* (GIEBEL, 1874)

Vanellus leucurus (LICHTENSTEIN, 1823)

Actornithophilus hoplopteri (MJÖBERG, 1910), *Austromenopon leucurae* TIMMERMAN, 1954*, *Quadriceps grillarius* TIMMERMAN, 1954*, *Saemundssonina africana africana* TIMMERMAN, 1954

Vanellus spinosus (LINNAEUS, 1758)

Actornithophilus hoplopteri (MJÖBERG, 1910)*, *Quadriceps hoplopteri* (MJÖBERG, 1910)*

Vanellus vanellus (LINNAEUS, 1758)

Actornithophilus gracilis (PIAGET, 1880) HU: BALÁT (1957, as *A. svobodai*)
Quadriceps junceus (SCOPOLI, 1763)* HU: BALÁT (1957)
Saemundssonina platygaster temporalis (GIEBEL, 1874)* HU: BALÁT (1957, as *S. temporalis*)
Austromenopon aegialitidis (DURRANT, 1906), *Luniceps holophaeus* (BURMEISTER, 1838)

Family: Scolopacidae*Actitis hypoleucos* (LINNAEUS, 1758)

Quadriceps ravus (KELLOGG, 1899) HU: RÉKÁSI (1984)
Actornithophilus flumineus CLAY, 1962*, *Austromenopon hystriculum* ZLOTORZYCKA, 1968*, *Saemundssonina platygaster frater* (GIEBEL, 1874)*

Arenaria interpres (LINNAEUS, 1758)

Actornithophilus bicolor (PIAGET, 1880)*, *Actornithophilus pediculoides* (MJÖBERG, 1910)*, *Austromenopon lutescens* (BURMEISTER, 1838), *Quadriceps strepsilaris* (DENNY, 1842)*, *Saemundssonina platygaster stenrami* TIMMERMAN, 1969*, *Saemundssonina tringae* (FABRICIUS, 1780)

Calidris alba (PALLAS, 1764)

Luniceps actophilus (KELLOGG et CHAPMAN, 1899)* HU: RÉKÁSI (2006)

Actornithophilus umbrinus (BURMEISTER, 1838), *Carduiceps zonarius* (NITZSCH, 1866), *Saemundssonina platygaster jadwigae* TIMMERMAN, 1969*, *Saemundssonina tringae* (FABRICIUS, 1780)

Calidris alpina (LINNAEUS, 1758)

Austroripon alpinum TIMMERMAN, 1954* HU: RÉKÁSI (1984)

Carduiceps meinertzhageni TIMMERMAN, 1954* HU: RÉKÁSI (1984)

Luniceps actophilus (KELLOGG et CHAPMAN, 1899) HU: RÉKÁSI (1978b)

Actornithophilus umbrinus (BURMEISTER, 1838), *Saemundssonina tringae* (FABRICIUS, 1780)

Calidris canutus (LINNAEUS, 1758)

Actornithophilus umbrinus (BURMEISTER, 1838) HU: RÉKÁSI (2006)

Austroripon lutescens (BURMEISTER, 1838) HU: RÉKÁSI (2002)

Actornithophilus canuti PRICE et LEBOVITZ, 1969*, *Carduiceps zonarius* (NITZSCH, 1866), *Luniceps drosti* TIMMERMAN, 1954*, *Saemundssonina platygaster islandica* TIMMERMAN, 1951*, *Saemundssonina tringae* (FABRICIUS, 1780)

Calidris ferruginea (PONTOPPIDAN, 1763)

Actornithophilus umbrinus (BURMEISTER, 1838)* HU: RÉKÁSI (2002)

Luniceps timmermanni BECHET, 1968* HU: RÉKÁSI (2006)

Carduiceps zonarius (NITZSCH, 1866), *Luniceps cabanisi* TIMMERMAN, 1954, *Saemundssonina tringae* (FABRICIUS, 1780)

Calidris fuscicollis (VIEILLOT, 1819)

Actornithophilus umbrinus (BURMEISTER, 1838), *Carduiceps zonarius* (NITZSCH, 1866), *Saemundssonina platygaster nitzschi* (GIEBEL, 1866), *Saemundssonina tringae* (FABRICIUS, 1780)

Calidris maritima (BRÜNNICH, 1764)

Actornithophilus umbrinus (BURMEISTER, 1838), *Austroripon erilis* ZLOTORZYCKA, 1968*, *Carduiceps meinertzhageni* TIMMERMAN, 1954, *Luniceps nereis* TIMMERMAN, 1954*, *Saemundssonina tringae* (FABRICIUS, 1780)*

Calidris melanotos (VIEILLOT, 1819)

Actornithophilus umbrinus (BURMEISTER, 1838), *Carduiceps zonarius* (NITZSCH, 1866), *Saemundssonina tringae* (FABRICIUS, 1780)

Calidris minuta (LEISLER, 1812)

Carduiceps zonarius (NITZSCH, 1866)* HU: RÉKÁSI (1984)

Luniceps incoenis (KELLOGG et CHAPMAN, 1899) HU: RÉKÁSI (2006)

Saemundssonina platygaster nitzschi (GIEBEL, 1866) HU: RÉKÁSI (1984)

Actornithophilus umbrinus (BURMEISTER, 1838), *Saemundssonina tringae* (FABRICIUS, 1780)

Calidris pusilla (LINNAEUS, 1766)

Actornithophilus umbrinus (BURMEISTER, 1838), *Carduiceps zonarius* (NITZSCH, 1866), *Luniceps cabanisi* TIMMERMAN, 1954, *Saemundssonina tringae* (FABRICIUS, 1780)

Calidris temminckii (LEISLER, 1812)

Actornithophilus umbrinus (BURMEISTER, 1838), *Carduiceps zonarius* (NITZSCH, 1866), *Luniceps incoensis* (KELLOGG et CHAPMAN, 1899), *Saemundssonina tringae* (FABRICIUS, 1780)

Gallinago gallinago (LINNAEUS, 1758)

Austromenopon durisetosum (BLAGOVESHTCHENSKY, 1948)* HU: RÉKÁSI (1984)
Cummingsiella ambigua (BURMEISTER, 1838)* HU: BALÁT (1957)
Rhynonirmus scolopacis (DENNY, 1842)* HU: BALÁT (1957)
Actornithophilus stictus (KELLOGG et PAINE, 1911)*, *Saemundssonina kratochvili* BALÁT, 1950*

Gallinago media (LATHAM, 1787)

Austromenopon durisetosum (BLAGOVESHTCHENSKY, 1948), *Rhynonirmus medius* TIMMERMAN, 1955*, *Saemundssonina media* MARTENS, 1974*

Limicola falcinellus (PONTOPPIDAN, 1763)

Luniceps falcinellus TIMMERMAN, 1954*

Limosa lapponica (LINNAEUS, 1758)

Actornithophilus limosae (KELLOGG, 1908)*, *Austromenopon meyeri* (GIEBEL, 1874)*, *Carduiceps lapponicus* EMERSON, 1953*, *Luniceps limosella* TIMMERMAN, 1954*, *Rotundiceps cordatus* (OSBORN, 1896), *Saemundssonina limosae* (DENNY, 1842)*

Limosa limosa (LINNAEUS, 1758)

Actornithophilus spinulosus (PIAGET, 1880)*, *Austromenopon limosae* TIMMERMAN, 1954*, *Carduiceps cingulatus* (DENNY, 1842)*, *Luniceps limosella* TIMMERMAN, 1954, *Saemundssonina thompsoni* TIMMERMAN, 1951*

Lymnocyrtus minimus (BRÜNNICH, 1764)

Actornithophilus multisetosus BLAGOVESHTCHENSKY, 1940* HU: RÉKÁSI (1984)
Saemundssonina kratochvili BALÁT, 1950

Numenius arquata (LINNAEUS, 1758)

Austromenopon crocatum (NITZSCH, 1866)* HU: SCHÄFER (1963)
Cummingsiella ovalis (SCOPOLI, 1763)* HU: RÉKÁSI (1973)
Luniceps numenii numenii (DENNY 1842)* HU: BALÁT (1957)
Saemundssonina scolopacisphaeopodis humeralis (DENNY 1842)* HU: BALÁT (1957, as *S. humeralis*)
Actornithophilus patellatus (PIAGET, 1890)*

Numenius phaeopus (LINNAEUS, 1758)

Actornithophilus ocellatus (RUDOW, 1869)*, *Austromenopon phaeopodis* (SCHRANK, 1802)*, *Luniceps numenii phaeopi* (DENNY 1842)*, *Luniceps numenii oliveri* (JOHNSTON et HARRISON, 1912)*, *Saemundssonina scolopacisphaeopodis scolopacisphaeopodis* (SCHRANK, 1803)*

Numenius tenuirostris VIEILLOT, 1817

Austromenopon confine (BLAGOVESHTCHENSKY, 1948)*, *Cummingsiella breviclypeata* BLAGOVESHTCHENSKY, 1948*, *Luniceps numenii proximus* (BLAGOVESHTCHENSKY 1948)*

Phalaropus fulicarius (LINNAEUS, 1758)

Actornithophilus umbrinus (BURMEISTER, 1838), *Austromenopon corporosum* (KELLOGG et KUWANA, 1901)*, *Quadriceps phalaropi* (DENNY 1842)*

Phalaropus lobatus (LINNAEUS, 1758)

Austromenopon spenceri TIMMERMAN, 1956* HU: RÉKÁSI (2002)
Quadriceps connexus (KELLOGG et MANN, 1912)* HU: RÉKÁSI (2002)
Saemundssonina tringae (FABRICIUS, 1780) HU: RÉKÁSI (2002)
Actornithophilus umbrinus (BURMEISTER, 1838), *Carduiceps subscalaris* (PIAGET, 1880)*

Phalaropus tricolor (VIEILLOT, 1819)

Actornithophilus umbrinus (BURMEISTER, 1838), *Quadriceps fimbriatus* (GIEBEL, 1866)*, *Saemundssonina tricolor* CARRIKER, 1956*

Philomachus pugnax (LINNAEUS, 1758)

Actornithophilus pustulosus (PIAGET, 1880)* HU: RÉKÁSI (1984)
Austromenopon lutescens (BURMEISTER, 1838)* HU: RÉKÁSI (1978b)
Carduiceps scalaris (PIAGET, 1880)* HU: RÉKÁSI (1984)
Luniceps holophaeus (BURMEISTER, 1838)* HU: RÉKÁSI (1978b)
Quadriceps lahorensis ANSARI, 1955*, *Saemundssonina platygaster ashi* TIMMERMAN, 1955*, *Saemundssonina tringae* (FABRICIUS, 1780)

Scolopax rusticola LINNAEUS, 1758

Austromenopon icterum (BURMEISTER, 1838)* HU: RÉKÁSI (1984)
Cummingsiella aurea HOPKINS, 1949* HU: RÉKÁSI (1978a)
Cummingsiella brelihi TIMMERMAN, 1969* HU: RÉKÁSI (1984)
Rhynonirmus helvolus (BURMEISTER, 1838)* HU: BALÁT (1957)
Saemundssonina clayae HOPKINS, 1949*

Tringa erythropus (PALLAS, 1764)

Actornithophilus totani (SCHRANK, 1803) HU: BALÁT (1957, as *A. affinis*)
Quadriceps furvus (BURMEISTER, 1838)* HU: BALÁT (1957)
Austromenopon decorosum ZLOTORZYCKA, 1968, *Saemundssonina platygaster nitzschi* (GIEBEL, 1866)*

Tringa flavipes (GMELIN, 1789)

Actornithophilus totani (SCHRANK, 1803), *Quadriceps falcigerus* (PETERS, 1931)*, *Saemundssonina platygaster nitzschi* (GIEBEL, 1866)

Tringa glareola LINNAEUS, 1758

Actornithophilus totani (SCHRANK, 1803) HU: RÉKÁSI (1979, as *A. affinis*)
Quadriceps obscurus (BURMEISTER, 1838)* HU: RÉKÁSI (1978b)
Saemundssonina platygaster cordiceps (GIEBEL, 1874)*

Tringa nebularia (GUNNERUS, 1767)*Quadriceps similis* (GIEBEL, 1866)* HU: BALÁT (1957)*Actornithophilus paludosus* CLAY, 1962*, *Saemundssonina platygaster nitzschi* (GIEBEL, 1866)*Tringa ochropus* LINNAEUS, 1758*Quadriceps ochropi* (DENNY, 1842)* HU: RÉKÁSI (1979)*Actornithophilus lyallpurensis* ANSARI, 1955*, *Austromenopon sohni* ANSARI, 1955*, *Saemundssonina platygaster nitzschi* (GIEBEL, 1866)*Tringa stagnatilis* (BECHSTEIN, 1803)*Actornithophilus totani* (SCHRANK, 1803), *Quadriceps obscurus* (BURMEISTER, 1838)*Tringa totanus* (LINNAEUS, 1758)*Actornithophilus totani* (SCHRANK, 1803)* HU: RÉKÁSI (1979)*Quadriceps obtusus* (KELLOGG et KUWANA, 1902) HU: BALÁT (1957, as *Q. conformis*)*Austromenopon decorosum* ZŁOTORZYCKA, 1968*, *Saemundssonina platygaster mollis* (NITZSCH, 1874)**Tryngites subruficollis* (VIEILLOT, 1819)*Actornithophilus umbrinus* (BURMEISTER, 1838), *Carduiceps zonarius* (NITZSCH, 1866), *Lunapes falcinellus* TIMMERMAN, 1954*Xenus cinereus* (GÜLDENSTADT, 1775)*Carduiceps fulvofasciatus* (GRUBE, 1851)* HU: RÉKÁSI (2008b)*Saemundssonina platygaster* (DENNY, 1842)**Family: Glareolidae***Glareola pratincola* (LINNAEUS, 1766)*Actornithophilus sedes* EICHLER, 1944*, *Quadriceps ellipticus* (NITZSCH, 1866)*, *Quadriceps kirghizicus* (KASIEV, 1982)***Family: Laridae***Chlidonias hybrida* (PALLAS, 1811)*Actornithophilus piceus piceus* (DENNY, 1842), *Austromenopon atrofulvum* (PIAGET, 1880), *Quadriceps anagrapsus* (NITZSCH, 1866)*, *Saemundssonina lobaticeps* (GIEBEL, 1874)*Chlidonias leucoptera* (TEMMINCK, 1815)*Saemundssonina lobaticeps* (GIEBEL, 1874) HU: BALÁT (1957)*Actornithophilus piceus piceus* (DENNY, 1842), *Austromenopon atrofulvum* (PIAGET, 1880), *Quadriceps anagrapsus* (NITZSCH, 1866)*Chlidonias nigra* (LINNAEUS, 1758)*Quadriceps phaeonotus* (NITZSCH, 1866)* HU: RÉKÁSI (1984, in *Koeniginirmus*)*Saemundssonina lobaticeps* (GIEBEL, 1874)* HU: BALÁT (1957)

Actornithophilus piceus piceus (DENNY, 1842), *Austromenopon atrofulvum* (PIAGET, 1880)

Gelochelidon nilotica (GMELIN, 1789)

Actornithophilus piceus piceus (DENNY, 1842), *Austromenopon atrofulvum* (PIAGET, 1880), *Quadriceps baliola* (BLAGOVESHTCHENSKY, 1951)*, *Quadriceps kekra* ANSARI, 1947*, *Saemundssonina gelochelidoni* (TOULESHKOV, 1959)*

Larus argentatus PONTOPPIDAN, 1763

Saemundssonina lari (FABRICIUS, 1780) HU: RÉKÁSI (1973, may refer to *Larus cachinnans michahellis* NAUMANN, 1840)
Actornithophilus piceus lari (PACKARD, 1870), *Austromenopon transversum* (DENNY, 1842), *Quadriceps ornatus striolatus* (NITZSCH, 1866), *Quadriceps punctatus regressus* TIMMERMAN, 1952*

Larus canus LINNAEUS, 1758

Actornithophilus piceus lari (PACKARD, 1870), *Austromenopon transversum* (DENNY, 1842), *Quadriceps ornatus ornatus* (GRUBE, 1851)*, *Quadriceps punctatus regressus* TIMMERMAN, 1952, *Saemundssonina lari* (FABRICIUS, 1780)

Larus delawarensis ORD, 1815

Actornithophilus piceus lari (PACKARD, 1870), *Austromenopon transversum* (DENNY, 1842), *Quadriceps punctatus sublingulatus* TIMMERMAN, 1952*, *Saemundssonina lari* (FABRICIUS, 1780)

Larus fuscus LINNAEUS, 1758

Actornithophilus piceus lari (PACKARD, 1870), *Austromenopon transversum* (DENNY, 1842), *Quadriceps punctatus regressus* TIMMERMAN, 1952, *Saemundssonina lari* (FABRICIUS, 1780)

Larus genei BRÉME, 1839

Actornithophilus piceus lari (PACKARD, 1870), *Quadriceps punctatus pallidus* TIMMERMAN, 1952*, *Saemundssonina lari* (FABRICIUS, 1780)

Larus glaucoides MEYER, 1822

Actornithophilus piceus lari (PACKARD, 1870), *Austromenopon transversum* (DENNY, 1842), *Quadriceps ornatus striolatus* (NITZSCH, 1866), *Saemundssonina lari* (FABRICIUS, 1780)

Larus hyperboreus GUNNERUS, 1767

Actornithophilus piceus lari (PACKARD, 1870), *Austromenopon transversum* (DENNY, 1842), *Quadriceps ornatus stratiolatus* (NITZSCH, 1866)*, *Saemundssonina lari* (FABRICIUS, 1780)*

Larus ichthyaetus PALLAS, 1773

Quadriceps punctatus punctatus (BURMEISTER, 1838)

Larus marinus LINNAEUS, 1758

Actornithophilus piceus lari (PACKARD, 1870)*, *Austromenopon transversum* (DENNY, 1842), *Quadriceps ornatus striolatus* (NITZSCH, 1866), *Saemundssonina lari* (FABRICIUS, 1780)

Larus melanocephalus TEMMINCK, 1820

Quadriceps punctatus regressus TIMMERMAN, 1952, *Saemundssonina lari* (FABRICIUS, 1780)

Larus minutus PALLAS, 1776

Actornithophilus piceus lari (PACKARD, 1870), *Austromenopon transversum* (DENNY, 1842), *Quadriceps eugrammicus* (BURMEISTER, 1838)*, *Saemundssonina lari* (FABRICIUS, 1780)

Larus pipixcan WAGLER, 1831

Actornithophilus piceus lari (PACKARD, 1870), *Austromenopon transversum* (DENNY, 1842), *Quadriceps punctatus lingulatus* TIMMERMAN, 1952, *Saemundssonina lari* (FABRICIUS, 1780)

Larus ridibundus LINNAEUS, 1766

Austromenopon transversum (DENNY, 1842) HU: RÉKÁSI (1984, as *A. ridibundus*)
Quadriceps punctatus punctatus (BURMEISTER, 1838)* HU: BALÁT (1957)
Saemundssonina lari (FABRICIUS, 1780) HU: BALÁT (1957, as *S. mülleri*)
Actornithophilus piceus lari (PACKARD, 1870)

Rissa tridactyla (LINNAEUS, 1758)

Actornithophilus piceus lari (PACKARD, 1870), *Austromenopon transversum* (DENNY, 1842)*, *Quadriceps ornatus lineolatus* (NITZSCH, 1866)*, *Quadriceps ornatus paulschulzei* (TIMMERMAN, 1949)*, *Saemundssonina lari* (FABRICIUS, 1780)

Sterna albifrons PALLAS, 1764

Actornithophilus piceus piceus (DENNY, 1842), *Austromenopon atrofultum* (PIAGET, 1880), *Quadriceps nycthemerus* (BURMEISTER, 1838)*, *Saemundssonina melanocephalus* (BURMEISTER, 1838)*

Sterna caspia PALLAS, 1770

Actornithophilus piceus piceus (DENNY, 1842), *Austromenopon atrofultum* (PIAGET, 1880), *Quadriceps caspius* (GIEBEL, 1874)*, *Quadriceps punctatus regressus* TIMMERMAN, 1952

Sterna hirundo LINNAEUS, 1758

Quadriceps sellatus (BURMEISTER, 1838)* HU: BALÁT (1957)
Saemundssonina sterna (LINNAEUS, 1758)* HU: BALÁT (1957)
Actornithophilus piceus piceus (DENNY, 1842), *Austromenopon atrofultum* (PIAGET, 1880)

Sterna paradisaea PONTOPPIDAN, 1763

Actornithophilus piceus piceus (DENNY, 1842), *Austromenopon atrofultum* (PIAGET, 1880), *Quadriceps houri* HOPKINS, 1949*, *Saemundssonina lockleyi* CLAY, 1949

Sterna sandvicensis LATHAM, 1787

Actornithophilus piceus piceus (DENNY, 1842)*, *Austromenopon atrofultum* (PIAGET, 1880), *Quadriceps longicollis* (RUDOW, 1869)*, *Saemundssonina brevicornis* (GIEBEL, 1874)*, *Saemundssonina laticaudata* (RUDOW, 1869)*

***Xema sabini* (SABINE, 1819)**

Actornithophilus piceus lari (PACKARD, 1870), *Austromenopon transversum* (DENNY, 1842), *Quadriceps lineatus* (PIAGET, 1880)*, *Saemundssonina lari* (FABRICIUS, 1780)

Family: Stercorariidae***Stercorarius longicaudus* VIEILLOT, 1819**

Austromenopon fuscofasciatum (PIAGET, 1880), *Haffneria grandis* (PIAGET, 1880), *Quadriceps parvopallidus* (EICHLER, 1951)*, *Saemundssonina inexpectata* TIMMERMAN, 1951

***Stercorarius parasiticus* (LINNAEUS, 1758)**

Austromenopon fuscofasciatum (PIAGET, 1880) HU: SCHÄFER (1964, as *A. circinatum*)
Quadriceps normifer (GRUBE, 1851)* HU: SCHÄFER (1964)
Haffneria grandis (PIAGET, 1880), *Saemundssonina cephalus* (DENNY, 1841)*

***Stercorarius pomarinus* (TEMMINCK, 1815)**

Austromenopon fuscofasciatum (PIAGET, 1880)*, *Haffneria grandis* (PIAGET, 1880), *Quadriceps stellaepolaris* TIMMERMAN, 1952*, *Saemundssonina euryrhyncha* (GIEBEL, 1874)*

***Stercorarius skua* (BRÜNNICH, 1764)**

Haffneria grandis (PIAGET, 1880), *Quadriceps stellaepolaris* TIMMERMAN, 1952, *Saemundssonina euryrhyncha* (GIEBEL, 1874)

Family: Alcidae***Alca torda* LINNAEUS, 1758**

Austromenopon nigropleurum (DENNY, 1842)*, *Quadriceps alcae* (DENNY, 1842)*, *Saemundssonina celidoxa* (BURMEISTER, 1838)*

***Fratercula arctica* (LINNAEUS, 1758)**

Austromenopon nigropleurum (DENNY, 1842), *Quadriceps helgovauki* (TIMMERMAN, 1974)*, *Saemundssonina fraterculae* (OVERGAARD, 1942)*

Order: COLUMBIFORMES**Family: Pteroclididae*****Pterocles exustus* TEMMINCK, 1825**

Syrrhaptoecus emahusaini ANSARI, 1947*, *Syrrhaptoecus falcatus* WATERSTON, 1928*

***Syrrhaptes paradoxus* (PALLAS, 1773)**

Syrrhaptoecus bedfordi WATERSTON, 1928*, *Syrrhaptoecus paradoxus* (RUDOW, 1869)*

Family: Columbidae

Columba livia GMELIN, 1789

- Bonomiella columbae* EMERSON, 1957* HU: RÓZSA (1990)
Campanulotes compar (BURMEISTER, 1838)* HU: RÉKÁSI (1978a)
Colpocephalum turbinatum DENNY, 1842* HU: RÉKÁSI (1986a)
Columbicola columbae (LINNAEUS, 1758)* HU: BALÁT (1957)
Hohorstiella lata (PIAGET, 1880)* HU: RÓZSA (1990)
Coloceras aegypticum (KELLOGG et PAINE, 1911)*, *Coloceras damicorne* (NITZSCH, 1866), *Coloceras israelensis* (TENDEIRO, 1974)*, *Coloceras liviae* (TENDEIRO, 1974)*, *Coloceras tovoornikae* TENDEIRO, 1973*, *Columbicola tschulyschman* EICHLER, 1942, *Physconelloides zenaidurae* (MCGREGOR, 1917)

Columba oenas LINNAEUS, 1758

- Campanulotes drosti* EICHLER, 1950* HU: RÉKÁSI (1990)
Columbicola columbae (LINNAEUS, 1758) HU: BALÁT (1957)
Coloceras damicorne (NITZSCH, 1866), *Hohorstiella gigantea* (DENNY, 1842)*

Columba palumbus LINNAEUS, 1758

- Campanulotes bidentatus* (SCOPOLI, 1763)* HU: BALÁT (1957)
Coloceras damicorne (NITZSCH, 1866)* HU: BALÁT (1957)
Columbicola claviformis (DENNY, 1842)* HU: BALÁT (1957)
Coloceras alloceratum (TENDEIRO, 1974)*

Streptopelia decaocto (FRIVALDSZKY, 1838)

- Coloceras piageti* (JOHNSTON et HARRISON, 1912)* HU: RÉKÁSI (1984, as *C. sofioticus*)
Columbicola bacillus (GIEBEL, 1866) HU: BALÁT (1957, as *C. baculus*)
Bonomiella concii EICHLER, 1947*, *Coloceras hilli* (BEDFORD, 1920), *Hohorstiella modesta* (ANSARI, 1951)*, *Turturicola salimalii* CLAY et MEINERTZHAGEN, 1937*

Streptopelia orientalis (LATHAM, 1790)

- Coloceras chinense* (KELLOGG et CHAPMAN, 1902), *Coloceras orientalis* (TENDEIRO, 1969)*, *Columbicola turturis* (UCHIDA, 1917)*, *Columbicola orientalis* TENDEIRO, 1965*

Streptopelia turtur (LINNAEUS, 1758)

- Columbicola bacillus* (GIEBEL, 1866)* HU: BALÁT (1957, as *C. baculus*)
Coloceras britannicum TENDEIRO, 1973*, *Coloceras chinense* (KELLOGG et CHAPMAN, 1902), *Hohorstiella streptopeliae* EICHLER, 1953*

Order: CUCULIFORMES

Family: Cuculidae

Clamator glandarius (LINNAEUS, 1758)

- Cuculicola limbatus* TENDEIRO, 1962*, *Cuculiphilus snodgrassi* (KELLOGG et KUWANA, 1902)

Cuculus canorus LINNAEUS, 1758

- Cuculicola latirostris* (BURMEISTER, 1838)* HU: RÉKÁSI (1984)

Cuculoecus latifrons (DENNY, 1842)* HU: BALÁT (1957)
Cuculiphilus fasciatus (SCOPOLI, 1763)*, *Cuculiphilus snodgrassi* (KELLOGG et KUWANA, 1902)

Order: STRIGIFORMES

Family: Tytonidae

Tyto alba (SCOPOLI, 1769)
Kurodaia subpachygaster (PIAGET, 1880)* HU: SOLT (1998)
Strigiphilus rostratus (BURMEISTER, 1838)* HU: BALÁT (1957)
Colpocephalum pectinatum OSBORN 1902, *Colpocephalum turbinatum* DENNY, 1842,
Strigiphilus aitkeni CLAY, 1966*

Family: Strigidae

Aegolius funereus (LINNAEUS, 1758)
Kurodaia cryptostigmatia (NITZSCH, 1861), *Strigiphilus pallidus* (GIEBEL, 1874)*
Asio flammeus (PONTOPPIDAN, 1763)
Strigiphilus cursor (BURMEISTER, 1838)* HU: BALÁT (1957)
Colpocephalum brachysomum KELLOGG et CHAPMAN, 1902*, *Kurodaia flammei* PRICE et BEER, 1963*
Asio otus (LINNAEUS, 1758)
Strigiphilus barbatus (OSBORN, 1902) HU: BALÁT (1957, as *S. asionis*)
Athene noctua (SCOPOLI, 1769)
Strigiphilus cursitans (NITZSCH, 1861)* HU: RÉKÁSI (1973)
Kurodaia cryptostigmatia (NITZSCH, 1861)*, *Kurodaia panjabensis* (ANSARI, 1951)
Bubo bubo (LINNAEUS, 1758)
Kurodaia longipes (GIEBEL, 1874)* HU: BALÁT (1957)
Strigiphilus goniodicerus EICHLER, 1949*, *Strigiphilus strigis* (PONTOPPIDAN, 1763)*
Glaucidium passerinum (LINNAEUS, 1758)
Kurodaia cryptostigmatia (NITZSCH, 1861), *Strigiphilus splendens* (GIEBEL, 1874)*
Nyctea scandiaca (LINNAEUS, 1758)
Strigiphilus ceblebrachys (DENNY, 1842)*
Otus scops (LINNAEUS, 1758)
Kurodaia cryptostigmatia (NITZSCH, 1861), *Kurodaia platyclypeatum* (PIAGET, 1887),
Strigiphilus heterogenitalis EMERSON et ELBEL, 1957, *Strigiphilus tuleskovi* BALÁT, 1958*
Strix aluco LINNAEUS, 1758
Strigiphilus laticephalus (UCHIDA, 1949)* HU: RÉKÁSI (1993b, as *S. laticeps*)
Kurodaia cryptostigmata (NITZSCH, 1861), *Kurodaia platyclypeatum* (PIAGET, 1887),
Laemobothrion nocturnum GIEBEL, 1874*, *Strigiphilus portigi* EICHLER, 1952*

Strix uralensis PALLAS, 1771

Strigiphilus heterocerus (GRUBE, 1851)*, *Strigiphilus laticephalus* (UCHIDA, 1949)*

Surnia ulula (LINNAEUS, 1758)

Strigiphilus crenulatus (GIEBEL, 1874)*

Order: CAPRIMULGIFORMES

Family: Caprimulgidae

Caprimulgus europaeus LINNAEUS, 1758

Mulcticola hypoleucus (DENNY, 1842)* HU: BALÁT (1957)

Order: APODIFORMES

Family: Apodidae

Apus apus (LINNAEUS, 1758)

Dennyus hirundinis (LINNAEUS, 1761)* HU: BALÁT (1957)

Eureum cimicoides BURMEISTER, 1838*

Apus pallidus (SHELLEY, 1870)

Dennyus hirundinis (LINNAEUS, 1761)

Tachymarptis melba (LINNAEUS, 1758)

Dennyus vonarxi BÜTTIKER, 1954*

Order: CORACIIFORMES

Family: Coraciidae

Coracias garrulus LINNAEUS, 1758

Capraiella subcuspidata (BURMEISTER, 1838)* HU: BALÁT (1957)

Meromenopon incisum (GIEBEL, 1866)

Family: Alcedinidae

Alcedo atthis (LINNAEUS, 1758)

Alcedoffula alcedinis (DENNY, 1842)* HU: RÉKÁSI (1984)

Family: Meropidae

Merops apiaster LINNAEUS, 1758

Brueelia apiastri (DENNY, 1842)* HU: BALÁT (1957)

Meromenopon meropis CLAY et MEINERTZHAGEN, 1941* HU: BALÁT (1957)

Meropoecus meropis (DENNY, 1842)* HU: BALÁT (1957)

Family: Upupidae*Upupa epops* LINNAEUS, 1758*Upupicola upupae* (SCHRANK, 1803)* HU: SCHÄFER (1963)*Menacanthus fertilis* (NITZSCH, 1866)***Order: PICIFORMES****Family: Picidae***Dendrocopos leucotos* (BECHSTEIN, 1802)*Penenirmus auritus* (SCOPOLI, 1763) HU: SCHÄFER (1964)*Brueelia straminea* (DENNY, 1842), *Colpocephalum tirkhan* (ANSARI, 1951), *Picicola snodgrassi* (KELLOGG, 1896)*Dendrocopos major* (LINNAEUS, 1758)*Brueelia straminea* (DENNY, 1842)* HU: SCHÄFER (1963)*Menacanthus pici* (DENNY, 1842) HU: RÉKÁSI (1984, as *M. dryobates*)*Penenirmus auritus* (SCOPOLI, 1763)* HU: BALÁT (1957)*Philopterus neomajor* PRICE, HELLENTAL et PALMA, 2003, *Picicola snodgrassi* (KELLOGG, 1896)*Dendrocopos medius* (LINNAEUS, 1758)*Penenirmus auritus* (SCOPOLI, 1763), *Picicola superciliosa* (NITZSCH, 1866)**Dendrocopos minor* (LINNAEUS, 1758)*Penenirmus auritus* (SCOPOLI, 1763) HU: RÉKÁSI (1984)*Dendrocopos syriacus* (EHRENBERG, 1833)*Penenirmus auritus* (SCOPOLI, 1763) HU: BALÁT & BREUER (1955)*Dryocopus martius* (LINNAEUS, 1758)*Colpocephalum inaequale* BURMEISTER, 1838* HU: BALÁT (1957)*Penenirmus heteroscelis* (NITZSCH, 1866)**Jynx torquilla* LINNAEUS, 1758*Brueelia straminea* (DENNY, 1842), *Penenirmus serrilumbus* (BURMEISTER, 1838)**Picus canus* GMELIN, 1788*Penenirmus pici* (FABRICIUS, 1798) HU: BALÁT (1957)*Picicola candidus* (NITZSCH, 1866)* HU: RÉKÁSI (1984)*Colpocephalum tirkhan* (ANSARI, 1951), *Menacanthus pici* (DENNY, 1842)*Picus viridis* LINNAEUS, 1758*Menacanthus pici* (DENNY, 1842)* HU: SCHÄFER (1964)*Penenirmus pici* (FABRICIUS, 1798)* HU: RÉKÁSI (1984)*Picicola candidus* (NITZSCH, 1866) HU: SCHÄFER (1964, in *Degeeriella*)

Order: PASSERIFORMES**Family: Laniidae*****Lanius collurio* LINNAEUS, 1758***Brueelia cruciata* (BURMEISTER, 1838)* HU: RÉKÁSI (1984)*Philopterus coarctatus* (SCOPOLI, 1763)* HU: BALÁT (1957)*Menacanthus camelinus* (NITZSCH, 1874), *Menacanthus eurysternus* (BURMEISTER, 1838)***Lanius excubitor* LINNAEUS, 1758***Brueelia imponderabilica* EICHLER, 1954* HU: RÉKÁSI (1984)*Philopterus coarctatus* (SCOPOLI, 1763) HU: BALÁT (1957, as *Ph. fuscicollis*)*Menacanthus camelinus* (NITZSCH, 1874)*, *Myrsidea abhorrens* (ZLOTORZYCKA, 1964)****Lanius minor* GMELIN, 1788***Brueelia minor* LUNKASCHU, 1970*, *Menacanthus camelinus* (NITZSCH, 1874), *Philopterus coarctatus* (SCOPOLI, 1763)***Lanius senator* LINNAEUS, 1758***Menacanthus camelinus* (NITZSCH, 1874), *Philopterus trigonophorus* (GIEBEL, 1874)***Family: Oriolidae*****Oriolus oriolus* (LINNAEUS, 1758)***Brueelia munda* (NITZSCH, 1866)* HU: BALÁT (1957)*Menacanthus oriolus* BLAGOVESHCHENSKY, 1951* HU: RÉKÁSI (2002)*Philopterus ornatus* (NITZSCH, 1866)* HU: BALÁT (1957)*Ricinus dolichocephalus* (SCOPOLI, 1763)*, *Sturnidoecus radui* BECHET, 1965***Family: Corvidae*****Corvus corax* LINNAEUS, 1758***Brueelia argula* (BURMEISTER, 1838)* HU: RÉKÁSI (1984)*Menacanthus gonophaeus* (BURMEISTER, 1838)* HU: RÉKÁSI (1984)*Myrsidea anaspila* (NITZSCH, 1866)* HU: RÉKÁSI (1984)*Philopterus corvi* (LINNAEUS, 1758)* HU: SCHÄFER (1963, as *Ph. semisignatus*)*Brueelia atherae* ANSARI, 1957*, *Brueelia biocellata* (PIAGET, 1880), *Colpocephalum fregili* DENNY, 1842, *Myrsidea islandica* (KELLOGG et PAINE, 1911)*, *Myrsidea subcoracis* KLOCKENHOFF et SCHIRMERS, 1976*, *Myrsidea tibetana* KLOCKENHOFF et SCHIRMERS, 1976*, *Myrsidea vinlandica* KLOCKENHOFF et SCHIRMERS, 1976, *Philopterus osborni* EDWARDS, 1952***Corvus corone cornix* LINNAEUS, 1758***Brueelia uncinosa* (BURMEISTER, 1838)* HU: RÉKÁSI (1984)*Colpocephalum fregili* DENNY, 1842 HU: RÉKÁSI (1984, as *C. subaequale*)*Menacanthus eurysternus* (BURMEISTER, 1838) HU: RÉKÁSI (1984, as *M. cornicis*)

- Myrsidea cornicis* (DE GEER, 1778)* HU: BALÁT (1957)
Philopterus ocellatus (SCOPOLI, 1763)* HU: BALÁT (1957)
- Corvus frugilegus* LINNAEUS, 1758
Brueelia tasniemae ANSARI, 1957* HU: RÉKÁSI (1973)
Colpocephalum fregili DENNY, 1842 HU: SCHÄFER (1963, as *C. subaequale*)
Menacanthus gonophaeus (BURMEISTER, 1838) HU: RÉKÁSI (1984, as *M. laticeps*)
Myrsidea isostoma (NITZSCH, 1866)* HU: RÉKÁSI (1973)
Philopterus atratus (NITZSCH, 1818)* HU: BALÁT (1957)
Brueelia perforata (ZLOTORZYCKA, 1964)*
- Corvus monedula* LINNAEUS, 1758
Brueelia varia (BURMEISTER, 1838)* HU: BALÁT (1957)
Myrsidea anathorax (NITZSCH, 1866)* HU: RÉKÁSI (1984)
Philopterus guttatus (DENNY, 1842)* HU: BALÁT (1957)
Menacanthus eurysternus (BURMEISTER, 1838), *Menacanthus gonophaeus* (BURMEISTER, 1838)
- Garrulus glandarius* (LINNAEUS, 1758)
Brueelia glandarii (DENNY, 1842)* HU: SCHÄFER (1963)
Myrsidea indivisa (NITZSCH, 1866)* HU: RÉKÁSI (1984)
- Philopterus garruli* BOISDUVAL et LACORDAIRE, 1935* HU: SCHÄFER (1963)
Menacanthus eurysternus (BURMEISTER, 1838)
- Nucifraga caryocatactes* (LINNAEUS, 1758)
Brueelia olivacea (BURMEISTER, 1838)* HU: RÉKÁSI (1973)
Philopterus crassipes (BURMEISTER, 1838)* HU: RÉKÁSI (1973)
Brueelia multipunctata (CLAY, 1936)*, *Menacanthus merisui* EICHLER, 1953*, *Myrsidea brunnea* (NITZSCH, 1866)*
- Pica pica* (LINNAEUS, 1758)
Brueelia biocellata (PIAGET, 1880)* HU: RÉKÁSI (1984)
Myrsidea picae (LINNAEUS, 1758)* HU: BALÁT & BREUER (1955)
Philopterus picae (DENNY, 1842)* HU: BALÁT & BREUER (1955)
Menacanthus eurysternus (BURMEISTER, 1838)*
- Pyrrhocorax graculus* (LINNAEUS, 1766)
Brueelia biguttata (KELLOGG et PAINE, 1914)*, *Colpocephalum fregili* DENNY, 1842, *Menacanthus eurysternus* (BURMEISTER, 1838), *Philopterus dumani* PRICE et HELLENTHAL, 1998*
- Pyrrhocorax pyrrhocorax* (LINNAEUS, 1758)
Brueelia docilis ANSARI, 1956*, *Colpocephalum fregili* DENNY, 1842*, *Menacanthus gonophaeus* (BURMEISTER, 1838), *Philopterus thryptcephalus* (KELLOGG et PAINE, 1914)

Family: Bombycillidae***Bombycilla garrulus* (LINNAEUS, 1758)***Brueelia brachythorax* (GIEBEL, 1874)* HU: SCHÄFER (1963)*Ricinus elongatus* (OLFERS, 1816) HU: RÉKÁSI (1984)*Ricinus fringillae* DE GEER, 1778 HU: RÉKÁSI (1978a, as *R. bombycillae*)*Philopterus garrulae* (PIAGET, 1880)***Family: Paridae*****Parus ater* LINNAEUS, 1758***Menacanthus sinuatus* (BURMEISTER, 1838), *Penenirmus pari* (DENNY, 1842)*, *Philopterus peripariphilus* (MEY, 1988)*, *Ricinus fringillae* DE GEER, 1778***Parus caeruleus* LINNAEUS, 1758***Menacanthus sinuatus* (BURMEISTER, 1838), *Penenirmus pari* (DENNY, 1842)*, *Philopterus hercynicus* (MEY, 1988)*, *Ricinus fringillae* DE GEER, 1778***Parus cristatus* LINNAEUS, 1758***Ricinus fringillae* DE GEER, 1778***Parus major* LINNAEUS, 1758***Menacanthus sinuatus* (BURMEISTER, 1838)* HU: RÉKÁSI (1973)*Philopterus pallescens* (DENNY, 1842)* HU: BALÁT (1957)*Brueelia weberi* BALÁT, 1982*, *Philopterus thuringiacus* (MEY, 1988)*, *Sturnidoecus hudeci* (BALÁT, 1981)****Parus palustris* LINNAEUS, 1758***Menacanthus sinuatus* (BURMEISTER, 1838) HU: BALÁT (1957)*Philopterus pallescens* (DENNY, 1842)***Family: Remizidae*****Remiz pendulinus* (LINNAEUS, 1758)***Brueelia balati* (KRIŠTOFIK, 1999)*, *Menacanthus eurysternus* (BURMEISTER, 1838)**Family: Hirundinidae*****Delichon urbica* (LINNAEUS, 1758)***Brueelia gracilis* (BURMEISTER, 1838)* HU: BALÁT (1957)*Philopterus excisus* NITZSCH, 1818* HU: RÉKÁSI (1984)***Hirundo rustica* LINNAEUS, 1758***Brueelia domestica* (KELLOGG et CHAPMAN, 1899)* HU: (VAS *et al.* 2008)*Myrsidea rustica* (GIEBEL, 1874)* HU: RÉKÁSI (1990)*Philopterus microsomaticus* TANDAN, 1955* HU: (VAS *et al.* 2008)*Machaerilaemus malleus* (BURMEISTER, 1838)*

***Riparia riparia* (LINNAEUS, 1758)**

Brueelia tenuis (BURMEISTER, 1838)*, *Machaerilaemus clayae* (BALÁT, 1966)*, *Myrsidea latifrons* (CARRIKER et SHULL, 1910)*, *Philopterus microsomaticus* TANDAN, 1955, *Ricinus fringillae* DE GEER, 1778

Family: Aegithalidae***Aegithalos caudatus* (LINNAEUS, 1758)**

Penenirmus pari (DENNY, 1842)* HU: RÉKÁSI (1984)
Myrsidea aegithali BLAGOVESHTCHENSKY, 1940*, *Sturnidoecus quadrilineatus* (NITZSCH, 1866)*

Family: Alaudidae***Alauda arvensis* LINNAEUS, 1758**

Menacanthus alaudae (SCHRANK, 1776)* HU: SCHÄFER (1963)
Brueelia parviguttata (BLAGOVESHTCHENSKY, 1940)*, *Penenirmus hibari* (UCHIDA, 1949), *Philopterus stadleri* (EICHLER, 1959)*, *Ricinus serratus* (DURRANT, 1900)

***Eremophila alpestris* (LINNAEUS, 1758)**

Brueelia limpidus (MEY, 1982)*, *Menacanthus alaudae* (SCHRANK, 1776), *Philopterus kekilovae* FEDORENKO, 1984*, *Ricinus serratus* (DURRANT, 1900)*

***Galerida cristata* (LINNAEUS, 1758)**

Menacanthus alaudae (SCHRANK, 1776) HU: RÉKÁSI (1984)
Philopterus alexanderkoenigi (EICHLER, 1953)* HU: RÉKÁSI (1973)
Penenirmus pavlovskyi BLAGOVESHTCHENSKY, 1951*, *Ricinus serratus* (DURRANT, 1900), *Sturnidoecus chendoola* ANSARI, 1955*

***Lullula arborea* (LINNAEUS, 1758)**

Brueelia lullulae BECHET, 1961*, *Philopterus arboreus* FEDORENKO, 1984*

***Melanocorypha calandra* (LINNAEUS, 1766)**

Brueelia melanocoryphae BECHET, 1966*, *Philopterus stepposus* FEDORENKO, 1984*

Family: Sylviidae***Acrocephalus arundinaceus* (LINNAEUS, 1758)**

Menacanthus curuccae (SCHRANK, 1776), *Philopterus fedorenkoae* (MEY, 1983)*

***Acrocephalus paludicola* (VIEILLOT, 1817)**

Menacanthus curuccae (SCHRANK, 1776)

***Acrocephalus palustris* (BECHSTEIN, 1798)**

Philopterus mirificus (ZLOTORZYCKA, 1964)*, *Sturnidoecus pflergi* (BALÁT, 1981)*

***Acrocephalus schoenobaenus* (LINNAEUS, 1758)**

- Brueelia vaneki* BALÁT, 1981*, *Menacanthus curuccae* (SCHRANK, 1776), *Philopterus necopinatus* (ZLOTORZYCKA, 1964)*
- Acrocephalus scirpaceus* (HERMANN, 1804)
Menacanthus curuccae (SCHRANK, 1776)
- Cettia cetti* (TEMMINCK, 1820)
Menacanthus takayamai UCHIDA, 1926, *Penenirmus longuliceps* (BLAGOVESHTCHENSKY, 1940)*
- Locustella fluviatilis* (WOLF, 1810)
Sturnidoecus tulackovae (BALÁT, 1981)*
- Locustella luscinioides* (SAVI, 1824)
Brueelia locustellae FEDORENKO, 1975*, *Menacanthus obrteli* BALÁT, 1981*, *Penenirmus kuxi* BALÁT, 1981*
- Phylloscopus bonelli* (VIEILLOT, 1819)
Philopterus phylloscopi FEDORENKO, 1979
- Phylloscopus collybita* (VIEILLOT, 1817)
Penenirmus rarus (ZLOTORZYCKA, 1976)* HU: RÉKÁSI (1990, in *Pleurinirmus*)
Menacanthus agilis (NITZSCH, 1866)
- Phylloscopus fuscatus* (BLYTH, 1842)
Menacanthus takayamai UCHIDA, 1926, *Philopterus reginae* (MEY, 1982)*
- Phylloscopus inornatus* (BLYTH, 1842)
Ricinus balati RHEINWALD, 1968
- Phylloscopus sibilatrix* (BECHSTEIN, 1793)
Philopterus phylloscopi FEDORENKO, 1979*
- Phylloscopus trochilus* (LINNAEUS, 1758)
Menacanthus agilis (NITZSCH, 1866), *Menacanthus curuccae* (SCHRANK, 1776), *Penenirmus phylloscopi* (ZLOTORZYCKA, 1976)*, *Philopterus phylloscopi* FEDORENKO, 1979
- Sylvia atricapilla* (LINNAEUS, 1758)
Brueelia neoatricapillae PRICE, HELLENTHAL et PALMA, 2003*, *Brueelia paratricapillae* PRICE, HELLENTHAL et PALMA, 2003*, *Brueelia tovornikae* (BALÁT, 1981)*, *Menacanthus curuccae* (SCHRANK, 1776), *Myrsidea sylviae* SYCHRA et LITERÁK, 2008*
Sylvia borin (BODDAERT, 1783)
Menacanthus curuccae (SCHRANK, 1776) HU: RÉKÁSI (1990, as *M. vistulanus*)
Brueelia borini LUNKASCHU, 1970*, *Penenirmus affectator* (ZLOTORZYCKA, 1976)*, *Ricinus borin* BALÁT, 1952*
- Sylvia communis* LATHAM, 1787
Menacanthus curuccae (SCHRANK, 1776)
- Sylvia curruca* (LINNAEUS, 1758)
Brueelia currucae BECHET, 1961*, *Menacanthus curuccae* (SCHRANK, 1776), *Penenirmus speciosus* MEY, 1982*

Sylvia nisoria (BECHSTEIN, 1795)

Brueelia rosickyi BALÁT, 1955*, *Menacanthus curuccae* (SCHRANK, 1776), *Penenirmus pikulai* BALÁT, 1981*

Family: Timaliidae

Panurus biarmicus (LINNAEUS, 1758)

Menacanthus eurysternus (BURMEISTER, 1838), *Penenirmus visendus* (ZLOTORZYCKA, 1946b)

Family: Regulidae

Regulus ignicapillus (TEMMINCK, 1820)

Ricinus frenatus (BURMEISTER, 1838)

Regulus regulus (LINNAEUS, 1758)

Philopterus reguli (DENNY, 1842)* HU: RÉKÁSI (1973)

Ricinus frenatus (BURMEISTER, 1838)*

Family: Troglodytidae

Troglodytes troglodytes (LINNAEUS, 1758)

Menacanthus tenuifrons BLAGOVESHCHENSKY, 1940* HU: RÉKÁSI (1984)

Penenirmus albiventris (SCOPOLI, 1763)* HU: BALÁT (1957)

Myrsidea troglodyti (DENNY, 1842)*, *Penenirmus longuliceps* (BLAGOVESHCHENSKY, 1940)*, *Philopterus troglodytis* FEDORENKO, 1986*

Family: Sittidae

Sitta europaea LINNAEUS, 1758

Brueelia conocephalus (BLAGOVESHCHENSKY, 1940)*, *Menacanthus eurysternus* (BURMEISTER, 1838), *Philopterus sittae* FEDORENKO, 1978*

Tichodroma muraria (LINNAEUS, 1766)

Menacanthus eurysternus (BURMEISTER, 1838) HU: RÉKÁSI (1995, as *M. tichodromae*)

Philopterus hungaricus RÉKÁSI, 1998* HU: RÉKÁSI (1998a)

Family: Certhiidae

Certhia brachydactyla BREHM, 1820

Philopterus lineatus (GIEBEL, 1874)*

Certhia familiaris LINNAEUS, 1758

Penenirmus gulosus (NITZSCH, 1866)*

Family: Sturnidae

Sturnus roseus (LINNAEUS, 1758)*Sturnidoecus pastoris* (DENNY, 1842)* HU: RÉKÁSI (1984)*Brueelia fuscopleura* (BLAGOVESHCHENSKY, 1951)*, *Brueelia gulabitylar* ANSARI, 1955*, *Menacanthus eurysternus* (BURMEISTER, 1838)*Sturnus vulgaris* LINNAEUS, 1758*Brueelia nebulosa* (BURMEISTER, 1838)* HU: SCHÄFER (1963)*Menacanthus eurysternus* (BURMEISTER, 1838) HU: SCHÄFER (1963, as *M. spiniferus*)*Sturnidoecus sturni* (SCHRANK, 1776)* HU: BALÁT (1957)*Myrsidea cucullaris* (NITZSCH, 1818)*, *Ricinus elongatus* (OLFERS, 1816)

Family: Turdidae

Turdus iliacus LINNAEUS, 1766*Brueelia haftorni* (BALÁT, 1981)*, *Brueelia iliacy* (DENNY, 1842)*, *Myrsidea iliacy* EICHLER, 1951*, *Philopterus timmermanni* (ZLOTORZYCKA, 1964)*, *Ricinus elongatus* (OLFERS, 1816)*Turdus merula* LINNAEUS, 1758*Brueelia amsel* (EICHLER, 1951)* HU: BALÁT (1957)*Brueelia merulensis* (DENNY, 1842)* HU: BALÁT (1957)*Philopterus turdi* (DENNY, 1842) HU: BALÁT & BREUER (1955, as *Ph. merulae*)*Ricinus elongatus* (OLFERS, 1816) HU: BALÁT (1957)*Brueelia jacobi* EICHLER, 1951*, *Brueelia oudhensis* ANSARI, 1956*, *Menacanthus eurysternus* (BURMEISTER, 1838), *Myrsidea thoracica* (GIEBEL, 1874)*Turdus naumanni* TEMMINCK, 1820*Ricinus elongatus* (OLFERS, 1816)*Turdus philomelos* BREHM, 1831*Philopterus turdi* (DENNY, 1842)* HU: RÉKÁSI (1990, in *Docophorulus*)*Brueelia turdinulae* ANSARI, 1956*, *Menacanthus eurysternus* (BURMEISTER, 1838),*Ricinus elongatus* (OLFERS, 1816), *Sturnidoecus melodicus* (EICHLER, 1951)**Turdus pilaris* LINNAEUS, 1758*Brueelia marginata* (BURMEISTER, 1838)* HU: BALÁT (1957)*Philopterus bischoffi* (EICHLER, 1951)* HU: RÉKÁSI (1984, in *Docophorulus*)*Brueelia antimarginalis* EICHLER, 1951*, *Menacanthus eurysternus* (BURMEISTER, 1838), *Ricinus elongatus* (OLFERS, 1816)*Turdus torquatus* LINNAEUS, 1758*Brueelia marginata* (BURMEISTER, 1838) HU: RÉKÁSI (1984, as *B. intermedia*), *Philopterus nativus* FEDORENKO, 1977*, *Ricinus elongatus* (OLFERS, 1816)*Turdus viscivorus* LINNAEUS, 1758*Brueelia viscivori* (DENNY, 1842)* HU: RÉKÁSI (1984)*Myrsidea thoracica* (GIEBEL, 1874)* HU: RÉKÁSI (1984)

Philopterus vernus (ZLOTORZYCKA, 1964)* HU: RÉKÁSI (1984, in *Docophorulus*)
Ricinus elongatus (OLFERS, 1816)* HU: BALÁT (1957)
Brueelia matvejevi BALÁT, 1981*, *Menacanthus eurysternus* (BURMEISTER, 1838)

Family: Muscicapidae

- Erithacus rubecula* (LINNAEUS, 1758)
Brueelia tristis (GIEBEL, 1874)*, *Philopterus rubeculae* (DENNY, 1842)*, *Ricinus rubeculae* (SCHRANK, 1776)*
- Ficedula albicollis* (TEMMINCK, 1815)
Ricinus pflegeri BALÁT, 1952*
- Ficedula hypoleuca* (PALLAS, 1764)
Philopterus capillatus (ZLOTORZYCKA, 1964)* HU: RÉKÁSI (1990, in *Docophorulus*)
- Ficedula parva* (BECHSTEIN, 1792)
Philopterus markevichi FEDORENKO et VOLKOV, 1977*
- Luscinia megarhynchos* (BREHM, 1831)
Brueelia lais (GIEBEL, 1874)*
- Luscinia svecica* (LINNAEUS, 1758)
Ricinus rubeculae (SCHRANK, 1776), *Sturnidoecus atharea* ANSARI, 1955*
- Monticola saxatilis* (LINNAEUS, 1766)
Philopterus zlotorzyskae (MEY, 1982)*
- Monticola solitarius* (LINNAEUS, 1758)
Ricinus rubeculae SCHRANK, 1776)
- Muscicapa striata* (PALLAS, 1764)
Philopterus desertus (ZLOTORZYCKA, 1964)* HU: RÉKÁSI (1973)
Menacanthus agilis (NITZSCH, 1866), *Myrsidea proterva* (ZLOTORZYCKA, 1964)*
- Oenanthe deserti* (TEMMINCK, 1825)
Penenirmus desertus FEDORENKO et BELSKAYA, 1979*, *Ricinus rubeculae* (SCHRANK, 1776)
- Oenanthe isabellina* (TEMMINCK, 1829)
Penenirmus incurvatus FEDORENKO et BELSKAYA, 1979*, *Philopterus isabellinae* (MEY, 1982)*
- Oenanthe oenanthe* (LINNAEUS, 1758)
Menacanthus affinis FEDORENKO et BELSKAYA, 1977*, *Menacanthus exilis* (NITZSCH, 1866)*, *Philopterus oenanthe* FEDORENKO, 1983*
- Oenanthe pleschanka* (LEPECHIN, 1770)
Penenirmus digitiformis FEDORENKO et BELSKAYA, 1979*, *Philopterus pleschankae* FEDORENKO, 1983*

***Phoenicurus ochruros* (GMELIN, 1774)**

Brueelia exigua (NITZSCH, 1866)*, *Menacanthus agilis* (NITZSCH, 1866)*, *Penenirmus barusi* BALÁT, 1981*, *Ricinus rubeculae* (SCHRANK, 1776)

***Phoenicurus phoenicurus* (LINNAEUS, 1758)**

Menacanthus agilis (NITZSCH, 1866), *Penenirmus silvicultrix* MEY, 1982*, *Ricinus rubeculae* (SCHRANK, 1776)

***Saxicola rubetra* (LINNAEUS, 1758)**

Penenirmus nirmoideus (NITZSCH, 1874)*

***Saxicola torquata* (LINNAEUS, 1766)**

Sturnidoecus irritans ANSARI, 1955*

Family: Cinclidae***Cinclus cinclus* (LINNAEUS, 1758)**

Myrsidea franciscoloi CONCI, 1942*, *Philopterus cincli* (DENNY, 1842)*

Family: Passeridae***Montifringilla nivalis* (LINNAEUS, 1766)**

Brueelia altaica MEY, 1982*, *Philopterus comatus* (MEY, 1982)*

***Passer domesticus* (LINNAEUS, 1758)**

Brueelia cyclothorax (BURMEISTER, 1838) HU: RÉKÁSI (1973)

Philopterus fringillae (SCOPOLI, 1772)* HU: BALÁT (1957)

Brueelia subtilis (NITZSCH, 1874), *Menacanthus eurysternus* (BURMEISTER, 1838),

Myrsidea quadrifasciata (PIAGET, 1880)*, *Ricinus fringillae* DE GEER, 1778, *Sturnidoecus refractariolus* (ZLOTORZYCKA, 1964)*

***Passer montanus* (LINNAEUS, 1758)**

Brueelia cyclothorax (BURMEISTER, 1838)* HU: BALÁT (1957)

Philopterus montani (ZLOTORZYCKA, 1964)* HU: RÉKÁSI (1973)

Sturnidoecus ruficeps (NITZSCH, 1866)* HU: BALÁT (1957)

Brueelia subtilis (NITZSCH, 1874)*, *Myrsidea balati* MACHACEK, 1977*, *Ricinus fringillae* DE GEER, 1778

Family: Prunellidae***Prunella collaris* (SCOPOLI, 1769)**

Philopterus emiliae BALÁT, 1955*, *Ricinus fringillae* DE GEER, 1778

***Prunella modularis* (LINNAEUS, 1758)**

Brueelia annae (ZLOTORZYCKA et EICHLER, 1984)*, *Brueelia modularis* (PIAGET, 1880)*,

Menacanthus eurysternus (BURMEISTER, 1838), *Philopterus modularis* (DENNY, 1842)*,

Ricinus elongatus (OLFERS, 1816), *Ricinus rubeculae* (SCHRANK, 1776)

Family: Motacillidae*Anthus campestris* (LINNAEUS, 1758)

Brueelia kistiakowskyi FEDORENKO, 1975*, *Menacanthus pusillus* (NITZSCH, 1866),
Penenirmus patevi BALÁT, 1958*

Anthus pratensis (LINNAEUS, 1758)

Brueelia corydalla TIMMERMANN, 1950* HU: RÉKÁSI (1984)
Menacanthus pusillus (NITZSCH, 1866), *Ricinus fringillae* DE GEER, 1778

Anthus spinoletta (LINNAEUS, 1758)

Brueelia corydalla TIMMERMANN, 1950, *Menacanthus pusillus* (NITZSCH, 1866),
Philopterus hanzaki BALÁT, 1955*, *Ricinus fringillae* DE GEER, 1778

Anthus trivialis (LINNAEUS, 1758)

Brueelia ferianci BALÁT, 1955*, *Menacanthus pusillus* (NITZSCH, 1866), *Philopterus*
vultuosus (ZLOTORZYCKA, 1964)*, *Ricinus fringillae* DE GEER, 1778

Motacilla alba LINNAEUS, 1758

Philopterus passerinus (DENNY, 1842)* HU: BALÁT (1957)
Sturnidoecus aeneas (PIAGET, 1885)* HU: RÉKÁSI (1990)
Menacanthus nogoma UCHIDA, 1926, *Menacanthus pusillus* (NITZSCH, 1866)*,
Myrsidea dukhunensis ANSARI, 1951*, *Ricinus fringillae* DE GEER, 1778

Motacilla cinerea TUNSTALL, 1771

Philopterus subitus FEDORENKO, 1985*

Motacilla flava LINNAEUS, 1758

Brueelia kratochvili BALÁT, 1958*, *Menacanthus pusillus* (NITZSCH, 1866), *Philop-*
terus pavidus (ZLOTORZYCKA, 1964)*

Family: Fringillidae*Carduelis cannabina* (LINNAEUS, 1758)

Menacanthus alaudae (SCHRANK, 1776) HU: RÉKÁSI (1984, as *M. cannabinae*)
Brueelia stadleri EICHLER, 1954*, *Ricinus fringillae* DE GEER, 1778

Carduelis carduelis (LINNAEUS, 1758)

Brueelia densilimba (NITZSCH, 1866)*, *Menacanthus alaudae* (SCHRANK, 1776), *Myr-*
sidea serini (SÉGUY, 1944), *Ricinus fringillae* DE GEER, 1778, *Sturnidoecus blandus*
 ZLOTORZYCKA, 1964*

Carduelis chloris (LINNAEUS, 1758)

Brueelia breueri BALÁT, 1955* HU: BALÁT (1957)
Philopterus citrinellae (SCHRANK, 1776) HU: BALÁT (1957)
Menacanthus eurysternus (BURMEISTER, 1838), *Myrsidea serini* (SÉGUY, 1944)

***Carduelis flammea* (LINNAEUS, 1758)**

Brueelia sibirica MEY, 1982*, *Menacanthus alaudae* (SCHRANK, 1776), *Menacanthus eurysternus* (BURMEISTER, 1838), *Philopterus linariae* (PIAGET, 1885)*, *Ricinus fringillae* DE GEER, 1778

***Carduelis flavirostris* (LINNAEUS, 1758)**

Brueelia mongolica MEY, 1982*, *Menacanthus alaudae* (SCHRANK, 1776), *Penenirmus deductoris* MEY, 1982*, *Ricinus fringillae* DE GEER, 1778

***Carduelis spinus* (LINNAEUS, 1758)**

Brueelia chrysomytris (BLAGOVESHTCHENSKY, 1940)*

***Carpodacus erythrinus* (PALLAS, 1770)**

Menacanthus alaudae (SCHRANK, 1776), *Philopterus erythrini* (MEY, 1982)*, *Sturnidoecus carpodaci* (BALÁT, 1981)*

***Carpodacus roseus* (PALLAS, 1776)**

Menacanthus alaudae (SCHRANK, 1776)

***Coccothraustes coccothraustes* (LINNAEUS, 1758)**

Brueelia junco (GIEBEL, 1874)* HU: RÉKÁSI (1973)
Philopterus eurasiaticus (MEY, 1982)*

***Fringilla coelebs* LINNAEUS, 1758**

Ricinus fringillae DE GEER, 1778 HU: BALÁT (1957, as *R. irascens*)
Brueelia kluzi BALÁT, 1955*, *Menacanthus eurysternus* (BURMEISTER, 1838), *Penenirmus serrahnensis* BALÁT, 1982*, *Philopterus fortunatus* (ZLOTORZYCKA, 1964)*, *Myrsidea lyali* KLOCKENHOFF, 1984*

***Fringilla montifringilla* LINNAEUS, 1758**

Brueelia glizi BALÁT, 1955*, *Philopterus rapax* (ZLOTORZYCKA, 1964)*, *Ricinus fringillae* DE GEER, 1778

***Loxia curvirostra* LINNAEUS, 1758**

Brueelia limbata (BURMEISTER, 1838)*, *Philopterus curvirostrae* (SCHRANK, 1776)*, *Myrsidea quadrimaculata* (CARRIKER, 1902)*

***Loxia leucoptera* GMELIN, 1789**

Philopterus hansmuenchi (EICHLER et VASJUKOVA, 1981)*

***Pinicola enucleator* (LINNAEUS, 1758)**

Menacanthus alaudae (SCHRANK, 1776)

***Pyrrhula pyrrhula* (LINNAEUS, 1758)**

Brueelia pyrrhularum EICHLER, 1954* HU: RÉKÁSI (1984)
Philopterus citrinellae (SCHRANK, 1776) HU: BALÁT (1957)
Menacanthus eurysternus (BURMEISTER, 1838), *Ricinus fringillae* DE GEER, 1778

***Serinus serinus* (LINNAEUS, 1766)**

Brueelia sexytanum (SOLER CRUZ, BENITEZ RODRÍGUEZ, FLORIDO NAVIO et MUÑOZ PARRA, 1987)*, *Myrsidea serini* (SÉGUY, 1944)*

Family: Emberizidae

Calcarius lapponicus (LINNAEUS, 1758)

Brueelia infrequens (CARRIKER, 1902)*, *Menacanthus eurysternus* (BURMEISTER, 1838), *Ricinus calcarii* NELSON, 1972

Emberiza calandra LINNAEUS, 1758

Philopterus cumulatus (ZLOTORZYCKA, 1964)* HU: RÉKÁSI (1973)

Ricinus major FRESCA, 1924*

Emberiza cia LINNAEUS, 1766

Ricinus fringillae DE GEER, 1778, *Ricinus serratus* (DURRANT, 1906)

Emberiza citrinella LINNAEUS, 1758

Brueelia delicata (NITZSCH, 1866)* HU: BALÁT (1957)

Philopterus citrinellae (SCHRANK, 1776)* HU: BALÁT & BREUER (1955)

Ricinus fringillae DE GEER, 1778* HU: BALÁT (1957)

Menacanthus alaudae (SCHRANK, 1776), *Myrsidea serini* (SÉGUY, 1944)

Emberiza hortulana LINNAEUS, 1758

Penenirmus buresi BALÁT, 1958*

Emberiza leucocephalos GMELIN, 1771

Brueelia delicata (NITZSCH, 1866), *Philopterus sibiricus* FEDORENKO et VOLKOV, 1980*

Emberiza melanocephala SCOPOLI, 1769

Brueelia pelikani BALÁT, 1958*, *Penenirmus buresi* BALÁT, 1958*, *Ricinus serratus* (DURRANT, 1906)

Emberiza rustica PALLAS, 1776

Brueelia delicata (NITZSCH, 1866), *Machaerilaemus laticorpus* (CARRIKER, 1903), *Ricinus fringillae* DE GEER, 1778

Emberiza schoeniclus (LINNAEUS, 1758)

Brueelia blagovescenskyi BALÁT, 1955* HU: RÉKÁSI (1984)

Philopterus residuus (ZLOTORZYCKA, 1964)* HU: RÉKÁSI (1973)

Ricinus fringillae DE GEER, 1778

Plectrophenax nivalis (LINNAEUS, 1758)

Brueelia nivalis (GIEBEL, 1874)*, *Menacanthus alaudae* (SCHRANK, 1776), *Myrsidea major* (PIAGET, 1880)*, *Philopterus hamatus* (PACKARD, 1870)*, *Ricinus diffusus* (KELLOGG, 1896), *Ricinus fringillae* DE GEER, 1778, *Ricinus major* FRESCA, 1924, *Ricinus thoracicus* (PACKARD, 1870)*

Wild mammals with louse associations

Order: SORICOMORPHA

Family: Soricidae

- Crocidura leucodon* (HERMANN, 1780)
Polyplax reclinata (NITZSCH, 1864)
Crocidura suaveolens (PALLAS, 1811)
Polyplax reclinata (NITZSCH, 1864) HU: (HAITLINGER 1973)
Neomys fodiens (PENNANT, 1771)
Polyplax reclinata (NITZSCH, 1864)
Sorex araneus LINNAEUS, 1758
Polyplax reclinata (NITZSCH, 1864)*
Sorex minutus LINNAEUS, 1766
Polyplax reclinata (NITZSCH, 1864)

Order: LAGOMORPHA

Family: Leporidae

- Lepus europaeus* PALLAS, 1778
Haemodipsus lyriocephalus (BURMEISTER, 1839) HU: (BEAUCOURNU 1968)
Oryctolagus cuniculus (LINNAEUS, 1758)
Haemodipsus ventricosus (DENNY, 1842)*

Order: RODENTIA

Family: Sciuridae

- Sciurus vulgaris* LINNAEUS, 1758
Enderleinellus nitzschi FAHRENHOLZ, 1916* HU: (PIOTROWSKI 1970)
Neohaematopinus sciuri JANCKE, 1932*
Spermophilus citellus (LINNAEUS, 1766)
Enderleinellus ferrisi (TOULESHKOV, 1957)*, *Enderleinellus propinquus* BLAGOVESHTCHENSKY, 1965, *Linognathoides laeviusculus* (GRUBE, 1851), *Polyplax bureschi* TOULESHKOV, 1957*

Family: Gliridae

- Dryomys nitedula* PALLAS, 1778
Schizophthirus dryomydis BLAGOVESHTCHENSKY, 1965*, *Schizophthirus jaczewskii* CAIS, 1974*, *Schizophthirus pleurophaeus* (BURMEISTER, 1839)

Glis glis (LINNAEUS, 1766)

Schizophthirus gliris BLAGOVESHCHENSKY, 1965*, *Schizophthirus pleurophaeus* (BURMEISTER, 1839)

Muscardinus avellanarius (LINNAEUS, 1758)

Schizophthirus pleurophaeus (BURMEISTER, 1839)

Family: Dipodidae

Sicista subtilis PALLAS 1773

Schizophthirus sicistae BLAGOVESHCHENSKY, 1965*

Family: Cricetidae

Arvicola amphibius (LINNAEUS, 1758)

Hoplopleura acanthopus (BURMEISTER, 1839) HU: (PIOTROWSKI 1970)

Polyplax borealis FERRIS, 1933, *Polyplax spinigera* (BURMEISTER, 1839)*

Microtus agrestis (LINNAEUS, 1761)

Hoplopleura acanthopus (BURMEISTER, 1839) HU: (PIOTROWSKI 1970)

Microtus arvalis (LINNAEUS, 1761)

Hoplopleura acanthopus (BURMEISTER, 1839)* HU: (PIOTROWSKI 1970)

Microtus oeconomus (PALLAS, 1776)

Hoplopleura acanthopus (BURMEISTER, 1839) HU: (PIOTROWSKI 1970)

Microtus subterraneus (SÉLYS-LONGCHAMPS, 1836)

Hoplopleura acanthopus (BURMEISTER, 1839) HU: (PIOTROWSKI 1970)

Myodes glareolus (SCHREBER, 1780)

Hoplopleura acanthopus (BURMEISTER, 1839) HU: (PIOTROWSKI 1970)

Hoplopleura edentula FAHRENHOLZ, 1916, *Polyplax borealis* FERRIS, 1933, *Polyplax hannswrangeli* EICHLER, 1952*

Family: Muridae

Apodemus agrarius PALLAS, 1771

Hoplopleura affinis (BURMEISTER, 1839)* HU: (PIOTROWSKI 1970)

Polyplax serrata (BURMEISTER, 1839) HU: (PIOTROWSKI 1970)

Apodemus flavicollis (MELCHIOR, 1834)

Polyplax serrata (BURMEISTER, 1839) HU: (PIOTROWSKI 1970)

Hoplopleura affinis (BURMEISTER, 1839)

Apodemus sylvaticus (LINNAEUS, 1758)

Hoplopleura affinis (BURMEISTER, 1839) HU: (PIOTROWSKI 1970)

Polyplax serrata (BURMEISTER, 1839) HU: (HAITLINGER 1973)

Apodemus uralensis (PALLAS, 1811)

Polyplax serrata (BURMEISTER, 1839) HU: (HAITLINGER 1973)

Micromys minutus (PALLAS, 1771)

Hoplopleura longula (NEUMANN, 1909)* HU: (PIOTROWSKI 1970)

Polyplax gracilis FAHRENHOLZ, 1910* HU: (PIOTROWSKI 1970)

Mus musculus LINNAEUS, 1758

Polyplax serrata (BURMEISTER, 1839)* HU: (PIOTROWSKI 1970)

Hoplopleura captiosa JOHNSON, 1960*

Mus spicilegus PETÉNYI, 1882

Hoplopleura captiosa JOHNSON, 1960 HU: (PIOTROWSKI 1970) – not included in
DURDEN & MUSSER 1994; as a sibling species of *Mus musculus*, likely to be a
regular host

Rattus norvegicus (BERKENHOUT, 1769)

Hoplopleura pacifica EWING, 1924, *Polyplax spinulosa* (BURMEISTER, 1839)*

Rattus rattus (LINNAEUS, 1758)

Hoplopleura pacifica EWING, 1924, *Polyplax spinulosa* (BURMEISTER, 1839)

Order: CARNIVORA

Family: Felidae

Felis silvestris SCHREBER, 1775

Felicola hercynianus KÉLER, 1957*

Lynx lynx LINNAEUS, 1758

Felicola spenceri HOPKINS, 1960*

Family: Canidae

Canis aureus LINNAEUS, 1758

Trichodectes canis (DE GEER, 1778), *Linognathus setosus* (VON OLFERS, 1816)

Canis lupus LINNAEUS, 1758

Linognathus setosus (VON OLFERS, 1816), *Trichodectes canis* (DE GEER, 1778)

Nyctereutes procyonoides (GRAY, 1834)

Trichodectes canis (DE GEER, 1778)

Vulpes vulpes (LINNAEUS, 1758)

Felicola vulpis DENNY, 1842* – RÉKÁSI (1979) collected a single individual from an
atypical host *Microtus arvalis* PALLAS, 1778

Linognathus setosus (VON OLFERS, 1816)

Family: Ursidae

Ursus arctos LINNAEUS, 1758

Trichodectes pinguis BURMEISTER, 1838*

Family: Mustelidae

- Lutra lutra* (LINNAEUS, 1758)
Lutridia exilis (NITZSCH [in GIEBEL], 1861)*
Martes foina (ERXLEBEN, 1777)
Stachiella retusa (BURMEISTER, 1838)*
Martes martes (LINNAEUS, 1758)
Stachiella salfi CONCI, 1940*
Meles meles (LINNAEUS, 1758)
Trichodectes melis (FABRICIUS, 1805)* HU: RÉKÁSI (1979)
Mustela erminea LINNAEUS, 1758
Stachiella ermineae HOPKINS, 1941* HU: RÉKÁSI (1983)
Mustela nivalis LINNAEUS, 1766
Stachiella mustelae (SCHRANK, 1803)* HU: RÉKÁSI (1979)
Mustela putorius LINNAEUS, 1758
Stachiella jacobi EICHLER, 1941*

Family: Procyonidae

- Procyon lotor* (LINNAEUS, 1758)
Stachiella octomaculatus (PAINE, 1912)*

Order: ARTIODACTYLA**Family: Suidae**

- Sus scrofa* LINNAEUS, 1758
Haematopinus apri GOUREAU, 1866* HU: (PIOTROWSKI 1970)

Family: Cervidae

- Capreolus capreolus* LINNAEUS, 1758
Damalinia meyeri (TASCHENBERG, 1882) HU: (SUGÁR 1985)
Solenopotes capreoli FREUND, 1935* HU: (BERDÁR 1983)
Cervus elaphus LINNAEUS, 1758
Bovicola longicornis (NITZSCH, 1818)* HU: (SUGÁR 1997)
Solenopotes burmeisteri (FAHRENHOLZ, 1919)* HU: (PIOTROWSKI 1970)
Dama dama (LINNAEUS, 1758)
Bovicola tibialis (PIAGET, 1880)*

Family: Bovidae***Ovis musimon* LINNAEUS, 1758**

Bovicola ovis (SCHRANK, 1781), *Linognathus africanus* KELLOGG et PAINE, 1911,
Linognathus ovillus (NEUMANN, 1907), *Linognathus pedalis* (OSBORN, 1896)

***Rupicapra rupicapra* LINNAEUS, 1758**

Bovicola alpinus KÉLER, 1942*, *Linognathus stenopsis* (BURMEISTER, 1838)

Louse associations of humans
 and domesticated animals

***Homo sapiens* LINNAEUS, 1758**

Pediculus humanus LINNAEUS, 1758* HU: (PIOTROWSKI 1970) – both “*P. h. capitis*”
 and “*P. h. humanus*” ecotypes

Pthirus pubis (LINNAEUS, 1758)* HU: (PIOTROWSKI 1970)

Domesticated birds (alphabetically)

***Anas domestica* LINNAEUS, 1758**

Anaticola crassicornis (SCOPOLI, 1763), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Holomenopon leucoanthum* (BURMEISTER, 1838),
Holomenopon maxbeieri EICHLER, 1954, *Holomenopon transvaalense* (BEDFORD, 1920), *Trinoton querquedulae* (LINNAEUS, 1758)

***Anser domestica* (LINNAEUS, 1758)**

Anaticola anseris (LINNAEUS, 1758), *Anatoecus dentatus* (SCOPOLI, 1763), *Anatoecus icterodes* (NITZSCH, 1818), *Ciconiphilus pectiniventris* (HARRISON, 1916), *Holomenopon leucoanthum* (BURMEISTER, 1838), *Ornithobius mathisi* (NEUMANN, 1912),
Trinoton anserinum (FABRICIUS, 1805)

***Cairina moschata* (LINNAEUS, 1758)**

Anaticola cairinensis (MONTEIRO DE BARROS, 1933)*, *Holomenopon cairinae* EICHLER, 1943*, *Holomenopon leucoanthum* (BURMEISTER, 1838)

***Gallus gallus* (LINNAEUS, 1758)**

Cuculotogaster heterographus (NITZSCH, 1866)*, *Goniocotes gallinae* (DE GEER, 1778)*, *Goniodes dissimilis* DENNY, 1842*, *Goniodes gigas* (TASCHENBERG, 1879)*, *Lagopoeus sinensis* (SUGIMOTO, 1930)*, *Lipeurus caponis* (LINNAEUS, 1758)*, *Lipeurus tropicalis* PETERS, 1931*, *Menacanthus cornutus* (SCHÖMMER, 1913)*, *Menacanthus pallidulus* (NEUMANN, 1912)*, *Menacanthus stramineus* (NITZSCH, 1818), *Menopon gallinae* (LINNAEUS, 1758)*, *Oxylipeurus dentatus* (SUGIMOTO, 1934)*

Meleagris gallopavo LINNAEUS, 1758

Chelopistes meleagridis (LINNAEUS, 1758)*, *Colpocephalum tausi* (ANSARI, 1951), *Goniocotes gallinae* (DE GEER, 1778), *Lipeurus caponis* (LINNAEUS, 1758), *Menacanthus stramineus* (NITZSCH, 1818)*, *Menopon gallinae* (LINNAEUS, 1758), *Oxylipeurus copulentus* CLAY, 1938*, *Oxylipeurus polytrapesius* (BURMEISTER, 1838)*

Numida meleagris (LINNAEUS, 1758)

Amyrsidea desousai (KÉLER, 1952)*, *Clayia theresae* HOPKINS, 1941*, *Goniocotes congolensis* TENDEIRO, 1989*, *Goniocotes maculatus* TASCHENBERG, 1882, *Goniodes gigas* (TASCHENBERG, 1879), *Goniodes kloedenhoffi* (TENDEIRO, 1988)*, *Goniodes meyi* (TENDEIRO, 1988)*, *Goniodes numidae* MjöBERG, 1910*, *Goniodes reichenowii* (TENDEIRO, 1988)*, *Lipeurus caponis* (LINNAEUS, 1758), *Lipeurus lawrensis* BEDFORD, 1929*, *Lipeurus numidae* (DENNY, 1842)*, *Menacanthus numidae* (GIEBEL, 1874)*, *Menacanthus stramineus* (NITZSCH, 1818), *Menopon gallinae* (LINNAEUS, 1758), *Numidicola antennatus* (KELLOGG et PAINE, 1911)*, *Somaphantus lusius* PAINE, 1914*

Domesticated mammals (alphabetically)

Bos taurus LINNAEUS, 1758

Bovicola bovis (LINNAEUS, 1758)* HU: (EGRI & NAGY 1995)
Haematopinus eurytenuis (NITZSCH, 1818)* HU: (PIOTROWSKI 1970)
Linognathus vituli (LINNAEUS, 1758)* HU: (PIOTROWSKI 1970)
Solenopotes capillatus ENDERLEIN, 1904* HU: (HORNOK et al. 2010)

Bubalus bubalis LINNAEUS, 1758

Haematopinus tuberculatus (BURMEISTER, 1839)*

Canis familiaris (LINNAEUS, 1758)

Trichodectes canis (DE GEER, 1778)* HU: (PIOTROWSKI 1970)
Linognathus setosus (VON OLFERS, 1816)* HU: (PIOTROWSKI 1970)

Capra hircus LINNAEUS, 1758

Bovicola caprae (GURLT, 1843)* HU: (PIOTROWSKI 1970)
Linognathus stenopsis (BURMEISTER, 1838)* HU: (PIOTROWSKI 1970)
Bovicola crassipes (RUDOW, 1866)*, *Bovicola limbatus* (GERVAIS, 1844)*, *Linognathus africanus* KELLOGG et PAINE, 1911

Cavia porcellus (LINNAEUS, 1758)

Gyropus ovalis NITZSCH, 1818*, *Gliricola porcelli* (SCHRANK, 1781)*, *Trimenopon hispidum* (BURMEISTER, 1838)*

Equus asinus LINNAEUS, 1758

Bovicola ocellatus (PIAGET, 1880), *Haematopinus asini* (LINNAEUS, 1758)*

Equus caballus LINNAEUS, 1758

Bovicola equi (DENNY, 1842)* HU: (EGRI 1990)
Haematopinus asini (LINNAEUS, 1758)

Felis catus (LINNAEUS, 1758)

Felicola subrostratus (BURMEISTER, 1838)* HU: (SZILVÁSSY 2006)

Myocastor coypus (MOLINA, 1782)

Pitrufoquia coypus MARELLI, 1932*

Oryctolagus domesticus (LINNAEUS, 1758)

Haemodipsus ventricosus (DENNY, 1842)

Ovis aries LINNAEUS, 1758

Bovicola ovis (SCHRANK, 1781)*, *Linognathus africanus* KELLOGG et PAINE, 1911*, *Linognathus ovillus* (NEUMANN, 1907)*, *Linognathus pedalis* (OSBORN, 1896)*

Sus domesticus LINNAEUS, 1758

Haematopinus suis (LINNAEUS, 1758)* HU: (PIOTROWSKI 1970)

Potential louse hosts with no lice known to science (alphabetically)

Birds

Acrocephalus agricola (JERDON, 1845), *Acrocephalus melanopogon* (TEMMINCK, 1823), *Anthus cervinus* (PALLAS, 1811), *Anthus richardi* VIEILLOT, 1818, *Aquila nipalensis* HODGSON, 1833, *Calandrella brachydactyla* (LEISLER, 1814), *Carduelis hornemanni* (HOLBOLL, 1843), *Cecropis (Hirundo) daurica* (LINNAEUS, 1771), *Egretta gularis* (BOSC, 1792), *Emberiza cirrus* LINNAEUS, 1766, *Emberiza pusilla* PALLAS, 1776, *Glareola nordmanni* FISCHER, 1842, *Ixobrychus minutus* (LINNAEUS, 1766), *Larus cachinnans* PALLAS, 1811, *Locustella naevia* (BODDAERT, 1783), *Hippolais icterina* (VIEILLOT, 1817), *Iduna (Hippolais) pallida* (EHRENBERG, 1833), *Luscinia luscinia* (LINNAEUS, 1758), *Marmarometta angustirostris* (MENETRIES, 1832), *Motacilla citreola* PALLAS, 1776, *Oenanthe hispanica* (LINNAEUS, 1758), *Parus montanus* (BALDENSTEIN, 1827), *Phylloscopus proregulus* (PALLAS, 1811), *Phylloscopus schwarzi* (RADDE, 1863), *Sylvia cantillans* (PALLAS, 1764), *Sylvia melanocephala* (GMELIN, 1789)

Mammals

Mustela eversmanni LESSON, 1827, *Neomys anomalus* CABRERA, 1907

REFERENCES

- ADAM C. & SÁNDOR A. D. 2004: New data on the chewing louse fauna (Phthiraptera: Amblycera, Ischnocera) from Romania. Part I. – *Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa"* **46**: 75–82.
- ADAM C. & SÁNDOR A. D. 2005: New data on the chewing louse fauna (Phthiraptera: Amblycera, Ischnocera) from Romania. Part II. – *Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa"* **48**: 65–86.
- BÁDR V., ŠTEFAN P. & PREISLER J. 2005: *Trichodectes canis* (De Geer, 1778) (Phthiraptera, Ischnocera), a new ectoparasite of the raccoon dog (*Nyctereutes procyonoides*) in the Czech Republic. – *European Journal of Wildlife Research* **51**(2): 133–135.
- BALÁT F. & BREUER GY. 1955: Beiträge zur Ektoparasitenfauna der Vögel in der Umgebung von Szentgál. – *Acta Veterinaria Academiae Scientiarum Hungaricae* **5**(1): 29–32.
- BALÁT F. 1957: Beiträge zur Mallophaga-Fauna der westlichen Teile Ungarns (Transdanubien) I. – *Acta Veterinaria Academiae Scientiarum Hungaricae* **7**(4): 445–458.
- BEAUCOURNU J. C. 1968: Les Anoploures de Lagomorphes, Rongeurs et Insectivores dans la Région Paléarctique Occidentale et en particulier en France. – *Annales de parasitologie humaine et comparée* **43**: 201–271.
- BERDÁR B. 1983: *Az őz és vadászata. [Roe Deer and its Hunting.]* – Mezőgazdasági Kiadó, Budapest. 175 pp.
- BIHARI Z., CSORBA G. & HELTAI M. (eds) 2007: *Magyarország emlőseinek atlasza. [Atlas of the Mammals of Hungary]*. – Kossuth Kiadó, Budapest, 408 pp.
- BUSH S. E., PRICE R. D. & CLAYTON D. H. 2009. Descriptions of eight new species of feather lice in the genus *Columbicola* (Phthiraptera: Philopteridae), with a comprehensive world checklist. – *Journal of Parasitology* **95**(2): 286–294.
- CSÍKI E. 1904: A tetvek. [The lice.] – *Rovartani Lapok* **11**: 176–184.
- DICKINSON E. (ed.) 2003: *The Howard and Moore Complete Checklist of the Birds of the World. 3rd edition.* – Christopher Helm, London, 1056 pp.
- DUDICH E. 1924: Mallophaga. – In: ÉHIK G. & DUDICH E. (eds): *Magyarországi emlősök és azok külső rovarélszöködőinek határozó táblái. [Identification Guide to the Hungarian Mammals and their Ectoparasites.]* Private edition, Budapest, pp. 5–74.
- DURDEN L. A. & MUSSER G. G. 1994: The sucking lice (Insecta, Anoplura) of the world: a taxonomic checklist with records of mammalian hosts and geographical distributions. – *Bulletin of the American Museum of Natural History* **218**: 1–90.
- EGRI B. 1990: Szórtetvesség magyarországi előfordulása csikóállományban és gyógykezelésekor szerzett tapasztalatok. [Occurrence of chewing lice infestation in Hungarian foal herds and its treatment.] – *Parasitologia Hungarica* **23**: 109–113.
- EGRI B. & NAGY R. 1995: A szarvasmarha bovicosisának kezeléséről: esetismertetés. [On the treatment of cattle bovicosis: case study.] – *Magyar Állatorvosok Lapja* **50**(3): 170–171.

- FORD P. L., FAGERLUND R. A., DUSZYNSKI D. W. & POLECHLA P. J. 2004: *Fleas and Lice of Mammals in New Mexico*. – USDA Rocky Mountain Research Station, Fort Collins, 57 pp.
- HAITLINGER R. 1973: To the knowledge of Siphonaptera and Anoplura fauna of the small mammals in Hungary. – *Parasitologia Hungarica* **6**: 205–214.
- HORNOK S., HOFMANN-LEHMENN R., FERNÁNDEZ DE MERA I. G., MELI M. L., ELEK V., HAJTÓS I., RÉPÁSI A., GÖNCZI E., TÁNCZOS B., FARKAS R., LUTZ H. & DE LA FUENTE J. 2010: Survey on blood-sucking lice (Phthiraptera: Anoplura) of ruminants and pigs with molecular detection of *Anaplasma* and *Rickettsia* spp. – *Veterinary Parasitology* **174**(3–4): 355–358.
- ILIEVA M. 2009: Checklist of the chewing lice (Insecta: Phthiraptera) from wild birds in Bulgaria. – *Zootaxa* **2138**: 1–66.
- KIM K. C., PRATT H. D. & STOJANOVICH C. J. 1986: *The Sucking Lice of North America. An illustrated manual for identification*. – Pennsylvania State University, University Park, Pennsylvania, 241 pp.
- MÁCA J. 1991: Mallophaga parasitizing mammals in Czechoslovakia. – *Acta Societatis Zoologicae Bohemoslovenicae* **55**: 1–11.
- MEY E. 1988: Übersicht über die Säugetier-Mallophagen Europas. – *Angewandte Parasitologie* **29**(2): 113–126.
- MEY E. 2001: A new *Craspedorrhynchus* species (Phthiraptera: Ischnocera) from Australia, with an annotated checklist of this chewing louse genus. – *Deutsche Entomologische Zeitschrift* **48**(1): 117–132.
- MME NOMENCLATOR BIZOTTSÁG 2008: *Magyarország madarainak névjegyzéke. Nomenclator Avium Hungariae*. [Checklist of the Birds of Hungary.] – Magyar Madártani és Természetvédelmi Egyesület, Budapest, 280 pp.
- PAJOT F. X. 2000: *Les poux (Insecta, Anoplura) de la région afrotropicale*. – IRD Éditions, Paris, 293 pp.
- PIOTROWSKI F. 1970: Lice (Phthiraptera) of mammals in Hungary. – *Parasitologia Hungarica* **3**: 97–188.
- PONGRÁCZ S. 1914: Magyarország Neuropteridái. [Neuropterids of Hungary.] – *Rovartani Lapok* **21**: 109–122.
- PRICE R. D., HELLENTHAL R. A. & PALMA R. L. 2003: World checklist of chewing lice with host associations and keys to families and genera. – In: PRICE R. D., HELLENTHAL R. A., PALMA R. L., JOHNSON K. P. & CLAYTON D. H. (eds): *The chewing lice: World checklist and biological overview*. Illinois Natural History Survey, Champaign, Illinois, pp. 449–476.
- RÉKÁSI J. 1973: Magyarországi madarak tolltetvei (Mallophaga) I. [Chewing lice (Mallophaga) of birds in Hungary I.] – *Parasitologia Hungarica* **6**: 215–238.
- RÉKÁSI J. 1978a: Die Federling-Sammlung des Ungarischen Naturwissenschaftlichen Museums. I. – *Parasitologia Hungarica* **11**: 107–112.
- RÉKÁSI J. 1978b: A Pusztaszeri Rezervátumban gyűrűzött vadmadarak tolltetveiről (Mallophaga). [Notes on the chewing lice if wild birds ringed at the Pusztaszer Nature Reserve.] – *Parasitologia Hungarica* **11**: 149–151.

- RÉKÁSI J. 1979: Die Federling-Sammlung des Ungarischen Naturwissenschaftlichen Museums. II. – *Parasitologia Hungarica* **12**: 93–98.
- RÉKÁSI J. 1983: A gyöngyösi Mátra Múzeum Mallophaga gyűjteményének alapvetése. [Foundation of the Mallophaga collection of the Mátra Museum, Gyöngyös.] – *Folia Historico-Naturalia Musei Matraensis* **8**: 93–95.
- RÉKÁSI J. 1984: The Mallophaga collection of the Mátra-Museum I. – *Folia Historico-Naturalia Musei Matraensis* **9**: 23–47.
- RÉKÁSI J. 1986a: Magyarországi madarak tolltetvei (Mallophaga) II. [Chewing lice (Mallophaga) of birds in Hungary II.] – *Parasitologia Hungarica* **19**: 119–126.
- RÉKÁSI J. 1986b: Mallophaga from ringed and dead birds collected in the Kiskunság National Park. – In: MAHUNKA S. (ed.): *The Fauna of the Kiskunság National Park, I*. Akadémiai Kiadó, Budapest, pp. 103–106.
- RÉKÁSI J. 1987: Adatok a kerecsensólyom (*Falco cherrug*) és a daru (*Grus grus*) tolltetű (Mallophaga) fertőzöttségéhez. [Data to the Mallophaga infestations of Saker Falcon (*Falco cherrug*) and Common Crane (*Grus grus*).] – *Aquila* **93–94**: 309–310.
- RÉKÁSI J. 1990: The lice fauna of the Bátorliget Nature Reserves (Mallophaga). – In: MAHUNKA S. (ed.): *The Bátorliget Nature Reserves – after forty years*. Hungarian Natural History Museum, Budapest, pp. 323–331.
- RÉKÁSI J. 1993a: Bird lice (Mallophaga) parasiting [sic] the birds of Hungary. – *Aquila* **100**: 71–93.
- RÉKÁSI J. 1993b: Data to the Mallophaga fauna of the Bükk National Park. – In: MAHUNKA S. (ed.): *The Fauna of the Bükk National Park, I*. Hungarian Natural History Museum, Budapest, pp. 61–63.
- RÉKÁSI J. 1994: Chewing lice parasitizing mammals in Central Europe, with notes on louse taxonomy and biogeography. – *Parasitologia Hungarica* **27**: 57–67.
- RÉKÁSI J. 1995: *Menacanthus tichodromae* sp. n. (Mallophaga) from the Wallcreeper (*Tichodroma muraria* L., 1766). – *Parasitologia Hungarica* **28**: 101–105.
- RÉKÁSI J. 1998a: Description of a new species of feather lice (Mallophaga) *Philopterus hungaricus* sp. n. from the Wallcreeper (*Tichodroma muraria* L., 1766) with additional notes on the description of *Menacanthus tichodromae* Rékási, 1995. – *Aquila* **103–104**: 73–85.
- RÉKÁSI J. 1998b: Data on the Mallophaga lice of birds. – *Aquila* **103–104**: 142–143.
- RÉKÁSI J. 2002: Data to Bird-Lice (Mallophaga) Fauna of the Fertő-Hanság National Park. – In: MAHUNKA S. (ed.): *The Fauna of the Fertő-Hanság National Park, I*. Hungarian Natural History Museum, Budapest, pp. 319–323.
- RÉKÁSI J. 2006: Data on the chewing lice (Phthiraptera) collected from shorebirds in the Fertő-Hanság National Park in 2002. – *Aquila* **113**: 182–183.
- RÉKÁSI J. 2008a: Adatok a hortobágyi madárkórházban gyógykezelt madarak tolltetveiről (Phthiraptera). [Data on avian lice (Phthiraptera) of birds medicated at the Hortobágy Raptor Rehabilitation Center.] – *Ornis Hungarica* **15–16**: 59–62.
- RÉKÁSI J. 2008b: Feather louse collected from Terek Sandpiper (*Xenus cinereus*). – *Aquila* **114–115**: 188.

- RÉKÁSI J., DÉRI J. & DÉRI J. 2002: Data on Mallophaga infection of some birds treated in the Hortobágy bird rescue center – *Aquila* **107–108**: 128–129.
- RÓZSA L. 1990: The ectoparasite fauna of feral pigeon populations in Hungary. – *Parasitologia Hungarica* **23**: 115–119.
- SCHÄFER L. 1963: Angaben zur Mallophagen-Fauna Ungarns. – *Folia Entomologica Hungarica* **16**: 181–194.
- SCHÄFER L. 1964: Mallophages de Hongrie et oiseaux parasités. – *Bulletin de la Société d'Histoire naturelle de Toulouse* **99**(1–2): 171–174.
- SMITHERS C. N., PALMA R. L., BARKER S. C. & MOUND L. A. 1996: Psocoptera, Phthiraptera, Thysanoptera. – In: WELLS A. (ed.): *Zoological Catalogue of Australia*, vol. 26. Australia Government Publications Service, Canberra, pp. 1–77.
- SOLT SZ. 1998: Lice (Phthiraptera: Amblycera, Ischnocera) of raptors in Hungarian zoos and Rehabilitation Centers. – *Journal of Raptor Research* **32**(3): 264–266.
- SUGÁR L. 1985: Hairlouse (*Damalinea meyeri*) – an indicator to health status of roe deer. – In: IPPEN R. & SCHRÖDER H.-D. (eds): *Erkrankungen der Zootiere. Verhandlungsbericht des 27. Internationalen Symposium über die Erkrankungen der Zootiere vom 9. Juni bis 13. Juni 1985 in St. Vincent/Torino*. Akademie-Verlag, Berlin, pp. 113–115.
- SUGÁR L. 1997: Deer and their parasites: disease or coexistence? – *Parasitologia* **39**(4): 297–301.
- SYCHRA O. & LITERÁK I. 2008: *Myrsidea sylviae* (Phthiraptera, Menoponidae), a new species of chewing louse from *Sylvia atricapilla* (Passeriformes, Sylviidae). – *Deutsche Entomologische Zeitschrift* **55**(2): 241–243.
- SYCHRA O., SYCHROVÁ V. & LITERÁK I. 2008a: Identity of *Menacanthus obteli* Balát (Phthiraptera: Menoponidae) from the Savi's warbler (Passeriformes: Sylviidae). – *Biologia* **63**(5): 686–688.
- SYCHRA O., JENSEN J.-K., BROOKE M. de L., TRNKA A., PROCHÁZKA P. & LITERÁK I. 2008b: The identity of *Menacanthus eisenachensis* Balát (Insecta, Phthiraptera, Amblycera, Menoponidae) from the Reed Warbler (Passeriformes, Sylviidae). – *Acta Parasitologica* **53**(4): 404–406.
- SZILVÁSSY L. 2006: *Kutya és macska külső élősködők okozta fertőzőttségének vizsgálata állatorvosi rendelőben*. [A study of canine and feline ectoparasite infestations at a veterinary clinic.] MSc thesis. – Szent István University, Budapest, 29 pp.
- TENQUIST J. D. & CHARLESTON W. A. G. 2001: A revision of the annotated checklist of ectoparasites of terrestrial mammals in New Zealand. – *Journal of the Royal Society of New Zealand* **31**(3): 481–542.
- VAS Z., CSÖRGÖ T., MÖLLER A. P. & RÓZSA L. 2008: The feather holes on the Barn Swallow *Hirundo rustica* and other small passerines are probably caused by *Bruceia* spp. lice. – *Journal of Parasitology* **94**(6): 1438–1440.